

Daftar Pustaka

- [1] C. S. Tucker, I. Behoora, H. B. Nembhard, M. Lewis, N. W. Sterling, and X. Huang, "Machine learning classification of medication adherence in patients with movement disorders using non-wearable sensors," *Comput. Biol. Med.*, vol. 66, pp. 120–134, 2015.
- [2] F. E. B. Otero, A. A. Freitas, and C. G. Johnson, "Inducing decision trees with an ant colony optimization algorithm," *Appl. Soft Comput. J.*, vol. 12, no. 11, pp. 3615–3626, 2012.
- [3] C. J. Mantas and J. Abellán, "Credal-C4.5: Decision tree based on imprecise probabilities to classify noisy data," *Expert Syst. Appl.*, vol. 41, no. 10, pp. 4625–4637, 2014.
- [4] W. Chao and W. Junzheng, "Cloud-service decision tree classification for education platform," *Cogn. Syst. Res.*, vol. 52, pp. 234–239, 2018.
- [5] K. Madadipouya, "A New Decision Tree Method For Data Mining," *Adv. Comput. Intell. An Int. J.*, vol. 2, no. 3, pp. 31–37, 2015.
- [6] C. Lin and C. Fan, "Decision Tree Analysis of the Relationship between Defects and Construction Inspection Grades," *Int. J. Mater. Mech. Manuf.*, vol. 7, no. 1, 2019.
- [7] M. A. Hambali and M. A. Oladunjoye, "Electric Power Load Forecast Using Decision Tree Algorithms," *Comput. Inf. Syst. Dev. Informatics Allied Res. J.*, no. January, 2017.
- [8] L. Xia, Q. Huang, and D. Wu, "Decision Tree-Based Contextual Location Prediction from Mobile Device Logs," *Hindawi Mob. Inf. Syst.*, vol. 2018, 2018.
- [9] A. J. da Silva, W. R. de Oliveira, and T. B. Ludermir, "Weightless neural network parameters and architecture selection in a quantum computer," *Neurocomputing*, vol. 183, pp. 13–22, 2016.
- [10] Q. Song, M. Shepperd, X. Chen, and J. Liu, "Can k-NN imputation improve the performance of C4.5 with small software project data sets? A comparative evaluation," *J. Syst. Softw.*, vol. 81, no. 12, pp. 2361–2370, 2008.
- [11] J. R. Quinlan, "Induction of Decision Trees," *Expert Syst.*, pp. 81–106, 1986.
- [12] T. Korting, "C4. 5 algorithm and Multivariate Decision Trees," *Image Process. Div. Natl. Inst. Sp. ...*, no. Section 2, pp. 2–6, 2010.
- [13] L. Breiman, *Classification And Regression Trees*. 1984.
- [14] J. R. Quinlan, "Simplifying decision trees," *Int. J. Man-Machine Stud.*, no. August 1986, pp. 221–234, 2006.
- [15] J. Ross, Q. Morgan, and K. Publishers, "Book Review : C4 . 5 : Programs for Machine Learning," vol. 240, pp. 235–240, 1994.
- [16] J. Abellán and S. Moral, "Building Classification Trees Using the Total Uncertainty Criterion," *Int. J. Intell. Syst.*, vol. 18, no. 12, pp. 1215–1225, 2003.

- [17] J. G. C. Joaquin Abellan, Carlos J. Mantas, “AdaptativeCC4.5: Credal C4.5 with a rough class noise estimator,” *Expert Syst. Appl.*, 2017.
- [18] C. Sammut and G. I. Webb, “Encyclopedia of Machine Learning,” *Media*, vol. 33, pp. 439–447–447, 2010.
- [19] S. Zhang, “Decision tree classifiers sensitive to heterogeneous costs,” *J. Syst. Softw.*, vol. 85, no. 4, pp. 771–779, 2012.
- [20] T. Wang, Z. Qin, S. Zhang, and C. Zhang, “Cost-sensitive classification with inadequate labeled data,” *Inf. Syst.*, vol. 37, no. 5, pp. 508–516, 2012.
- [21] T. Wang, Z. Qin, Z. Jin, and S. Zhang, “Handling over-fitting in test cost-sensitive decision tree learning by feature selection, smoothing and pruning,” *J. Syst. Softw.*, vol. 83, no. 7, pp. 1137–1147, 2010.
- [22] C. Maione *et al.*, “Comparative study of data mining techniques for the authentication of organic grape juice based on ICP-MS analysis,” *Expert Syst. Appl.*, vol. 49, pp. 60–73, 2016.
- [23] C. Chen, B. He, and Z. Zeng, “A method for mineral prospectivity mapping integrating C4.5 decision tree, weights-of-evidence and m-branch smoothing techniques: A case study in the eastern Kunlun Mountains, China,” *Earth Sci. Informatics*, vol. 7, no. 1, pp. 13–24, 2014.
- [24] P. Taylor and B. Fulkerson, *Pattern Recognition and Neural Networks*, no. November 2014. 2012.
- [25] J. R. Beck, M. Garcia, M. Zhong, M. Georgiopoulos, and G. C. Anagnostopoulos, “A Backward Adjusting Strategy and Optimization of the C4.5 Parameters to Improve C4.5 ’ s Performance,” *Proc. Twenty-First Int. FLAIRS Conf.*, pp. 35–40, 2008.
- [26] M. Mazid, S. Ali, and K. Tickle, “Improved C4. 5 algorithm for rule based classification,” *Proc. 9th WSEAS Int. Conf. Artif. Intell. Knowl. Eng. data bases*, pp. 296–301, 2010.
- [27] G. L. Agrawal and P. H. Gupta, “Optimization of C4 . 5 Decision Tree Algorithm for Data Mining Application,” *Int. J. Emerg. Technol. Adv. Eng.*, vol. 3, no. 3, pp. 341–345, 2013.
- [28] Z. H. Deng and S. L. Lv, “PrePost+: An efficient N-lists-based algorithm for mining frequent itemsets via Children-Parent Equivalence pruning,” *Expert Syst. Appl.*, vol. 42, no. 13, pp. 5424–5432, 2015.
- [29] M. Ture, F. Tokatli, and I. Kurt, “Using Kaplan-Meier analysis together with decision tree methods (C&RT, CHAID, QUEST, C4.5 and ID3) in determining recurrence-free survival of breast cancer patients,” *Expert Syst. Appl.*, vol. 36, no. 2 PART 1, pp. 2017–2026, 2009.
- [30] R. Fernandez Martinez, A. Okariz, J. Ibarretxe, M. Iturrondobeitia, and T. Guraya, “Use of decision tree models based on evolutionary algorithms for the morphological classification of reinforcing nano-particle aggregates,” *Comput. Mater. Sci.*, vol. 92, pp. 102–113, 2014.
- [31] F. Zhang *et al.*, “Dictionary pruning with visual word significance for medical image retrieval,” *Neurocomputing*, vol. 177, pp. 75–88, 2016.

- [32] L. I. Rui, W. E. I. Xian-mei, and Y. U. Xue-wei, "The Improvement of C4 . 5 Algorithm and Case Study," *Second Int. Symp. Comput. Intell. Des.*, pp. 190–192, 2009.
- [33] S. Sudeng and N. Wattanapongsakorn, "Post Pareto-optimal pruning algorithm for multiple objective optimization using specific extended angle dominance," *Eng. Appl. Artif. Intell.*, vol. 38, pp. 221–236, 2015.
- [34] H. Wang and X. Yan, "Improved simple deterministically constructed Cycle Reservoir Network with Sensitive Iterative Pruning Algorithm," *Neurocomputing*, vol. 145, pp. 353–362, 2014.
- [35] N. E. I. Karabadi, H. Seridi, I. Khelf, N. Azizi, and R. Boulkroune, "Improved decision tree construction based on attribute selection and data sampling for fault diagnosis in rotating machines," *Eng. Appl. Artif. Intell.*, vol. 35, pp. 71–83, 2014.
- [36] A. E. Gutierrez-Rodriguez, J. F. Martinez-Trinidad, M. Garcia-Borroto, and J. A. Carrasco-Ochoa, "Mining patterns for clustering on numerical datasets using unsupervised decision trees," *Knowledge-Based Syst.*, vol. 82, pp. 70–79, 2015.
- [37] J. Abellán, J. G. Castellano, and C. J. Mantas, "A New Robust Classifier on Noise Domains: Bagging of Credal C4.5 Trees," *Complexity*, vol. 2017, 2017.
- [38] M. Li, "A Study on the Influence of Non-intelligence Factors on College Students' English Learning Achievement Based on C4.5 Algorithm of Decision Tree," *Wirel. Pers. Commun.*, vol. 102, no. 2, pp. 1213–1222, 2018.
- [39] A. M. Ahmed, A. H. Ulusoy, and A. Rızaner, "A postpruning decision algorithm based on loss minimization," *Turkish J. Electr. Eng. Comput. Sci.*, pp. 2624–2635, 2019.
- [40] L. Ma, S. Destercke, and Y. Wang, "Online active learning of decision trees with evidential data," *Pattern Recognit.*, vol. 52, pp. 33–45, 2016.
- [41] R. García Leiva, A. F. Anta, V. Mancuso, and P. Casari, "A novel hyperparameter-free approach to decision tree construction that avoids overfitting by design," *IEEE Access*, vol. 7, no. 1, pp. 99978–99987, 2019.
- [42] M. J. L. M Mohanapriya, "Comparative study between decision tree and knn of data mining classification technique Comparative study between decision tree and knn of data mining classification technique," *Natl. Conf. Comput. Intell.*, 2018.
- [43] L. E. Erro and S. M. Tonantzintla, "Using C4 . 5 As Variable Selection Criterion in Classification," *Proceeding Ninth IASTED Int. Conf. Artif. Intell. soft Comput.*, pp. 171–176, 2005.
- [44] N. Kshetri, "Big data's role in expanding access to financial services in China," *Int. J. Inf. Manage.*, vol. 36, no. 3, pp. 297–308, 2016.
- [45] S. S. Kumar and T. Nadu, "Modified C4.5 Algorithm with Improved Information Entropy and Gain Ratio," *Int. J. Eng. Res. Technol.*, vol. 2, no. 9, pp. 2768–2773, 2013.

- [46] Z. Jing, H. Xiantong, and Y. Xinfeng, "Research of Data Mining of Association Pattern Pairs in Multidimensional Structured Database," *Int. Conf. Comput. Autom. Eng. (ICCAE 2011)*, vol. 44, no. Iccae 2011, pp. 136–140, 2012.
- [47] R. Pears, Y. S. Koh, G. Dobbie, and W. Yeap, "Weighted association rule mining via a graph based connectivity model," *Inf. Sci. (Ny)*, vol. 218, pp. 61–84, 2013.
- [48] K. Adhatrao, A. Gaykar, A. Dhawan, R. Jha, and V. Honrao, "Predicting students' performance using ID3 and C4.5 classification algorithms," *Int. J. Data Min. Knowl. Manag. Process*, vol. 3, no. 5, pp. 39–52, 2013.
- [49] L. Yao, Q. Z. Sheng, A. H. H. Ngu, J. Yu, and A. Segev, "Unified collaborative and content-based web service recommendation," *IEEE Trans. Serv. Comput.*, vol. 8, no. 3, pp. 453–466, 2015.
- [50] G.-R. Xue *et al.*, "Scalable collaborative filtering using cluster-based smoothing," *Proc. 28th Annu. Int. ACM SIGIR Conf. Res. Dev. Inf. Retr. - SIGIR '05*, p. 114, 2005.
- [51] S. Vijayarani and M. Divya, "An Efficient Algorithm for Generating Classification Rules," *Int. J. Comput. Sci. Technol.*, vol. 2, no. 4, pp. 512–515, 2011.
- [52] "A Mathematical Theory of Communication," *Bell Syst. Tech. J.*, vol. 27, no. April 1924, pp. 379–423, 1948.
- [53] T. M. Mitchell, *Machine Learning*.
- [54] M. Skórski, "Shannon entropy versus Renyi entropy from a cryptographic viewpoint," *Lect. Notes Comput. Sci. (including Subser. Lect. Notes Artif. Intell. Lect. Notes Bioinformatics)*, vol. 9496, pp. 257–274, 2015.
- [55] G. W. Petty, "On some shortcomings of Shannon entropy as a measure of information content in indirect measurements of continuous varia," *J. Atmos. Ocean. Technol.*, vol. 35, no. 5, pp. 1011–1021, 2018.
- [56] lixiong L. FucaiChen, Xiaowei Li, "Improved C4.5 Decision Tree Algorithm Based on Sample Selection," *IEEE Trans. Knowl. Data Eng.*, pp. 779–782, 2013.
- [57] A. A.-B. V. Bolón-Canedo , N. Sánchez-Maróño, "Recent advances and emerging challenges of feature selection in the context of big data," *Knowledge-Based Syst.*, vol. 86, pp. 33–45, 2015.
- [58] C. C. Liao and K. W. Hsu, "A rule-based classification algorithm: A rough set approach," *2012 IEEE Int. Conf. Comput. Intell. Cybern.*, pp. 1–5, 2012.
- [59] D. T. Larose and C. D. Larose, *Wiley Series on Methods and Applications in Data Mining Discovering Knowledge in Data: An Introduction to Data Mining, Second Edition r*. 2014.
- [60] C. Drummond and R. C. Holte, "C4.5, class imbalance, and cost sensitivity: why under-sampling beats over-sampling," *Work. Learn. from Imbalanced Datasets II*, pp. 1–8, 2003.

- [61] N. V. Chawla, "C4. 5 and imbalanced data sets: investigating the effect of sampling method, probabilistic estimate, and decision tree structure," *Proc. Int. Conf. Mach. Learn. Work. Learn. from Imbalanced Data Set II*, 2003.
- [62] X. Wu *et al.*, "Top 10 algorithms in data mining," *Knowl. Inf. Syst.*, vol. 14, no. 1, pp. 1–37, 2008.
- [63] J. Han, M. Kamber, and J. Pei, *Data Mining: Concepts and Techniques*, San Francisco, CA, itd: Morgan Kaufmann, Third Edition, 2012.
- [64] C. J. Mantas, J. Abellán, and J. G. Castellano, "Analysis of Credal-C4 . 5 for classification in noisy domains," *Expert Syst. Appl.*, vol. 61, pp. 314–326, 2016.
- [65] F. M. Dike and E. I. O, "Factors Influencing Uptake of Cervical Cancer Screening among Female Health Workers in University of Port Harcourt Teaching Hospital , Rivers State," *J. Heal. Sci. Res.*, vol. 2, no. 1, pp. 1–9, 2017.
- [66] D. E. Weiland, D. M. Caruso, and A. Kassir, "JSLS Using Delta / DRG Diagrams and Decision Tree Analysis to Select a Cost-Effective Surgery for Cholecystitis," *J. Soc. Laparoendosc. Surg.*, no. November 1996, 2014.
- [67] A. Koufakou and M. Georgiopoulos, "A fast outlier detection strategy for distributed high-dimensional data sets with mixed attributes," *Data Mining Knowl.*, pp. 259–289, 2010.
- [68] J. Ghosh and S. Mukhopadhyay, "Role of Certainty Factor in Generating Rough-Fuzzy Rule," *Int. J. Comput. Sci. Eng.*, vol. 1, no. 2, pp. 4–5, 2011.
- [69] L. O. Hall, X. Liu, K. W. Bowyer, R. Banfield, F. Hall, and N. Dame, "Why are Neural Networks Sometimes Much More Accurate than Decision Trees : An Analysis on a Bio-Informatics Problem *," *IEEE Int. Conf. Syst. Man Cybern. Washington, D.C., USA*, pp. 2851–2856, 2003.
- [70] D. A. Regier, J. Sicsic, and V. Watson, "Journal of Economic Behavior and Organization Choice certainty and deliberative thinking in discrete choice experiments . A theoretical and empirical investigation," *J. Econ. Behav. Organ.*, vol. 164, pp. 235–255, 2019.
- [71] O. Grady, O. Hare, G. M. P. A. Attributes, Y. Song, and H. Meng, "Applications of Attributes Weighting in Data Mining," *Proc. IEEE SMC UK&RI 6th Conf. Cybern. Syst. Dublin, Irel.*, no. September, 2007.
- [72] P. Chancellor, "Assigning Weights To Training Instances Increases Classification Accuracy," *Int. J. Data Min. Knowl. Manag. Process*, vol. 3, no. 1, pp. 13–25, 2013.
- [73] D. P. Provost. F, "Well-Trained PETs: Improving Probability Estimation Trees," *Inf. Syst. Departmen - Stern Sch. Bus.*, 2000.
- [74] W. Mao and W. Guo, "An Improved Association Rules Mining Algorithm Based on Power Set and Hadoop," *2013 Int. Conf. Inf. Sci. Cloud Comput. Companion*, pp. 236–241, 2013.
- [75] F. Khozeimeh *et al.*, "Intralesional immunotherapy compared to cryotherapy in the treatment of warts," *Int. J. Dermatol.*, vol. 56, no. 4, pp. 474–478, 2017.

- [76] F. Khozeimeh, R. Alizadehsani, M. Roshanzamir, A. Khosravi, P. Layegh, and S. Nahavandi, "An expert system for selecting wart treatment method," *Comput. Biol. Med.*, vol. 81, no. August 2016, pp. 167–175, 2017.
- [77] K. Napierala and J. Stefanowski, *BRACID: A comprehensive approach to learning rules from imbalanced data*, vol. 39, no. 2. 2012.
- [78] L. W. Fan and M. S. Wang, "A two-stage discretization algorithm based on information entropy," *Appl Intell*, pp. 1169–1185, 2017.
- [79] L. T. T. Nguyen and N. T. Nguyen, "An improved algorithm for mining class association rules using the difference of Obidsets," *Expert Syst. Appl.*, vol. 42, no. 9, pp. 4361–4369, 2015.
- [80] A. M. Alvarez-Meza, A. E. Castro-Ospina, and G. Castellanos-Dominguez, "Automatic Graph Pruning based on Kernel Alignment for Spectral Clustering," *Pattern Recognit. Lett.*, vol. 70, pp. 8–16, 2015.
- [81] D. M. W. Powers, "Evaluation : From Precision , Recall and F-Factor to ROC , Informedness , Markedness & Correlation," *Tech. Rep. SIE*, no. December, 2007.
- [82] T. Fawcett, "An introduction to ROC analysis," *Elsevier*, vol. 27, pp. 861–874, 2006.
- [83] J. R. Taylor, *An Introduction to Error Analysis*, Second. Clifornia: University Science Books, 1999.
- [84] B. W. Matthews, "(Received May 21st, 1975)," *Comp. Predict. Obs. Second. Strukt. Of T4 Phage Lysozyme*, vol. 405, pp. 442–451, 1975.
- [85] M. Puth and M. Neuh, "Effective use of Spearman ' s and Kendall ' s correlation coef fi cients for association between two measured traits," *Assoc. Study Anim. Behav.*, vol. 102, pp. 3–10, 2015.
- [86] D. M. W. Powers, "Evaluation: From Precision, Recall and F-Measure To Roc, Informedness, Markedness & Correlation," *J. Mach. Learn. Technol.*, vol. 2, no. 1, pp. 37–63, 2011.
- [87] F. Gorunescu, *Data Mining Concept, Models and Techniques*. Berlin: Springer, 2011.
- [88] "The Use of Ranks to Avoid the Assumption of Normality Implicit in the Analysis of Variance Author (s): Milton Friedman Source : Journal of the American Statistical Association , Vol . 32 , No . 200 , (Dec . , 1937), pp . 675- Published by : American St," vol. 32, no. 200, pp. 675–701, 2008.
- [89] S. Lessmann, S. Member, B. Baesens, C. Mues, and S. Pietsch, "Benchmarking Classification Models for Software Defect Prediction : A Proposed Framework and Novel Findings," *IEEE Trans. Softw. Eng.*, vol. 34, no. 4, pp. 485–496, 2008.