

## DAFTAR PUSTAKA

- Abou El-Soud, A. *et al.* (2014) 'Prevalence of low back pain in working nurses in Zagazig University Hospitals: an epidemiological study', *Egyptian Rheumatology and Rehabilitation*, 41(3), p. 109. doi: 10.4103/1110-161x.140525.
- Al-Samawi, M. A. G. and Awad, H. M. A. A. (2015) 'Prevelenace of Low Back Pain Among Nurses Working in Elmak Nimer University Hospital – Shendi -Sudan 2015', ©*International Journal of Research -GRANTHAALAYAH International Journal of Research – Granthaalayah* Al-samawi *et. al.*, 33(99), pp. 108–121.
- Aljeesh, Y. and Al Nawajha, S. (2011) 'Determinants of Low Back Pain among Operating Room Nurses in Gaza Governmental Hospitals', *Journal of Al Azhar University-Gaza (Natural Sciences)*, 13, pp. 41–54. Available at: [http://www.alazhar.edu.ps/journal123/natural\\_Sciences.asp?typeno=1](http://www.alazhar.edu.ps/journal123/natural_Sciences.asp?typeno=1).
- Altinel, L., Kose, K. C., and Altinel, E. C. (2007). 'Prevalence of back pain and pain related factors in professional healthcare workers'. *Journal of Medical Research*, 5(3), 115-120.
- Boughattas, W. *et al.* (2017) 'Low Back Pain among Nurses: Prevalence, and Occupational Risk Factors', *Occupational Diseases and Environmental Medicine*, 05(01), pp. 26–37. doi: 10.4236/odem.2017.51003.
- Bourbonnais, R. *et al.* (2005) 'Health care restructuring, work environment, and health of nurses', *American Journal of Industrial Medicine*, 47(1), pp. 54–64. doi: 10.1002/ajim.20104.
- Budhrani-Shani, P. *et al.* (2016) 'Mind-Body Exercises for Nurses with Chronic Low Back Pain: An Evidence-Based Review', *Nursing Research and Practice*, 2016, pp. 1–10. doi: 10.1155/2016/9018036.
- Cesana, G. *et al.* (1998). 'Risk evaluation and health surveillance in hospitals: A critical review and contribution regarding experience obtained at Garardo dei Tintori Hospital in Monza'. *Med Lav*. 89(1). 23-46
- Cunningham, C. G., Flynn, T. and Blake, C. (2006) 'Low back pain and occupation among Irish health service workers', *Occupational Medicine*, 56(7), pp. 447–454. doi: 10.1093/occmed/kql056.
- Dawson, A. P. *et al.* (2007) 'Interventions to prevent back pain and back injury in nurses: A systematic review', *Occupational and Environmental Medicine*, 64(10), pp. 642–650. doi: 10.1136/oem.2006.030643.
- Dlungwane, T., Voce, A. and Knight, S. (2018) 'Prevalence and factors associated with low back pain among nurses at a regional hospital in Kwazulu-Natal, South Africa', *Health SA Gesondheid*, 23, pp. 1–6. doi:

10.4102/hsag.v23i0.1082.

- Gim, C. S. (2017) 'Factors Associated with Low Back Pain Among Nurses in Critical Care Units, Hospital Universiti Sains Malaysia', *Biomedical Journal of Scientific & Technical Research*, 1(7). doi: 10.26717/bjstr.2017.01.000613.
- Goni, N. T. S., Khosama, H. and Tumboimbela, M. J. (2016) 'Karateristik Perawat di Irina F RSUP Prof. Dr. R. D. Kandou Manado yang Mengalami Keluhan Nyeri Punggung Bawah', *e-CliniC*, 4(1). doi: 10.35790/ec1.4.1.2016.12107.
- Gourmelen, J. *et al.* (2007) 'Frequency of low back pain among men and women aged 30 to 64 years in France. Results of two national surveys', *Annales de Readaptation et de Medecine Physique*, 50(8), pp. 640–644. doi: 10.1016/j.annrmp.2007.05.009.
- Hasyim, H. 2000. Low Back Pain pada Operator Komputer. Temu Ilmiah Tahunan Fisioterapi TITAFI XV. Semarang 2-4 Oktober 2000
- Hendrick, P. *et al.* (2011) 'The Relationship Between Physical Activity and Low Back Pain Outcomes: A Systematic Review of Observational Studies', *European Spine Journal*, 20(3), pp. 464–474. doi: 10.1007/s00586-010-1616-2.
- Heneweer, H., Vanhees, L. and Picavet, H. S. J. (2009) 'Physical activity and low back pain: A U-shaped relation?', *Pain*, 143(1–2), pp. 21–25. doi: 10.1016/j.pain.2008.12.033.
- Iyaoromi, O., Madaki, A. and Dankyau, M. (2016) 'Relationship Between Low Back Pain And Work-Place Functioning Of Nurses At A Tertiary Hospital In North Central Nigeria.', *The Internet Journal of Health Care Admin*, 11(1), pp. 1–7. doi: 10.5580/IJHCA.39231.
- Karahan, A. and Bayraktar, N. (2004) 'Determination of the usage of body mechanics in clinical settings and the occurrence of low back pain in nurses', *International Journal of Nursing Studies*, 41(1), pp. 67–75. doi: 10.1016/S0020-7489(03)00083-X.
- Katuuk, M. E. and Karundeng, M. (2019) 'Hubungan Antara Aktivitas Fisik Dengan Nyeri Punggung Bawah Pada Perawat Di Rumah Sakit Umum Daerah Luwuk Banggai', *Jurnal Keperawatan*, 7(1).
- Kristanti, C. M. (2012) 'Kondisi Fisik Kurang Gerak Dan Instrumen Pengukuran', *Media of Health Research and Development*. doi: 10.22435/mpk.v12i1Mar.827.
- Kujala, U. M., Taimela, S. and Viljanen, T. (1999) 'Leisure physical activity and various pain symptoms among adolescents', *British Journal of Sports*

- Medicine*, 33(5), pp. 325–328. doi: 10.1136/bjism.33.5.325.
- Lela, M. and Frantz, J. M. (2012) ‘The Relationship Between Low Back Pain and Physical Activity Among Nurses in Kanombe Military Hospital’, 4(June), pp. 63–66.
- Lorusso, A., Bruno, S. and L’Abbate, N. (2007) ‘A review of low back pain and musculoskeletal disorders among Italian nursing personnel’, *Industrial Health*, 45(5), pp. 637–644. doi: 10.2486/indhealth.45.637.
- Macaluso, A. and De Vito, G. (2004) ‘Muscle strength, power and adaptations to resistance training in older people’, *European Journal of Applied Physiology*, 91(4), pp. 450–472. doi: 10.1007/s00421-003-0991-3.
- Mahmud *et al.* (2021) ‘The Prevalence and Risk Factors of Low Back Pain among The Nurses at Sardjito Hospital, Yogyakarta, Indonesia’, *Anaesthesia, Pain & Intensive Care*, 25(1), pp. 19–25. doi: 10.35975/apic.v25i1.1432.
- Massuda, K. C. *et al.* (2017) ‘Incidence of low back pain according to physical activity level in hospital workers’, *Revista Dor*, 18(1), pp. 8–11. doi: 10.5935/1806-0013.20170003.
- Menzel, N. N. *et al.* (2004) ‘The physical workload of nursing personnel: Association with musculoskeletal discomfort’, *International Journal of Nursing Studies*, 41(8), pp. 859–867. doi: 10.1016/j.ijnurstu.2004.03.012.
- Mitchell, T. *et al.* (2009) ‘Biopsychosocial factors are associated with low back pain in female nursing students: A cross-sectional study’, *International Journal of Nursing Studies*, 46(5), pp. 678–688. doi: 10.1016/j.ijnurstu.2008.11.004.
- Mwilila, M. C. (2008) ‘Work-related Low Back Pain Among Clinical Nurses in Tanzania’, *WestCape University South Africa*, 1(1), pp. 1–98. Available at: [https://etd.uwc.ac.za/.../Mwilila\\_MSC\\_2008.pdf?...](https://etd.uwc.ac.za/.../Mwilila_MSC_2008.pdf?...)
- Nur, F. H., Dewi, D. R. L. and Yanti, S. N. (2015) ‘Hubungan lama duduk saat jam kerja dan aktivitas fisik dengan keluhan nyeri punggung bawah (low back pain) pada karyawan kantor terpadu pontianak tahun 2014’, 3(2), pp. 54–67.
- Oldervoll, L. M. *et al.* (2001) ‘Comparison of two physical exercise programs for the early intervention of pain in the neck, shoulders and lower back in female hospital staff’, *Journal of Rehabilitation Medicine*, 33(4), pp. 156–161. doi: 10.1080/165019701750300618.
- Omokhodion, F. O., Umar, U. S. and Ogunnowo, B. E. (2000) ‘Prevalence of low back pain among staff in a rural hospital in Nigeria’, *Occupational Medicine*, 50(2), pp. 107–110. doi: 10.1093/occmed/50.2.107.

- Ovayolu, O. *et al.* (2014) 'Frequency and severity of low back pain in nurses working in intensive care units and influential factors', *Pakistan Journal of Medical Sciences*, 30(1), pp. 70–76. doi: 10.12669/pjms.301.3455.
- Pate, R. R., Yancey, A. K. and Kraus, W. E. (2010) 'The 2008 Physical Activity Guidelines for Americans: Implications for Clinical and Public Health Practice', *American Journal of Lifestyle Medicine*, 4(3), pp. 209–217. doi: 10.1177/1559827609353300.
- Patrick, N., Emanski, E. and Knaub, M. A. (2016) 'Acute and Chronic Low Back Pain', *Medical Clinics of North America*. Elsevier Inc, 100(1), pp. 169–181. doi: 10.1016/j.mcna.2015.08.015.
- Pinar, R. (2010) 'Work-related musculoskeletal disorders in Turkish hospital nurses', *Turkiye Klinikleri Journal of Medical Sciences*, 30(6), pp. 1869–1875. doi: 10.5336/medsci.2009-13539.
- Pirade, A., Angliadi, E. and Sengkey, L. S. (2013) 'Hubungan Posisi Dan Lama Duduk Dengan Nyeri Punggung Bawah (Npb) Mekanik Kronik Pada Karyawan Bank', *Jurnal Biomedik (Jbm)*, 5(1), pp. 98–104. doi: 10.35790/jbm.5.1.2013.2628.
- Polito, M. D., Maranhão Neto, G. de A. and Lira, V. A. (2003) 'Componentes da aptidão física e sua influência sobre a prevalência de lombalgia', *Rev. bras. ciênc. mov.*, pp. 35–40. doi: 10.18511/rbcm.v11i2.494.
- Punnett, L. and Wegman, D. H. (2004) 'Work-related musculoskeletal disorders: The epidemiologic evidence and the debate', *Journal of Electromyography and Kinesiology*, 14(1), pp. 13–23. doi: 10.1016/j.jelekin.2003.09.015.
- Roupa, Z. *et al.* (2008) 'HSJ – HEALTH SCIENCE JOURNAL® THE PROBLEM OF LOWER BACK PAIN IN NURSING STAFF AND ITS EFFECT ON HUMAN ACTIVITY. The Problem of Lower Back Pain in Nursing Staff and its Effect on Human Activity. 219 HSJ – HEALTH SCIENCE JOURNAL®, 2(4), pp. 219–225.
- Rustøen, T. (2016) 'Low back pain among nurses: Common cause of lost days at work and contributing to the worldwide shortage of nurses', *Scandinavian Journal of Pain*. Elsevier B.V., 11, p. 135. doi: 10.1016/j.sjpain.2016.01.005.
- Samara, D. *et al.* (2005) 'Duduk Statis sebagai Faktor Risiko Terjadinya Nyeri Punggung Bawah pada Pekerja Perempuan', *Universitas Medicina*, 24(2), pp. 73–79.
- Schneider, S. *et al.* (2005) 'Workplace stress, lifestyle and social factors as correlates of back pain: A representative study of the German working population', *International Archives of Occupational and Environmental Health*, 78(4), pp. 253–269. doi: 10.1007/s00420-004-0576-4.

- Shieh, S. H. *et al.* (2016) 'Increased low back pain risk in nurses with high workload for patient care: A questionnaire survey', *Taiwanese Journal of Obstetrics and Gynecology*, 55(4), pp. 525–529. doi: 10.1016/j.tjog.2016.06.013.
- Sikiru, L. and Hanifa, S. (2010) 'Prevalence and risk factors of low back pain among nurses in a typical Nigerian hospital.', *African health sciences*, 10(1), pp. 26–30.
- Silveri, C., and Spinasanta, S. (2003). Spine health benefits from physical activity. Spineuniverse.com. Retrieved September, 1, 2020, from <http://www.spineuniverse.com/displayarticle>.
- Svensson, A. L. *et al.* (2008) 'Factors predicting dropout in student nursing assistants', *Occupational Medicine*, 58(8), pp. 527–533. doi: 10.1093/occmed/kqn140.
- Teck, T. S., Prabowo, T. and Kurniani, N. (2016) 'Correlation between Body Mass Index and Disability in Patient with Chronic Low Back Pain', *Althea Medical Journal*, 3(4), pp. 624–628. doi: 10.15850/amj.v3n4.949.
- Terzi, R. and Altin, F. (2015) 'Hastane çalışanlarında bel ağrısı sikliği, bel ağrısının kronik yorgunluk sendromu ve mesleki faktörler ile ilişkisi', *Agri*, 27(3), pp. 149–154. doi: 10.5505/agri.2015.26121.
- Tosunoz, I. K. and Oztunc, G. (2017) 'Low back pain in nurses.', *International Journal of Caring Sciences*, 10(3), p. 1728.
- World Health Organization (2003). 'Non Communicable Disease Prevention and Health Promotion. Health and Development through Physical Activity and Sport'. Retrieved Oktober 10, 2020, from [http://whqlibdoc.who.int/hq/2003/WHO\\_NMH\\_NPH\\_PAH\\_o3.2.pdf](http://whqlibdoc.who.int/hq/2003/WHO_NMH_NPH_PAH_o3.2.pdf)
- World Health Organization (2009) 'Physical Activity'. Retrieved Oktober 10, 2020, from [http://www.who.int/topics/physical\\_activity/en](http://www.who.int/topics/physical_activity/en)
- Woolf, A. D. and Pfleger, B. (2003) 'Burden of major musculoskeletal conditions', *Bulletin of the World Health Organization*, 81(19), pp. 646–656.
- Yip, Y. B. (2001) 'A study of work stress, patient handling activities and the risk of low back pain among nurses in Hong Kong', *Journal of Advanced Nursing*, 36(6), pp. 794–804. doi: 10.1046/j.1365-2648.2001.02037.x.