



## DAFTAR PUSTAKA

- Alan, A.R., A.G. Brants, E. Pablo, P.A. Goldsmied, M.A. Mutschler, E.D. Early. 2004. Fecund gynogenic lines from onion (*Allium cepa L.*) breeding materials. *Plant Science* 167:1055-1066.
- Alan, A.R., F.C. Toprak, A. Kaska. 2016. Production and evaluation of gynogenic leek (*Allium ampeloperasum L.*) plants. *Plant Tissue Organ Culture* 125:249-259.
- Alan, A.R., M.A. Mutschler, A. Brants, E.D Earle. 2003. Production of gynogenic plants from hybrid of *Allium cepa L.* and *A. roylei* Stearn. *Plant Science* 165:1201-1211.
- Araki, N., Masuzaki, S. I., Tsukazaki, H., Yaguchi, S., Wako, T., Tashiro, Y., Shigyo, M. 2010. Development of microsatellite markers in cultivated and wild species of sections Cepa and Phyllodolon in Allium. *Euphytica*, 173(3) : 321–328.
- Arumuganathan, K dan E.D. Earle. 1991. Estimation of Nuclear DNA Content of Plants by Flow Cytometry. *Plant Molecular Biology Reporter* Volume 9(3).
- Badan Pusat Statistik (BPS) dan Direktorat Jenderal Hortikultura. 2021. <https://www.pertanian.go.id/>. Akses 17 Februari 2021.
- Bohanec, B, M. Jakse, A. Ihan, B. Javornik. 1995. Studies of ginogenesis in onion (*Allium cepa L.*): induction procedures and genetic analysis of regenerants. *Plant Science* 104:215-224.
- Bohanec, B. 2002. Haploid ganda Onion. *Allium Crop Science : Recent Advances* 145-157.
- Brewster JL. 2008. Onions and other vegetable Alliums. 2nd edn. CAB International. Wallingford. UK p.454.
- Campion, B. & C. Alloni 1990. Induction of haploid plants in onion (*Allium cepa L.*) by *in vitro* culture of unpollinated ovules. *Plant Cell, Tissue, and Organ Culture* 20:1–6.
- Chen, J.F, L Cui, A.A. Malik, K.G. Mbira. In Vitro Haploid and DIhaploid Production Via Unfertilized Ovule Culture. *Plant Cell, Tissue and Organ Culture* 104 (3) : 311-319.
- Dunwell, J.M. 2010. Haploids in Flowering Plants : Origin and Exploitation. *Plant Biotechnology Journal* 8 : 377-424.
- FAO. 2017. <http://www.fao.org/statistics>. Akses 27 Maret 2019.



Fayos, O., A. Garces-Claves, M.P. Valles, A. Castillo. 2015. Haploid ganda production from Spanish onion (*Allium cepa L.*) germplasm: embryogenesis induction, plant regeneration and chromosome doubling. *Frontiers in Plant Science* 6(384):1-11.

Fisher, D., K. Bachmann. 2000. Onion microsatellites for germplasm analysis and their use in assessing intra- and interspecific relatedness within the subgenus Rhizirideum. *Theor Appl Genet* (101):153–164.

Foschi, M.L., L.E. Martinez, M.T. Ponce, C.R. Galmarini, B. Bohanec. 2013. Effect of Colchicine and Amophrophos-methyl on the Production of In Vitro Haploid ganda Onion Plants and Correlation Assesment between Ploidy Level and Stomatal size. *Revista de la Facultad de Clenesia Agrarias* 45(2) : 155-164.

Friesen, N., R.M. Fritsch and F.R. Blattner. Phylogeny and New Intergeneric Classification of Allium (Alliaceae) Based on Nuclear Ribosomal DNA Its Sequences. *Alico* 22 : 372-395.

Galazka, J., & K. Niemirowics-Szczytt. 2013. Review of Research on Haploid Production in Cucumber and other Cucurbits. *Folia Horticulturae* 25 (1) : 67-78.

Galmarini, C.R. 2018. Economic and Academic Important. *The Allium Genomes. Compendium of Plant Genomes* 1-10.

Geauffiau, E., R. Kahane, M. Rancilac. 1996. Variation in gynogenic ability in onion (*Allium cepa L.*) *Euphytica* 94: 37–44.

Grebels E & A. Adamus. 2004. Effect of Anti-Mitotic Agents on Development and Genome Doubling of Gynogenic Onion (*Allium cepa L.*) Embryos. *Plant Science* 167 : 569 – 574.

Ibrahim, A.M., F.B. Kayat, D. Susanto, P. Kashiani., M. Arifullah. 2016. Haploid induction in spring onion (*Allium fistulosum L.*). *Boitechnology* 15:1-2.

IPGRI, ECP/GR, AVRDC. 2001. Descriptors for Allium (*Allium spp.*). International Plant Genetic Resources Institute, Rome, Italy; European Cooperative Programme for Crop Genetic Resources Networks (ECP/GR), Asian Vegetable Research and Development Center, Taiwan.

Keller, E. R. J & L. Korzun. 1996. Haploidy in Onion (*Allium cepa L.*) and other Allium Spesies. *Current Plant Science and Biotechnology in Agriculture* 51-75.

Khar, A., A. Kumar, S. Islam, A. Kumar, A. Agarwal. Genotypic response toward haploid induction in short day tropical Indian onion (*Allium cepa*) *Indian Journal of Agriculture Sciences* 88(5) 709-713.



Khus, G.S., and S.S. Virmani. 1996. Kluwer Academic Publiser 1: 11-33.

Martinez, L.E., C.B. Aguero, M.E. Lopez, C.R. Galmarini. 2000. Improvement of in vitro ginogenesis induction in onion (*Allium cepa L.*) using polyamines. Plant Science 156:221-226.

Michalik B, A. Adamus, E. Nowak. 2000. Ginogenesis in Polish onion cultivars. Journal of Plants Physiology 156:211-216.

Motlagh-Mohammadi, H.R., A. Mostafai, K. Mansouri, 2011. Anticancer and anti-inflammatory activities of shallot (*Allium ascalonicum*) extract. Arch Med Science 38:44.

Muren, R. Haploid plant induction from unpollinated ovaries in onion. HortScience 24 : 833–834.

Pangestuti, R dan E. Sulistyaningsih. 2011. Penggunaan *True Seed Shallot* (TSS) Sebagai Sumber Benih Bawang Merah Indonesia. Prosiding Semiloka Nasional “Dukungan Agro-Inovasi untuk Pemberdayaan Petani, Kerjasama UNDIP, BPTP Jateng, dan Pemprov Jateng, Semarang 14 Juli 2011.

Sekara, A., R. Pokluda, L.D. Vacchio, S. Somma and G. Caruso. 2017. Interactions among Genotype, Environment and Agronomic Practice on Production and Quality of Storage Onion (*Allium cepa L.*) - A review. Hort Science 44 (1) : 21-42.

Shigyo, M., T. Mizayaki, S. Isshiki, Y. Tashiro. Araki, N., Masuzaki, S. I., Tsukazaki, H., Yaguchi, S., Wako, T., Tashiro, Y., ... Shigyo, M. (2010). Development of microsatellite markers in cultivated and wild species of sections Cepa and Phylloclonal in Allium. Euphytica. 173(3) : 321–328.

Subrahmanyam, N.C. 1980. Haploidy from Hordeum Interspecific Crosses. Theor. Appl. Genet 56 : 257-263.

Sulistyaningsih, E & Y. Tashiro. 1999. Morphological and Cytological Characteristics of Triploid Shallot (*Allium cepa L.* Aggregatum group). Penelitian Pertanian Tanaman Pangan 18(1) : 85-88.

Sulistyaningsih, E. 1997. Morphological and Cytological Characteristics of Haploid Shallot. Bulletin Fac. Agr. Saga 82 : 7-15.

Sulistyaningsih, E. 2002. Haploid Induction from F1 Between cms Shallot with *Allium galanthum* cytoplasm and Common Onion Unpollinated Flower Culture. Euphytica 125 : 139-144.

Sulistyaningsih, E. 2006. Flower bud culture of shallot (*Allium cepa L.* Aggregatum group) with cytogenetic analysis of resulting gynogenic plants and somaclone. Plant Cell Tissue Organ Culture 86:249-255.



UNIVERSITAS  
GADJAH MADA

**INDUKSI TANAMAN HAPLOID BEBERAPA KULTIVAR BAWANG MERAH (*Allium cepa L.* Kelompok Aggregatum)**  
**MENGGUNAKAN KULTUR KUNCUP BUNGA DENGAN SELEKSI MEDIA INDUKSI**  
ESTI SRI LESTARI, Dr. Ir. Endang Sulistyaningsih, M.Sc.; Dr. Ir. Aziz Purwantoro, M.Sc.

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Supena, E D J, S Suharsono, E Jacobsen and J. B. M. Custer. 2006. Succesfull Development of Shed-MICROSPORE CULTURE Protocol for Double Hpoloid Production in Indonesian Hot Pepper (*Capsicum Annum L.*). Plant Cell Report 25: 1-10.

Yan G, H. Liu, H. Wang, Z. Lu, Y. Wang, D. Mullan, J. Hamblin and C. Liu. 2017. Accelerated Generation of Selfed Pure Line Plants for Gene Identification and Crop Breeding. Frontiers in Plant Science 8 (1786) : 1-14.

Yarali, F & R. Yanmaz. 2017. The effect of plant growth regulators on in vitro gynogenic embryo formation in onion (*Allium cepa L.*). African Journal of Biotechnology 16(40):1977-1983.