

DAFTAR PUSTAKA

- Ahmed HU, Finckh MR, Alfonso RF, and Mundt CC. 1999. Epidemiological Effect of Gene Deployment Strategies on Bacterial Blight of Rice. *Phytopathology*. 87:66-70.
- Ahuja U, Ahuja SC, Thakrar R, Singh RK. 2008. Rice: A Nutraceutical. *Asian Agri-History*. 12(2): 93-108.
- Aleck K, Levine A, Eulgem T, Morgan A, Schmid J, Lawton KA, Dangl JL, Dietrich RA. 2000. The transcriptome of *Arabidopsis thaliana* during systemic acquired resistance. *Nat Genet*. 26 (4): 403-410.
- Apridamayanti P, Pratiwi R, Purwestri YA, Tunjung WAS, and Rumiati. 2017. Anthocyanin, nutrient contents, and antioxidant activity of black rice bran of *Oryza sativa* L. „Cempo Ireng” from Sleman, Yogyakarta, Indonesia. *Indones J Biotechnol* 22(1):49–54.
- Bakshi, M., & Oelmüller, R. 2014. WRKY transcription factors: Jack of many trades in plants. *Plant signaling & behavior*. 9(2).
- Bernoux M, Ellis JG, Dodds PN. 2011. New Insights in Plant Immunity Signaling Activation. *Curr Opin Plant Biol*. 14:512-518.
- Bradbury JF. 1984. Genus II. *Xanthomonas* Dowson. In: Bergey's Manual of Systematic Bacteriology (Krieg, N.R. and Holt, J.G., eds). 199–210. Baltimore: Williams & Wilkins.
- Browse J. 2009. Jasmonate Passes Muster: A Receptor And Targets For The Defense Hormone. *Annu Rev Plant Biol* 60:183–205.
- Cao Y, Ding X, Cai M, Zhao J, Lin Y, Li X, Xu C, Wang S. 2007. The Expression Pattern Of A Rice Disease Resistance Gene Xa3/Xa26 Is Differentially Regulated By The Genetic Backgrounds And Developmental Stages That Influence Its Function. *Genetics* .177:523-533.
- Cesari S, Thilliez G, Ribot C, Chalvon V, Michel C, Jauneau A, Rivas S, Alaux L, Kanzaki H, Okuyama Y, Morel JB, Fournier E, Tharreau D, Terauchi R, and Kroj T. 2013. The rice resistance protein pair RGA4/RGA5 recognizes the *Magnaporthe oryzae* effectors AVR-Pia and AVR1-CO39 by direct binding. *The Plant cell*, 25(4), 1463–1481.
- Chaudhary RC. 2003. Speciality rices of the world: Effect of WTO and IPR on its production trend & marketing. *Journal of Food, Agriculture and Environment*. 1(2): 34–4

- Chen LQ, Qu XQ, Hou BH, Sosso D, Osorio S, Fernie AR, Frommer WB. 2012. Phloem Transport Sucrose Efflux Mediated by SWEET Proteins as a Key Step for Phloem Transport. *Science*. 335:207-210.
- Chen PN, Kuo WH, Chiang CL, Chiou HL, Hsieh YS, Chu SC. 2006. Black Rice Anthocyanins Inhibit Cancer Cells Invasion Via Repressions of Mmps and U-PA Expression. *Chemico-Biological Interactions*. 163: 218-229.
- Chen X, Chern M, Canlas PE, Ruan D, Jiang C, Ronald PC (2010) An ATPase promotes autophosphorylation of the pattern recognition receptor XA21 and inhibits XA21-mediated immunity. *Proc Natl Acad Sci*. 107:8029–8034
- Chentury KS, Regina AL, Micheal A, Jhon M, Renee T, Keri S, Aubrey S, Jaime L, Pamela CR, and Maureen CW. 1999. Developmental Control of Xa21-mediated Disease Resistance in Rice. *The Plant Journal*. 20(2): 231-236.
- Dangl JL, and JD. Jones. 2001. Plant Pathogens And Integrated Defence Responses to Infection. *Nature*. 411: 826–833.
- Dong X. 2004. NPR1, all things considered. *Curr. Opin. Plant Biol*. 7: 547–552.
- Durrant WE, and Dong X. 2004. Systemic Acquired Resistance. *Annu. Rev. Phytopathol*. 42:185–209.
- Eitas TK, Dangl JL. 2010. NB-LRR Proteins: Pairs, Pieces, Perception, Partners, and Pathways. *Curr Opin Plant Biol*. 13:472-477.
- Eulgem T, Rushton PJ, Robatzek S, and Somssich IE. 2000. The WRKY Superfamily of Plant Transcription Factors. *Trends Plant Sci*. 5:199-206.
- Feys BJ, Moisan LJ, Newman MA, and Parker JE. 2001. Direct interaction between the Arabidopsis disease resistance signaling proteins, EDS1 and PAD4. *EMBO J*. 20(19):5400-5411.
- Flor HH. 1942. Inheritance of pathogenicity in *Melampsora lini*. *Phytopathology*. 32:653-669
- Fukushima S, Mori M, Sugano S, Takatsuji H. 2016. Transcription Factor WRKY62 Plays a Role in Pathogen Defense and Hypoxia-Responsive Gene Expression in Rice, *Plant and Cell Physiology*. 57(12): 2541–2551
- Grant M and Lamb C. 2006. Systemic Immunity. *Plant Biology*. 9:414–420
- Hilaire E, Young SA, Willard LH, McGee JD, Sweat T, Chittoor JM, Guikema JA, and Leach, JE. 2001. Vascular Defense Responses in Rice: Peroxidase Accumulation in Xylem Parenchyma Cells and Xylem Wall Thickening. *Mol. Plant–Microbe Interact*. 14, 1411–1419.

- Shimono M, Sugano S, Nakayama A, Jiang C J, Ono K, Toki S, & Takatsuji H. 2007. Rice *WRKY45* plays a crucial role in benzothiadiazole-inducible blast resistance. *The Plant cell*. 19(6): 2064-2076.
- Høiby T, Zhou H, Mitsiou DJ, Stunnenberg HG. 2007. A facelift for the general transcription factor TFIIA. *Biochim Biophys Acta*. 1769:429–436
- Huang S, Antony G, Li T, Liu B, Obasa K, Yang B, White FF. 2016. The broadly effective recessive resistance gene *xa5* of rice is a virulence effector-dependent quantitative trait for bacterial blight. *Plant J*. 86:186–194.
- Hutin, M., Pérez-Quintero, A. L., Lopez, C., and Szurek, B. 2015. MorTAL Kombat: the story of defense against TAL effectors through loss-of-susceptibility. *Front. Plant Sci*. 14(6):535.
- Iyer-Pascuzzi AS, Jiang H, Huang HL, and McCouch SR. 2008. Genetic and Functional Characterization of The Rice Bacterial Blight Disease Resistance Gene *xa5*. *Phytopathology*. 98(3): 289-295.
- Jha, G., Rajeshwari, R. & Sonti, R. V. 2007. Functional interplay between two *Xanthomonas oryzae* pv. *oryzae* secretion systems in modulating virulence on rice. *Mol. Plant-Microbe Interact*. 20: 31–40.
- Jiang JF, Yang DB, Ali J, Mou TM. 2015. Molecular marker-assisted pyramiding of broad-spectrum disease resistance genes, *Pi2* and *Xa23*, into GZ63-4S, an elite thermo-sensitive genic male-sterile line in rice. *Mol Breed*. 35:1–12.
- Jiang, G. H. *et al.* (2006) Testifying the rice bacterial blight resistance gene *xa5* by genetic complementation and further analyzing *xa5* (*Xa5*) in comparison with its homolog *TFIIAgamma1*. *Mol Genet Genomics*. 275: 354–366.
- Jones JD, Dangl JL. 2006. The plant immune system. *Nature*. 444: 323–9
- Ke Y, Kang Y, Wu M, Liu H, Hui S, Zhang Q, Li X, Xiao J and Wang S. Jasmonic Acid-Involved OsEDS1 Signaling in Rice-Bacteria Interactions. *Rice*. 12:25
- Khaeruni A, Taufik M, Wijayanto T, Johan EP. 2014. Perkembangan Penyakit hawar daun bakteri pada Tiga Varietas Padi Sawah yang Diinokulasi pada Beberapa Fase Pertumbuhan. *Jurnal Fitopatologi Indonesia*. 10 (4):119-125
- Kou Y, Wang S. 2010. Broad-spectrum and Durability: Understanding of Quantitative Disease Resistance. *Curr Opin Plant Biol*. 13:181-185.
- Kristamtini, Taryono, Basunanda P, Murti RH, dan Supriyatna. 2012. Morphological of Genetic Relationship Among Black Rice Landraces

From Yogyakarta and Surrounding Areas. *ARPN Journal of Agricultural and Biological Science*. 12(7):982-898

Kunkel BN, Brooks DM. 2002. Cross Talk Between Signaling Pathways in Pathogen Defense. *Curr Opin Plant Biol*. 5:325–331

Leach JE, Leung H, Tisserat NA. 2014. Plant disease and resistance. Van Alfen NK (ed) Encyclopedia of agriculture and food systems. *Elsevier*. 14: 360-374

Lee HI, Leon J, and Raskin I. 1995. Biosynthesis and Metabolism of Salicylic Acid. *Proc. Natl. Acad. Sci. U.S.A.* 92:4076-4079.

Lee SW, Han SW, Sriyanum M, Park CJ, Seo YS, Ronald PC: A type I-secreted, sulfated peptide triggers XA21-mediated. *Science*. 326(5954):850-853

Livak KJ, and Schmittgen TD. 2001. Analysis of Relative Gene Expression Data Using Real-time Quantitative PCR and $2^{-\Delta\Delta CT}$ Method. *Methods*. 25:402-408

Malamy J., Carr J. P., Klessig D. F., Raskin I. 1990. Salicylic acid: a likely endogenous signal in the resistance response of tobacco to viral infection. *Science*. 50:1002–1004

Mauch F, Mauch-Mani B, Gaille C, Kull B, Haas D, and Reimann C. 2001. Manipulation of salicylate content in *Arabidopsis thaliana* by the expression of an engineered bacterial salicylate synthase. *Plant J*. 25(1):67-77.

Mei C, Qi M, Sheng G, Yang Y. 2006. Inducible Overexpression of A Rice Allene Oxide Synthase Gene Increases The Endogenous Jasmonic Acid Level, PR Genes Expression, and Host Resistance to Fungal Infection. *Mol Plant Microbe Interact* 19:1127–1137

Métraux J. P., Signer H., Wyss-Benz M., Gaudin J., Ryals J., Ward E., et al. 1990. Increase in salicylic acid at the onset of systemic acquired resistance in cucumber. *Science* .250: 1004–1006

Mew TW, Alvarez AM, Leach JE. and Swings J. 1993. Focus on Bacterial Blight of Rice. *Plant Dis*. 77, 5–12.

Mew TW.1993. *Xanthomonas oryzae* pathovars on rice: cause of bacterial blight and bacterial leaf streak, in: J.G. Swings, E.L. Civerolo (Eds.), *Xanthomonas*, Chapman & Hall, London. 30–40.

Miller G, Shulaev V, Mittler R. 2008. Reactive oxygen signaling and abiotic stress. *Physiol Plant*. 133:481–9

- Monaghan J, Zipfel C. 2012. Plant pattern recognition receptor complexes at the plasma membrane. *Curr Opin Plant Biol.* 2012, 15:349-357
- Niño - Liu DO, Ronald PO, Bogdanove AJ. 2006. Pathogen Profile *Xanthomonas Oryzae* Pathovars: Patogen Model on Crop. *MOLECULAR PLANT PATHOLOGY*. 7(5): 303–324
- Park CJ, Lee SW, Chern M, Sharma R, Canlas PE, Song MY, Jeon JS, Ronald PC 2010 Ectopic expression of rice *Xa21* overcomes developmentally controlled resistance to *Xanthomonas oryzae* pv. *oryzae*. *Plant Sci* 179: 466–471
- Park CJ, Peng Y, Chen X, Dardick C, Ruan D, Bart R, Canlas PE, Ronald PC. 2008. Rice XB15, a protein phosphatase 2C, negatively regulates cell death and XA21-mediated innate immunity. *PLoS Biol.* 6: 1910–1926
- Peng Y, Bartley LE, Chen X, Dardick C, Chern M, Ruan R, dkk. OsWRKY62 Is A Negative Regulator of Basal and Xa21-Mediated Defense Against *Xanthomonas oryzae* pv. *oryzae* in rice. *Mol. Plant.* 1:446–458.
- Perumalsamy S, Bharani M, Sudah M, Nagarajan P, Arul L, Sarawathi R, Balasubramanian P, Ramalingam J. 2010. Functional marker-assisted selection for bacterial leaf blight resistance genes in rice (*Oryza sativa* L.). *Plant Breed.* 129:400-406.
- Purwestri YA, Susanto FA, and Fauzia AN. 2019. Flowering Gene Expression in Indonesian Long Harvest Black Rice (*Oryza sativa* L. „Cempo Ireng“). *Australian Journal of Crop Science.* 13(06):874-880.
- Qu, L. J., and Zhu, Y. X. 2006. Transcription factor families in Arabidopsis: Major progress and outstanding issues for future research. *Curr Opin Plant Biol.* 9:544-549.
- Rodriguez H, Aguilar L, Lao M. 1997. Variation in Xantan Production by Antibiotic Resisten Mutan of *Xanthomonas campestris*. *Aplied Microbiology and Biotech.* 48 : 626-9.
- Ross CA, Liu Y, Shen QJ. 2007. The WRKY gene family in rice (*Oryza sativa*). *J Integr Plant Biol.* 49 (6): 827-842
- Ryan RP, Vorhölter FJ, Potnis N, Jones JB, Van Sluys MA, Bogdanove AJ, and Dow JM. 2011. Pathogenomics Of *Xanthomonas*: Understanding Bacterium–Plant Interactions. *Nature Reviews Microbiology.* 9(5): 344–355.
- Ryu SN, Park SZ, Ho CT. 1998. High Performance Liquid Chromatographic Determina-Tion Of Anthocyanin Pigments In Some Varieties of Black Rice. *Journal of Food and Drug Analysis.* 6(4): 729-736.

- Ryu, H. S., Han, M., Lee, S. K., Cho, J. I., Ryoo, N., Heu, S., *et al.* 2006. A comprehensive expression analysis of the WRKY gene superfamily in rice plants during defense response. *Plant Cell Rep.* 25: 836–847
- Sacco MA, Moffett P. 2009. *Disease resistance genes: form and function. In Molecular Plant–Microbe Interactions.* Edited by Bouarab K, Brisson N, Daayf F. CABI Press. pp:94-141
- Santino A, Taurino M, De Nomenico S, Bonsegna S, Poltronieri P, Pastor V, Flors V .2013. Jasmonate Signaling In Plant Development And Defense Response To Multiple Abiotic Stresses. *Plant Cell Rep.* 32:1085-1098
- Seo YS, Mawsheng CLE, Bartley, Muho H, Ki-Hong J, Insuk L, Harkamal W, Todd R, Xia X, Peijian C, Wei B, Rajeshwari R, Fawn A, Loganathan A, Patrick EC, Randy R, Chang-Jin P, Xuwei C, Sohyun H, Jong-Seong J, Pamela C. (2011). Towards establishment of a rice stress response interactome. *PLoS genetics.* 7(4): e1002020.
- Shen Y, and Ronald P. 2002. Molecular Determinants of Disease and Resistance in Interactions of *Xanthomonas oryzae* pv. *oryzae* and Rice. *Microbes and Infection.* 4(13): 1361–1367.
- Song WY, Wang GL, Chen LL, Kim HS, Pi LY, Holsten T, Gardner J, Wang B, Zhai WX, Zhu LH, Fauquet C, Ronald PC (1995) A receptor kinase-like protein encoded by the rice disease resistance gene, *Xa21*. *Science* 270:1804–1806
- Sun X, Cao Y, Yang Z, Xu C, Li X, Wang S, Zhang Q. 2004. Xa26, A Gene Conferring Resistance To *Xanthomonas oryzae* Pv. *oryzae* In Rice, Encodes An LRR Receptor Kinase-Like Protein. *Plant J.* 37:517-527.
- Suparyono, Sudir, and Suprihanto. 2004. Pathotype Profile of *Xanthomonas oryzae* pv. *oryzae* Isolates From The Ecosystem in Java. *Indonesian Journal Agriculture Science.* 5(2):63-69.
- Sutrisno, Susanto FA, Wijayanti P, Retnoningrum MD, Nuringtyas TR, Joko T, Purwestri YA. 2016. Screening of resistant Indonesian black rice cultivars against bacterial leaf blight. *Euphytica.* 214:199.
- Tabart J, Kevers C, Pincemail J, Defraigne J, Dommes J. 2009. Comparative Antioxidant Capacities of Phenolic Compounds Measured by Various Tests. *Food Chemistry.* 113(4): 1226-1233.
- Takatsuji, H. 2014. Development of disease-resistant rice using regulatory components of induced disease resistance. *Frontiers in Plant Science* 5(630): 1-13.

- Tao Z, Liu H, Qiu D, Zhou Y, Li X, Xu C, Wang S .2009. A pair of allelic WRKY genes play opposite roles in rice-bacteria interactions. *Plant Physiol* 151:936–948.
- Tasliah. 2012. Gen Ketahanan Tanaman Padi Terhadap Bakteri hawar daun bakteri (*Xanthomonas oryzae* pv. *oryzae*). *J. Litbang Pert.* 31(3):103-112.
- Thanh TL, Kanjana TS, Wongkaew, Nantakorn B, Neung T, Piyaporn P & Natthiya B. 2017. Salicylic Acid-Induced Accumulation Of Biochemical Components Associated With Resistance Against *Xanthomonas oryzae* Pv. *oryzae* In Rice. *Journal of Plant Interactions*.12
- Thomma BP, Nurnberger T, Joosten MH. 2011. Of PAMPs and effectors: the blurred PTI-ETI dichotomy. *Plant Cell*. 23:4- 15.
- Ulker B, Somssich IE. (2004) WRKY transcription factors: from DNA binding towards biological function. *Curr Opin Plant Biol*. 7:491–8
- Vaughan DA, Lu B, Tomooka N. 2008. The Evolving Story of Rice Evolution. *Plant Science*. 20(5): 356-362
- Vleeschauwer DD, Gheysen G, Hofte M. 2013. Hormone defense networking in rice: tales from a different world. *Trends Plant Sci*. 18:555–565
- Wang G, Ding X, Yuan M, Qiu D, Li X, Xu C, Wang S. 2006. Dual function of rice *OsDR8* gene in disease resistance and thiamine accumulation. *Plant Mol Biol*. 60:437-449.
- Wang Yong-Sheng, Li-Ya P, Xiuhua C, Pranjib KC, Junda J, Alfred LDL, Guo-Zhen L, Liangcai L, Ulla B, James O, Pamela CR, Wen-Yuan S.2006. Rice XA21 Binding Protein 3 Is a Ubiquitin Ligase Required for Full *Xa21*-Mediated Disease Resistance. *The Plant Cell*. 18(12): 3635–3646
- Wendehenne D, Gao QM, Kachroo A, Kachroo P. 2014. Free radical-mediated systemic immunity in plants. *Curr Opin Plant Biol*. 20:127-34.
- Wildermuth MC, Dewdney J, Wu G., and Ausubel F M. 2001. Isochorismate synthase is required to synthesize salicylic acid for plant defence. *Nature* 414:562-565.
- Xiang Y, Cao Y, Xu C, Li X, Wang S. 2006. Xa3, conferring resistance for rice bacterial blight and encoding a receptor kinase-like protein, is the same as Xa26. *Theor Appl Genet*. 113:1347-1355.
- Xu, H., Watanabe, K. A., Zhang, L., and Shen, Q. J. 2016. WRKY transcription factor genes in wild rice *Oryza nivara*. *DNA Res*. 23, 311–323.

- Yamada S, Kano A, Tamaoki D, Miyamoto A, Shishido H, Miyoshi S, Taniguchi S, Akimitsu K, Gomi K .2012. Involvement of OsJAZ8 in Jasmonate-induced Resistance to Bacterial Blight in Rice. *Plant Cell Physiol* 53:2060–2072.
- Yang DL, Yang Y, He Z .2013. Roles of Plant Hormones and Their Interplay in Rice Immunity. *Mol Plant* 6:675–685.
- Yang, Y., Qi, M., and Mei, C. 2004. Endogenous salicylic acid protects rice plants from oxidative damage caused by aging as well as biotic and abiotic stress. *Plant J.* 40: 909–919.
- Yawadio R, Tanimori S, Morita N. 2007. Identification of Phenolic Compounds Isolated from Pigmented Rices and their aldose reductase inhibitory activities. *Food Chemistry*. 101(4): 1616-1625.
- Yuan M, Ke Y, Huang R, Ma L, Yang Z, Chu Z, Xiao J, Li X, Wang S. 2016. A host basal transcription factor is a key component for infection of rice by TALE- carrying bacteria. *Elife*. 5:e19605.
- Zawistowski J, Kopec A, Kitts DD. 2009. Effects of a black rice extract (*Oryza sativa* L. indica) on cholesterol levels and plasma lipid parameters in Wistar Kyoto rats. *Journal of Functional Foods*. 1(1): 50-56.
- Zhang H and Wang S. 2013. Rice Versus *Xanthomonas oryzae* pv. *oryzae*: A Unique Pathosystem. *Current Opinion in Plant Biology*. 16:188–195
- Zhao J, Fu J, Li X, Xu C, Wang S. 2009. Dissection of the factors affecting development-controlled and race-specific disease resistance conferred by leucine-rich repeat receptor kinasetype R genes in rice. *Theor Appl Genet*. 119:231-239.