

**DAFTAR PUSTAKA**

- Abdolmohammadi, S., Siyamak, S., Ibrahim, N.A., Yunus, W.M.Z.W., Rahman, M.Z.A., Aziz, S., Fatehi, A., 2012., Enhancement of mechanical and thermal properties of polycaprolactone/chitosan blend by calcium carbonate nanoparticles, International Journal of Molecular Sciences, 13(4): 4508-4522.
- Abral, H., Anugrah, A.S., Hafizulhaq, F., Handayani, D., Sugiarti, E., dan Muslimin, A. N., 2018, Effect of nanofibers fraction on properties of the starch based biocomposite prepared in various ultrasonic powers, International Journal of Biological Macromolecules, 116: 1214–1221.
- Abral, H., Hartono, A., Hafizulhaq, F., Handayani, D., Sugiarti, E., 2019, Characterization of PVA/cassava starch biocomposites fabricated with and without sonication using bacterial cellulose fiber loadings, Carbohydrate Polymers, 206 : 593-601.
- Aminah, S., 2017, Bionanokomposit film berbasis PVA dan nanoselulosa dari serat kenaf (Hibiscus cannabinus L.), Tesis, IPB, Bogor.
- Ano, Y., Hours, R.A., Akakabe, Y., Kataoka, N., Yakushi, T., Matsushita, K., Adachi, O., 2017. Membrane-bound glycerol dehydrogenase catalyzes oxidation of 2-pentonates to 4-keto-D-pentonates, D-fructose to 5-keto-D-fructose, and D-psicose to 5-keto-D-psicose. Biosci. Biotechnol. Biochem. 81 (2), 411–418.
- Ashter, S.A., 2016, Introduction to bioplastics engineering, New York : William Andrew Publishing.
- Asrofi, M., Sujito, Syafri, E., Sapuan, S.M., dan Ilyas, R.A., 2020, Improvement of biocomposite properties based tapioca starch and sugarcane bagasse cellulose nanofibers, Key Engineering Materials, 849: 96–101.
- Babu, R.P., Connor, K.O., dan Seeram, R., 2013, Current progress on biobased polymers and their future trends, Prog Biomater, 2:8.
- Bachmann, V., Ronda, C., dan Meijerink, A., 2009, Temperature quenching of yellow Ce³⁺ luminescence in YAG:Ce, Chem Mater, 21 : 2077-2084.
- Baek, C.S., Cho, K.H., Ahn, J.W., 2014, Effect of grain size and replacement ratio on the plastic properties of precipitation calcium carbonat using

- Bergo, Carvalho, Sobral, Santos, Silva, Prison, *et al.*, 2008, Physical properties of edible films based on cassava starch as affected by the plasticizer concentration. *Packag Technol Sci*, 21(2): 85–89.
- Chen, Y.J., 2014, Bioplastics and their role in achieving global sustainability, *journal of chemical and pharmaceutical research*, 6(1): 226-31.
- Cheng, L.H., Karim, A.A., Seow, C.C., 2006, Effects of water-glycerol and water-sorbitol interactions on the physical properties of konjac glucomannan films, *J Food Sci*, 71(2): E62–E67.
- Cinelli, P., Chiellini, E., Lawton, J.W., dan Imam, S.H., 2006, Foamed articles based on potato starch, corn fibers and poly(vinyl alcohol), polymer degradation and stability, 91(5): 1147–55.
- Darni, Y. dan Utami, F., 2011, Pembuatan plastik biodegradabel dari campuran pati ubi jalar (*ipomoea batatas*) dan selulosa residu rumput laut (*eucheuma spinosum*) dengan gliserol sebagai plasticizer, Seminar Nasional Hasil Riset dan Standarisasi Industri, Banda Aceh.
- Elly, A.Y. dan Samuel, P.K., 2016, Sintesis bioplastik dari kitosan-pati kulit pisang kepok dengan penambahan zat aditif, *Jurnal Teknik Kimia*, 10(2).
- Erizal, 2010, Sintesis dan karakterisasi hidrogel superabsorben poliakrilamida (paam) berikatan silang– karagenan hasil iradiasi gamma, *Indonesian Journals Chemistry*, 10(1): 12-19.
- Fakhoury, F.M., Martelli, S.M., Bertan, L.C., Yamashita, F., Mei, L.H.I., dan Queiroz, F.P.C., 2012, Edible films made from blends of manioc starch and gelatin—infuence of dfiferent types of plasticizer and different levels of macromolecules on their properties, *LWT Food Science Technology*, 49(1): 149–154.
- Fu, L., Zhang, J., Yang, G., 2013, Present status and applications of bacterial cellulose-based materials for skin tissue repair, *Carbohydrate Polymers*, 92(2) : 1432-1442.
- Garcia, M.A., Martino, M.N., Zaritzki, N.E., 2000, Barrier properties of edible starch-based films and coatings, *J Food Sci*, 65(6): 941–947.
- Guimarães, M., Botaro, V.R., Novack, K.M., Teixeira, F.G., dan Tonoli, G.H.D.,

2015, Starch/PVA-based nanocomposites reinforced with bamboo nanofibrils, *Industrial Crops and Products*, 70: 72–83.

Handoko, F., 2020, Fabrikasi Dan Karakterisasi Selulosa Nanokristalin Dari Ampas Teh (*Camellia sinensis*) Sebagai Bahan Bioplastik, Tesis, UGM, Yogyakarta.

Hartati, N.S. dan Prana, T.K., 2003, Analisis kadar pati dan serat kasar tepung beberapa kultivar talas (*Colocasia esculenta L. Schott*), *Jurnal Nature Indonesia*, 6(1): 29-33.

Harunsyah, Yunus, M., dan Fauzan, R., 2017, Mechanical properties of bioplastics cassava starch film with zinc oxide nanofller as reinforcement, *Materials Science and Engineering*, 210: 012015.

H.S. Mansur, C.M. Sadahira, A.N. Souza, A.A.P. Mansur, 2008, FTIR spectroscopy characterization of poly (vinyl alcohol) hydrogel with different hydrolysis degree and chemically crosslinked with glutaraldehyde, *Mater. Sci. Eng. C*. 28, 539–548.

Ignatova, M., Starbova, K., Markova, N., Manolova, N., dan Raskov, I., 2006, Electrospun nano-fibre mats with antibacterial properties from quaternised chitosan and poly(vinyl alcohol), *Carbohydrate Research* , 314: 2098-2107.

International Union for Conservation of Nature - Switzerland, Marine Plastics, diakses tanggal 16 November 2020, https://www.iucn.org/sites/dev/files/marine_plastics_issues_brief_final_0.pdf

Iriani, Savitri, E., Wahyuningsih, K., Sunarti, Chandra, T., Permana, dan Asep, W., 2015, Sintesis nanoselulosa dari serat nanas dan aplikasinya sebagai pada film berbasis polivinil alkohol, *Jurnal Penelitian Pasca Panen Pertanian* 12(1): 11-19.

James, 2020, *Handbook of industrial hydrocarbon processes* (second edition), United States: CD & W Inc. Laramie.

Kaewtatip, K. dan Tanrattanakul, V., 2012, Structure and properties of pregelatinized cassava starch/kaolin composites, *Materials & Design*, 37: 423–428.

Kaewtatip, K. dan Thongmee, J., 2012, Studies on the structure and properties of



thermoplastic starch/luffa fiber composite, Materials and Design, 40: 314-318.

Khazir, S. dan Shetty, S., 2014) Biobased polymers in the world, Int J Life Sci Biotechnol Pharma Res, 3(2): 35–43.

Khoramnejadian, S. dan Zavareh, J.J., 2013, Effect of potato starch on thermal and mechanical properties on low-density polyethylene, Curr. World Environ., 8(2): 215–220.

Krishnamurthy, A. dan Amritkumar, P., 2019, Synthesis and characterization of eco-friendly bioplastic from low-cost plant resources, SN Applied Sciences a Springer Nature Journal, 1(11): 1–13.

Leng, Y., 2013, Materials characterization: introduction to microscopic and spectroscopic methods, Germany: Wiley-VCH.

Lesmana P.S., 2016, Pembuatan plastik dari pati singkong (*manihot esculenta crantz*) dengan menggunakan gliserol dan polivinil asetat (PVA), Thesis, Universitas Andalas.

Maisey, S., 2017, Avani plant-based technology that rivals plastic arrives in the UAE,

<https://www.thenationalnews.com/lifestyle/avani-plant-based-technology-that-rivals-plastic-arrives-in-the-uae-1.665331> (diakses tanggal 1 Desember 2020)

Malinconico, M., 2017, Soil degradable bioplastics for a sustainable modern agriculture, Pozzuoli Italy: Springer Nature.

Mao, L., Imam, S., Gordon, S., Cinelli, P., dan Chiellini, E., 2000, Extruded cornstarch-glycerol-polyvinyl alcohol blends: mechanical properties, morphology, and biodegradability, Journal of Polymers and the Environment, 8 : 205-211.

Marbun, E.S., 2012, Sintesis bioplastik dari pati ubi jalar menggunakan penguat logam ZnO dan penguat alami selulosa, Skripsi, Depok : Program Studi Teknik Kimia UI.

Maryam, Rahmad, D., dan Yunizurwan, 2019, Sintesis mikro selulosa bakteri sebagai penguat (reinforcement) pada komposit bioplastik dengan matriks PVA, Jurnal Kimia dan Kemasan, 41(2): 110-118.

Mbey, J. A., Hoppe, S., dan Thomas, F., 2012, Cassava starch-kaolinite composite

film: effect of clay content and clay modification on film properties,
Carbohydrate Polymers, 88(1): 213–222.

More, A.S., Sen, C., dan Das, M., 2017, Development of starch-polyvinyl alcohol (pva) biodegradabel film: effect of cross-linking agent and antimicrobials on film characteristics, *Applied Packaging Research*, 1–18.

Muhaimin, M., 2014, Fabrication of composite nanofiber from sisal nanocellulose with polyvinyl alcohol by using electrospinning methode, Tesis, Yogyakarta: Departemen Fisika FMIPA UGM.

Mulyono, N., Suhartono, M.T. dan Angelina, S., 2015, Development of bioplastic based on cassava flour and its starch derrivatives for food packaging, *Journal of Harmonized Research in Applied Sciences*, 3(2): 125-132.

Murtiningrum, Bosawer, E.F., Istalaksana, P., dan Jading, A., 2016, Karakterisasi umbi dan pati lima kultivar ubi kayu (*manihot esculenta*), *Agrotek*, 3(1).

Popescu, M.C., Dogaru, B.I., Goanta, M., dan Timpu, D., 2018, Structural and morphological evaluation of cnc reinforced PVA/starch biodegradabel films, *International Journal of Biological Macromolecules*, 116: 385–393.

Priya, B., Gupta, V.K., Pathania, D., dan Singha, A.S., 2014, Synthesis, characterization, and antibacterial activity of biodegradabel starch/pva composite films reinforced with cellulosic fibre, *Carbohydrate Polymers*, 109: 171–179.

Rogovina, S.Z., Aleksanyan, K.V., Loginova, A.A., Ivanushkina, N.E., Vladimirov, L.V., Prut, E.V., dan Berlin, A.A., 2018, Influence of PEG on mechanical properties and biodegradability of composites based on PLA and starch, *Starch-Stärke*, 70 : 1700268.

Sanchez, M.D., Lagaron, J.M., 2012, Nanocomposite for food and beverage packaging material in nanotechnology in the food, beverage and nutraceutical industries edited by Qingrong Huang, Cambridge : Woodhead Publishing.

Septiosari, A., Latifah, dan Kusumastuti, E., 2014, Pembuatan dan karakterisasi bioplastik dari limbah biji mangga dengan penambahan selulosa dan

- Sharma, A., Sing, A.A., Majumdar, A., dan Butola, B.S., Tailoring the mechanical and thermal properties of polylactic acid-based bionanocomposite films using halloysite nanotubes and polyethylene glycol by solvent casting process, *J. Mater. Sci.*, 54(12): 8971-8983.
- Shi, R., Bi, J., Zhang, Z., Zhu, A., Chen, D., Zhou, X., Zhang, L., dan Tian, W., 2008, the effect of citric acid on the structural properties and cytotoxicity of the polyvinyl alcohol/starch films when molding at high temperature, *Carbohydrate Polymers*, 74(4): 763–70.
- Smith, B.C., 2011, Fundamentals of fourier transform infrared spectroscopy, Second Edition, London: CRC Press.
- Smits, A.L.M., Kruiskamp, P.H., Soest, dan Vliegenthar, J.F.G., 2003, Interaction between dry starch and glycerol or ethylene glycol measured by differential scanning calorimetry and solid state nmr spectroscopy, *Carbohydrate Polymers*, 53(4): 409–416.
- Souza, A. C., Benze, R., Ferrao, E.S., Ditchfield, C., Coelho, A.C.V., dan Tadini, C.C., 2012, Cassava starch biodegradable films: influence of glycerol and clay nanoparticles content on tensile and barrier properties and glass transition temperature, *LWT - Food Science and Technology*, 46(1): 110–117.
- Subagio, A., 2007., Industrialisasi Modified Cassava Flour (MOCAL) sebagai bahan baku industri pangan untuk menunjang diversifikasi pangan pokok nasional, Jember : Fakultas Teknologi Pertanian Universitas Jember.
- Sujatno, A., Salam, R., Dimyati, A., dan Bandriyana., 2015, Studi Scanning Electron Microscopy (SEM) untuk karakterisasi proses oxidasi paduan zirkonium, *Jurnal Forum Nuklir (JFN)*, 9: 44–50.
- Suyatma, N.E., Tighzert, L., Copinet, A., 2005, Effects of hydrophilic plasticizers on mechanical, thermal, and surface properties of chitosan films, *J Agric Food Chem*, 53(10): 3950–3957.
- Syafri, E., Kasim, A., Abrial, H., Sudirman, Grace, Sanjay, M.R., dan Herlina, S.N., 2018, Synthesis and characterization of cellulose nanofibers (CNF) ramie reinforced cassava starch hybrid composites, *International Journal of Biological Macromolecules*, 120: 578-586.



- Tang, X. dan Alavi, S., 2011, Recent Advances in Starch, Polyvinyl alcohol based polymer blends, nanocomposites and their biodegradability, Carbohydrate Polymers, 85: 7–16.
- Tokiwa Y., Bueaventurada, Charles, and Seiichi A., 2005, Biodegradability of plastics, International Journal of Molecular Science, 10: 3722-3742.
- Ulery, B.D., Nair, L.S., dan Laurencin, C.T., 2011, Biomedical applications of biodegradable polymers, Journal of Polymer Science Part B: Polymer Physics, 49(12): 832-864.
- Verma, R., Vinoda, K.S., Papireddy, M., dan Gowda, A.N.S., 2016, Toxic pollutants from plastic waste -a review, Int Conf Solid Waste Manag Proc Environ Sci, 35: 701–708.
- Wypych, G., 2004, Handbook of plasticizers: Third Edition, Toronto : ChemTec Laboratories, Inc.
- Yang, J.H., Yu, J.G., dan Ma, X.F., 2006, A novel plasticizer for the preparation of thermoplastic starch, Chin Chem Lett, 17(1): 133–136.
- Yu, J., and Chen, L.X.L., 2008, The greenhouse gas emissions and fossil energy requirement of bioplastics from cradle to gate of a biomass refinery, Environmental Science and Technology, 42: 6961-6966.
- Yuniarti, I. L., Hutomo, G. S., dan Rahim, A., 2014, Sintesis dan karakterisasi bioplastik berbasis pati sagu (*Metroxylon sp*), e-J. Agrotekbis, 2(1): 38-46.
- Zorenko, Y., Voznyak, T., Gorbenko, V., Zych, E., Nizankovski, S., Dan'ko, A., Puzikov, V., 2011, Luminescence properties of Y₃Al₅O₁₂:Ce nanoceramics, J Lumin, 131: 17-21.
- Zorenko, Y., Zorenko, T., Gorbenko, V., Voznyak, T., Savchyn, V., Bilski, P., dan Twardak, A., 2012, Peculiarities of luminescent and scintillation properties of yag:ce phosphor prepared in different crystalline forms, Opt Mater, 34: 1314-1319.