

## REFERENCES

- Abdul-Kadhim, W., Deraman, M.A., Abdullah, S.B., Tajuddin, S.N., Yusoff, M.M., Taufiq-Yap, Y.H., and Rahim, M.H.A., 2017, Efficient and reusable iron-zinc oxide catalyst for oxidative desulfurization of model fuel, *J. Environ. Chem. Eng.*, 5, 1645–1656.
- Adam, F., Jeannot, F., Dupre, B., and Glettzer, C., 1988, The remarkable effect of water vapour on the cracking of hematite during its reduction into magnetite, *React. Solids*, 5, 115–127.
- Adeyi, A.A. and Folorunsho, A., 2012, Comparative Analysis of Adsorptive Desulphurization of Crude Oil by Manganese Dioxide and Zinc Oxide, *Res. J. chem. sci.*, 2, 14-20.
- Alizadeh, A., Fakhari, M., Khodeai, M.M., Abdi, G., and Amirian, J., 2017, Oxidative desulfurization of model oil in an organic biphasic system catalysed by Fe<sub>3</sub>O<sub>4</sub>@SiO<sub>2</sub>-ionic liquid, *RSC Adv.*, 7, 34972–34983.
- Arellano, U., Wang, J.A., Timko, M.T., Chen, L.F., Paredes Carrera, S.P., Asomoza, M., et al., 2014, Oxidative removal of dibenzothiophene in a biphasic system using sol-gel FeTiO<sub>2</sub> catalysts and H<sub>2</sub>O<sub>2</sub> promoted with acetic acid, *Fuel*, 126, 16–25.
- Bakar, W.A.W.A., Ali, R., Kadir, A.A.A., and Mokhtar, W.N.A.W., 2012, Effect of transition metal oxides catalysts on oxidative desulfurization of model diesel, *Fuel Process. Technol.*, 101, 78–84.
- Baruah, B.P. and Khare, P., 2007, Desulfurization of oxidized Indian coals with solvent extraction and alkali treatment, *Energy and Fuels*, 21, 2156–2164.
- Betiha, M.A., Rabie, A.M., Ahmed, H.S., Abdelrahman, A.A., and El-Shahat, M.F., 2018, Oxidative desulfurization using graphene and its composites for fuel containing thiophene and its derivatives: An update review, *Egypt. J. Pet.*, 27, 715–730.
- Blgham, J.M., Schwertmann, U., Carlson, L., and Murad, E., 1990, A poorly crystallized oxyhydroxysulfate of iron formed by bacterial oxidation of Fe(II) in acid mine waters, *Geochim. Cosmochim. Acta*, 54, 2743–2758.
- Caglar, M., Ilcan, S., Caglar, Y., and Yakuphanoglu, F., 2009, Electrical conductivity and optical properties of ZnO nanostructured thin film, *Appl. Surf. Sci.*, 255, 4491–4496.
- Calligaris, M., 2004, Structure and bonding in metal sulfoxide complexes: An update, *Coord. Chem. Rev.*, 248, 351–375.

- Cambier, P., 1986, Infrared study of goethites of varying crystallinity and particle size: I. Interpretation of OH and lattice vibration frequencies, *Clay Miner.*, 21, 191–200.
- Campos-Martin, J.M., Capel-Sanchez, M.C., Perez-Presas, P., and Fierro, J.L.G., 2010, Oxidative processes of desulfurization of liquid fuels, *J. Chem. Technol. Biotechnol.*, 85, 879–890.
- Chen, L., Guo, S., and Zhao, D., 2007, Oxidative Desulfurization of Simulated Gasoline over Metal Oxide-loaded Molecular Sieve Supported by the National Natural Science Foundation of China (No.20276015) and the Natural Science Foundation of Hebei Province (No.203364), *Chinese J. Chem. Eng.*, 15, 520–523.
- Chen, X., Shen, S., Guo, L., and Mao, S.S., 2010, Semiconductor-based photocatalytic hydrogen generation, *Chem. Rev.*, 110, 6503–6570.
- Chen, Y., Xu, X.L., Zhang, G.H., Xue, H., and Ma, S.Y., 2010, Blue shift of optical band gap in Er-doped ZnO thin films deposited by direct current reactive magnetron sputtering technique, *Phys. E Low-Dimensional Syst. Nanostructures*, 42, 1713–1716.
- Chen, Y., Zhao, S., and Song, Y.F., 2013, An efficient heterogeneous catalyst based on highly dispersed  $\text{Na}_7\text{H}_2\text{LaW}_{10}\text{O}_{36} \cdot 32\text{H}_2\text{O}$  nanoparticles on mesoporous silica for deep desulfurization, *Appl. Catal. A Gen.*, 466, 307–314.
- Clemons, J.L., Subramani, V., Ma, X., and Song, C., 2004, Adsorptive desulfurization of transportation fuels over Ni-based adsorbents derived from layered double hydroxides, *ACS Natl. Meet. B. Abstr.*, 228, FUEL-46.
- Collins, F.M., Lucy, A.R., and Sharp, C., 1997, Oxidative desulphurisation of oils via hydrogen peroxide and heteropolyanion catalysis,. In, *Journal of Molecular Catalysis A: Chemical*. Elsevier, pp. 397–403.
- Dar, B.A., Mohsin, M., Basit, A., and Farooqui, M., 2013, Sand: A natural and potential catalyst in renowned Friedel Craft's acylation of aromatic compounds, *J. Saudi Chem. Soc.*, 17, 177–180.
- Duarte, F.A., Mello, P.D.A., Bizzi, C.A., Nunes, M.A.G., Moreira, E.M., Alencar, M.S., et al., 2011, Sulfur removal from hydrotreated petroleum fractions using ultrasound-assisted oxidative desulfurization process, *Fuel*, 90, 2158–2164.
- Dutta, A.M., Saikia, B.K., and Baruah, B.P., 2012, Oxidative Desulphurization Of North-East Indian Coals By Using Different Metal Ions/Oxides As Catalyst,.

- Dutta, S., Jaiswal, K.K., Verma, R., Basavaraju, D.M., and Ramaswamy, A.P., 2019, Green synthesis of zinc oxide catalyst under microwave irradiation using banana (*Musa spp.*) corm (rhizome) extract for biodiesel synthesis from fish waste lipid, *Biocatal. Agric. Biotechnol.*, 22, 101390.
- Ercuta, A. and Chirita, M., 2013, Highly crystalline porous magnetite and vacancy-ordered maghemite microcrystals of rhombohedral habit, *J. Cryst. Growth*, 380, 182–186.
- Fan, H., Song, B., and Li, Q., 2006, Thermal behavior of goethite during transformation to hematite, *Mater. Chem. Phys.*, 98, 148–153.
- Fan, H., Zheng, H., and Li, Z., 2010, Preparation of Cu/ZnO/Al<sub>2</sub>O<sub>3</sub> catalyst under microwave irradiation for slurry methanol synthesis, *Front. Chem. Eng. China*, 4, 445–451.
- Figueras, F., Palomeque, J., Loridant, S., Fèche, C., Essayem, N., and Gelbard, G., 2004, Influence of the coordination on the catalytic properties of supported W catalysts, *J. Catal.*, 226, 25–31.
- Franco, R.L.M., Oliveira, T.G., Pedrosa, A.M.G., Naviciene, S., and Souz, M.J.B., 2013, Textural properties of nickel, palladium and titanium oxides supported on MCM.41 materials and their application on oxidative desulfurization of dibenzothiophene, *Mater. Res.*, 16, 1449–1456.
- García-Gutiérrez, J.L., Fuentes, G.A., Hernández-Terán, M.E., Murrieta, F., Navarrete, J., and Jiménez-Cruz, F., 2006, Ultra-deep oxidative desulfurization of diesel fuel with H<sub>2</sub>O<sub>2</sub> catalyzed under mild conditions by polymolybdates supported on Al<sub>2</sub>O<sub>3</sub>, *Appl. Catal. A Gen.*, 305, 15–20.
- Gedye, R.N., Rank, W., and Westaway, K.C., 1991, The rapid synthesis of organic compounds in microwave ovens. II, *Can. J. Chem.*, 69, 706–711.
- Getsoian, A., Zhai, Z., and Bell, A.T., 2014, Band-gap energy as a descriptor of catalytic activity for propene oxidation over mixed metal oxide catalysts, *J. Am. Chem. Soc.*, 136, 13684–13697.
- González-García, O. and Cedeño-Caero, L., 2010, V-Mo based catalysts for oxidative desulfurization of diesel fuel, *Catal. Today*, 148, 42–48.
- Guo, J.-X., Fan, L., Peng, J.-F., Chen, J., Yin, H.-Q., and Jiang, W.-J., 2014, Desulfurization activity of metal oxides blended into walnut shell based activated carbons, *J. Chem. Technol. Biotechnol.*, 89, 1565–1575.

- Harrop, T.C. and Mascharak, P.K., 2004, Fe(III) and Co(III) Centers with Carboxamido Nitrogen and Modified Sulfur Coordination: Lessons Learned from Nitrile Hydratase, *Acc. Chem. Res.*, 37, 253–260.
- Hasanpoor, M., Aliofkhazraei, M., and Delavari, H., 2015, Microwave assisted synthesis of Zinc oxide nanoparticles, *Int. J. ChemTech Res.*, 8, 250–256.
- Hassanpour, A., Hosseinzadeh-Khanmiri, R., Babazadeh, M., and Edjlali, L., 2016, ZnO NPs: An efficient and reusable nanocatalyst for the synthesis of nitrones from DAG using H<sub>2</sub>O as a solvent at room-temperature, *Res. Chem. Intermed.*, 42, 2221–2231.
- Hirai, T., Ogawa, K., and Komasaawa, I., 1996, Desulfurization process for dibenzothiophenes from light oil by photochemical reaction and liquid-liquid extraction, *Ind. Eng. Chem. Res.*, 35, 586–589.
- Hirai, T., Shiraishi, Y., and Komasaawa, I., 1997, Desulfurization Process for Light Oil by Photochemical Reaction and Liquid-Liquid Extraction: Removal of Benzothiophenes and Alkyl Sulfides., *J. Chem. Eng. JAPAN*, 30, 173–175.
- Hirai, T., Shiraishi, Y., Ogawa, K., and Komasaawa, I., 1997, Effect of Photosensitizer and Hydrogen Peroxide on Desulfurization of Light Oil by Photochemical Reaction and Liquid-Liquid Extraction, *Ind. Eng. Chem. Res.*, 36, 530–533.
- Hong, R.Y., Li, J.H., Chen, L.L., Liu, D.Q., Li, H.Z., Zheng, Y., and Ding, J., 2009, Synthesis, surface modification and photocatalytic property of ZnO nanoparticles, *Powder Technol.*, 189, 426–432.
- Hossain, M.N., Choi, M.K., Park, H.C., and Choi, H.S., 2020, Purifying of waste tire pyrolysis oil using an S-ZrO<sub>2</sub>/SBA-15-H<sub>2</sub>O<sub>2</sub> catalytic oxidation method, *Catalysts*, 10, 368.
- Ishihara, A., Wang, D., Dumeignil, F., Amano, H., Qian, E.W., and Kabe, T., 2005, Oxidative desulfurization and denitrogenation of a light gas oil using an oxidation/adsorption continuous flow process, *Appl. Catal. A Gen.*, 279, 279–287.
- Ishii, M., Nakahira, M., and Yamanaka, T., 1972, Infrared absorption spectra and cation distributions in (Mn, Fe)<sub>3</sub>O<sub>4</sub>, *Solid State Commun.*, 11, 209–212.
- Katzer, J.R., Ramage, M.P., and Sapre, A. V, 2000, Petroleum refining : Poised for profound changes, *Chem. Eng. Prog.*, 96.
- Khanna, L. and Verma, N.K., 2013, Size-dependent magnetic properties of calcium ferrite nanoparticles, *J. Magn. Magn. Mater.*, 336, 1–7.

- Kobayashi, M., Nagasawa, T., and Yamada, H., 1992, Enzymatic synthesis of acrylamide: a success story not yet over, *Trends Biotechnol.*, 10, 402–408.
- Komintarachat, C. and Trakarnpruk, W., 2006, Oxidative desulfurization using polyoxometalates, *Ind. Eng. Chem. Res.*, 45, 1853–1856.
- Kovacs, J.A., 2004, Synthetic Analogues of Cysteinate-Ligated Non-Heme Iron and Non-Corrinoid Cobalt Enzymes, *Chem. Rev.*, 104, 825–848.
- Lee, G., 2018, High-Grade Silica Sands in The Eastern Murray Basin NSW, *ASEG Ext. Abstr.*, 2018, 1–8.
- Leofanti, G., Padovan, M., Tozzola, G., and Venturelli, B., 1998, Surface area and pore texture of catalysts, *Catal. Today*, 41, 207–219.
- Li, B. and Liu, Z., 2011, Synthesis and Characterization of Ordered Mesoporous Silica Pillared Clay with HPW Heteropoly Acid Encapsulated into the Framework and Its Catalytic Performance for Deep Oxidative Desulfurization of Fuels,. In, *Metal, Ceramic and Polymeric Composites for Various Uses*. InTech.
- Li, H., Zhu, W., Wang, Y., Zhang, J., Lu, J., and Yan, Y., 2009, Deep oxidative desulfurization of fuels in redox ionic liquids based on iron chloride, *Green Chem.*, 11, 810–81.
- Liu, H., Yang, J., Zhang, Y., Yang, L., Wei, M., and Ding, X., 2009, Structure and magnetic properties of Fe-doped ZnO prepared by the sol–gel method, *J. Phys. Condens. Matter*, 21, 145803.
- Lo, W.H., Yang, H.Y., and Wei, G.T., 2003, One-pot desulfurization of light oils by chemical oxidation and solvent extraction with room temperature ionic liquids,. In, *Green Chemistry*. Royal Society of Chemistry, pp. 639–642.
- Long, T., Yin, S., Takabatake, K., Zhnag, P., and Sato, T., 2009, Synthesis and characterization of ZnO nanorods and nanodisks from zinc chloride aqueous solution, *Nanoscale Res. Lett.*, 4, 247–253.
- Lowes, W. and Liu, J., 2011, Synthesis and Characterization of ZnO/ $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> Nano-Architectures, *Microsc. Microanal.*, 17, 1726–1727.
- Ma, X., Zhou, A., and Song, C., 2007, A novel method for oxidative desulfurization of liquid hydrocarbon fuels based on catalytic oxidation using molecular oxygen coupled with selective adsorption, *Catal. Today*, 123, 276–284.

- Maciucă, A.L., Ciocan, C.E., Dumitriu, E., Fajula, F., and Hulea, V., 2008, V-, Mo- and W-containing layered double hydroxides as effective catalysts for mild oxidation of thioethers and thiophenes with H<sub>2</sub>O<sub>2</sub>, *Catal. Today*, 138, 33–37.
- Manatt, S.L. and Manatt, M.R.R., 2004, On the analyses of mixture vapor pressure data: The hydrogen peroxide/water system and its excess thermodynamic functions, *Chem. - A Eur. J.*, 10, 6540–6557.
- Mapes, J.E. and Eischens, R.P., 1954, The infrared spectra of ammonia chemisorbed on cracking catalysts, *J. Phys. Chem.*, 58, 1059–1062.
- Miyamoto, N., Fukuoka, D., Utimoto, K., and Nozaki, H., 1974, The Reaction of Styryl Sulfoxides or Sulfones with Boranes, *Bull. Chem. Soc. Jpn.*, 47, 503–504.
- Mizuno, K., Imafuji, S., Ochi, T., Ohta, T., and Maeda, S., 2000, Hydration of the CH groups in dimethyl sulfoxide probed by NMR and IR, *J. Phys. Chem. B*, 104, 11001–11005.
- Mohan, D., Pittman, C.U., and Steele, P.H., 2006, Pyrolysis of wood/biomass for bio-oil: A critical review, *Energy and Fuels*, 20, 848–889.
- Mufti, N., Atma, T., Fuad, A., and Sutadji, E., 2014, Synthesis and characterization of black, red and yellow nanoparticles pigments from the iron sand,. In, *AIP Conference Proceedings*. American Institute of Physics Inc., pp. 165–169.
- Namduri, H. and Nasrazadani, S., 2008, Quantitative analysis of iron oxides using Fourier transform infrared spectrophotometry, *Corros. Sci.*, 50, 2493–2497.
- Nawaf, A.T., Jarullah, A.T., and Abdulateef, L.T., 2019, Design of a synthetic zinc oxide catalyst over nano-alumina for sulfur removal by air in a batch reactor, *Bull. Chem. React. Eng. & Catal.*, 14, 79–92.
- Nekouei, F. and Nekouei, S., 2017, Comparative study of photocatalytic activities of Zn<sub>5</sub>(OH)<sub>8</sub>Cl<sub>2</sub>·H<sub>2</sub>O and ZnO nanostructures in ciprofloxacin degradation: Response surface methodology and kinetic studies, *Sci. Total Environ.*, 601–602, 508–517.
- Omran, M., Fabritius, T., Heikkinen, E.P., and Chen, G., 2017, Dielectric properties and carbothermic reduction of zinc oxide and zinc ferrite by microwave heating, *R. Soc. Open Sci.*, 4, .



- Otsuki, S., Nonaka, T., Qian, W., Ishihara, A., and Kabe, T., 2001, Oxidative Desulfurization of Middle Distillate. Oxidation of Dibenzothiophene Using t-Butyl Hypochlorite., *J. Japan Pet. Inst.*, 44, 18–24.
- Otsuki, S., Nonaka, T., Takashima, N., Qian, W., Ishihara, A., Imai, T., and Kabe, T., 2000, Oxidative Desulfurization of Light Gas Oil and Vacuum Gas Oil by Oxidation and Solvent Extraction, *Energy and Fuels*, 14, 1232–1239.
- Palma, V., Barba, D., Cortese, M., Martino, M., Renda, S., and Meloni, E., 2020, Microwaves and Heterogeneous Catalysis: A Review on Selected Catalytic Processes, *Catalysts*, 10, 246.
- Pandya, P.H., Jasra, R. V., Newalkar, B.L., and Bhatt, P.N., 2005, Studies on the activity and stability of immobilized  $\alpha$ -amylase in ordered mesoporous silicas, *Microporous Mesoporous Mater.*, 77, 67–77.
- Parvin, T., Keerthiraj, N., Ibrahim, I.A., Phanichphant, S., and Byrappa, K., 2012, Photocatalytic degradation of municipal wastewater and brilliant blue dye using hydrothermally synthesized surface-modified silver-doped ZnO designer particles, *Int. J. Photoenergy*, 2012, .
- Patterson, A.L., 1939, The scherrer formula for X-ray particle size determination, *Phys. Rev.*, 56, 978–982.
- Pholnak, C., Sirisathitkul, C., Suwanboon, S., and Harding, D.J., 2014, Effects of precursor concentration and reaction time on sonochemically synthesized ZnO nanoparticles, *Mater. Res.*, 17, 405–411.
- Piccirillo, C., Rocha, C., Tobaldi, D.M., Pullar, R.C., Labrincha, J.A., Ferreira, M.O., et al., 2014, A hydroxyapatite-Fe<sub>2</sub>O<sub>3</sub> based material of natural origin as an active sunscreen filter, *J. Mater. Chem. B*, 2, 5999–6009.
- Pimentel, A., Nunes, D., Duarte, P., Rodrigues, J., Costa, F.M., Monteiro, T., et al., 2014, Synthesis of long ZnO nanorods under microwave irradiation or conventional heating, *J. Phys. Chem. C*, 118, 14629–14639.
- Piscopo, C.G., Tochtermann, J., Schwarzer, M., Boskovic, D., Maggi, R., Maestri, G., and Loebbecke, S., 2018, Titania supported on silica as an efficient catalyst for deep oxidative desulfurization of a model fuel with exceptionally diluted H<sub>2</sub>O<sub>2</sub>, *React. Chem. Eng.*, 3, 13–16.
- Qin, L., Zhu, Q., Li, G., Liu, F., and Pan, Q., 2012, Controlled fabrication of flower-like ZnO-Fe<sub>2</sub>O<sub>3</sub> nanostructured films with excellent lithium storage properties through a partly sacrificed template method, *J. Mater. Chem.*, 22, 7544–7550.

- Rahwanto, A., Yahya, M., and Jalil, Z., 2013, Magnetic Behavior of Natural  $\text{Fe}_2\text{O}_3$  from Lhoong Iron Ore Mining Area, Aceh Province, Indonesia, *J. Min.*, 2013.
- Ramírez-Verduzco, L.F., Torres-García, E., Gómez-Quintana, R., González-Peña, V., and Murrieta-Guevara, F., 2004, Desulfurization of diesel by oxidation/extraction scheme: Influence of the extraction solvent,. In, *Catalysis Today*. Elsevier, pp. 289–294.
- Rezvani, M.A., Oveisi, M., and Nia Asli, M.A., 2015, Phosphotungstovanadate immobilized on PVA as an efficient and reusable nano catalyst for oxidative desulphurization of gasoline, *J. Mol. Catal. A Chem.*, 410, 121–132.
- Riad, M. and Mikhail, S., 2012, Oxidative desulfurization of light gas oil using zinc catalysts prepared via different techniques, *Catal. Sci. Technol.*, 2, 1437–1446.
- Rogers, J.W., Campbell, C.T., Hance, R.L., and White, J.M., 1980, An electron spectroscopy study of ammonia adsorption on clean and oxidized aluminum, *Surf. Sci.*, 97, 425–447.
- Rusdi, R., Rahman, A.A., Mohamed, N.S., Kamarudin, N., and Kamarulzaman, N., 2011, Preparation and band gap energies of ZnO nanotubes, nanorods and spherical nanostructures, *Powder Technol.*, 210, 18–22.
- Sahoo, T., Tripathy, S.K., Yu, Y.T., Ahn, H.K., Shin, D.C., and Lee, I.H., 2008, Morphology and crystal quality investigation of hydrothermally synthesized ZnO micro-rods, *Mater. Res. Bull.*, 43, 2060–2068.
- Saleh, R., Prakoso, S.P., and Fishli, A., 2012, The influence of Fe doping on the structural, magnetic and optical properties of nanocrystalline ZnO particles, *J. Magn. Magn. Mater.*, 324, 665–670.
- Salprima Y.S., Angasa, E., Fitriani, D., and Falahudin, A., 2017, Iron sand - ZnO based materials of natural origin for dye decolorization under sunlight irradiation,. In, *AIP Conference Proceedings*. American Institute of Physics Inc., p. 020114.
- Savii, C., Popovici, M., Enache, C., Subrt, J., Niznansky, D., Bakardzieva, S., et al., 2002,  $\text{Fe}_2\text{O}_3\text{-SiO}_2$  composites obtained by sol-gel synthesis,. In, *Solid State Ionics*. Elsevier, pp. 219–227.
- Sellmann, D., 1971, K. Nakamoto: Infrared Spectra of Inorganic and Coordination Compounds . Second Edition, John Wiley & Sons. New York, London, Sydney, Toronto, 1970. 338 Seiten, zahlreiche Abbildungen und Tabellen. Preis: 140s , *Berichte der Bunsengesellschaft für Phys. Chemie*, 75, 603–604.



- Serrano, D.P., Sanz, R., Pizarro, P., Moreno, I., and Medina, S., 2014, Hierarchical TS-1 zeolite as an efficient catalyst for oxidative desulphurization of hydrocarbon fractions, *Appl. Catal. B Environ.*, 146, 35–42.
- Shakirullah, M., Ahmad, I., Ishaq, M., and Ahmad, W., 2009, Study on the role of metal oxides in desulphurization of some petroleum fractions, *J. Chinese Chem. Soc.*, 56, 107–114.
- Shakya, J. and Mohanty, T., 2016, Microwave irradiation induced band gap tuning of MoS<sub>2</sub>-TiO<sub>2</sub> nanocomposites,. In, *AIP Conference Proceedings*. American Institute of Physics Inc., p. 050032.
- Shen, C., Wang, Y.J., Xu, J.H., and Luo, G.S., 2015, Synthesis of TS-1 on porous glass beads for catalytic oxidative desulfurization, *Chem. Eng. J.*, 259, 552–561.
- Shiraishi, Y., Hara, H., Hirai, T., and Komasaawa, I., 1999, A deep desulfurization process for light oil by photosensitized oxidation using a triplet photosensitizer and hydrogen peroxide in an oil/water two-phase liquid-liquid extraction system, *Ind. Eng. Chem. Res.*, 38, 1589–1595.
- Si, S., Li, C., Wang, X., Peng, Q., and Li, Y., 2006, Fe<sub>2</sub>O<sub>3</sub>/ZnO core-shell nanorods for gas sensors, *Sensors Actuators, B Chem.*, 119, 52–56.
- Tang, L., Luo, G., Zhu, M., Kang, L., and Dai, B., 2013, Preparation, characterization and catalytic performance of HPW-TUD-1 catalyst on oxidative desulfurization, *J. Ind. Eng. Chem.*, 19, 620–626.
- Tang, Q., Lin, S., Cheng, Y., Liu, S., and Xiong, J.R., 2013, Ultrasound-assisted oxidative desulfurization of bunker-C oil using tert-butyl hydroperoxide, *Ultrason. Sonochem.*, 20, 1168–1175.
- Taufiq, A., Ulya, H.N., Yogihati, C.I., Sunaryono, Hidayat, N., Mufti, N., et al., 2020, Effects of ZnO nanoparticles on the antifungal performance of Fe<sub>3</sub>O<sub>4</sub>/ZnO nanocomposites prepared from natural sand, *Adv. Nat. Sci. Nanosci. Nanotechnol.*, 11, 045004.
- Teh, P.F., Pramana, S.S., Kim, C., Chen, C.M., Chuang, C.H., Sharma, Y., et al., 2013, Electrochemical Reactivity with Lithium of Spinel-type ZnFe<sub>2</sub>-yCr<sub>y</sub>O<sub>4</sub> (0 ≤ y ≤ 2), *J. Phys. Chem. C*, 117, 24213–24223.
- Tench, A.J. and Giles, D., 1972, Infra-red study of the adsorption of ammonia on MgO. Part 1. - The dehydrated surface, *J. Chem. Soc. Faraday Trans. 1 Phys. Chem. Condens. Phases*, 68, 193–196.

- Trisunaryanti, W., Larasati, S., Bahri, S., Ni'mah, Y.L., Efiyanti, L., Amri, K., et al., 2020, Performance comparison of Ni-Fe loaded on NH<sub>2</sub>-functionalized mesoporous silica and beach sand in the hydrotreatment of waste palm cooking oil, *J. Environ. Chem. Eng.*, 8, 104477.
- Ueda, M., Shimada, S., and Inagaki, M., 1993, Preparation of  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> balloons and reaction with ZnO powder, *Solid State Ionics*, 63–65, 154–158.
- Vijayan, P., Mahendiran, C., Suresh, C., and Shanthi, K., 2009, Photocatalytic activity of iron doped nanocrystalline titania for the oxidative degradation of 2,4,6-trichlorophenol, *Catal. Today*, 141, 220–224.
- Wang, X., Yang, D.J., Ju, S.H., Peng, J.H., and Duan, X.H., 2013, Thermodynamics and kinetics of carbothermal reduction of zinc ferrite by microwave heating, *Trans. Nonferrous Met. Soc. China (English Ed.)*, 23, 3808–3815.
- Willander, M., Zhao, Q.X., Hu, Q.H., Klason, P., Kuzmin, V., Al-Hilli, S.M., et al., 2008, Fundamentals and properties of zinc oxide nanostructures: Optical and sensing applications, *Superlattices Microstruct.*, 43, 352–361.
- Xiao, J., Wu, L., Wu, Y., Liu, B., Dai, L., Li, Z., et al., 2014, Effect of gasoline composition on oxidative desulfurization using a phosphotungstic acid/activated carbon catalyst with hydrogen peroxide, *Appl. Energy*, 113, 78–85.
- Yan, M.F., 1991, Zinc Oxide,. In, *Concise Encyclopedia of Advanced Ceramic Materials*. Elsevier, pp. 523–525.
- Yun, G.N. and Lee, Y.K., 2013, Beneficial effects of polycyclic aromatics on oxidative desulfurization of light cycle oil over phosphotungstic acid (PTA) catalyst, *Fuel Process. Technol.*, 114, 1–5.
- Zhang, H., Chen, B., Jiang, H., Wang, C., Wang, H., and Wang, X., 2011, A strategy for ZnO nanorod mediated multi-mode cancer treatment, *Biomaterials*, 32, 1906–1914.
- Zhang, J., Wang, A., Li, X., and Ma, X., 2011, Oxidative desulfurization of dibenzothiophene and diesel over [Bmim]3PMo<sub>12</sub>O<sub>40</sub>, *J. Catal.*, 279, 269–275.
- Zhang, J., Zhu, W., Li, H., Jiang, W., Jiang, Y., Huang, W., and Yan, Y., 2009, Deep oxidative desulfurization of fuels by Fenton-like reagent in ionic liquids, *Green Chem.*, 11, 1801–1807.

- Zhang, X., Zhu, Y., Huang, P., and Zhu, M., 2016, Phosphotungstic acid on zirconia-modified silica as catalyst for oxidative desulfurization, *RSC Adv.*, 6, 69357–69364.
- Zhu, W., Wu, P., Yang, L., Chang, Y., Chao, Y., Li, H., et al., 2013, Pyridinium-based temperature-responsive magnetic ionic liquid for oxidative desulfurization of fuels, *Chem. Eng. J.*, 229, 250–256.