

## DAFTAR PUSTAKA

- ACS. 2018. *Surgical Education Program: Surgical Wounds*. Indiana: American College of Surgeons.
- Blossman-Myer, B. dan Burggren, W. The silk cocoon of the silkworm, *Bombyx mori*: Macro structure and its influence on transmural diffusion of oxygen and water vapor. *Comparative Biochemistry and Physiology: Part A* .2010. 155: 259–263
- Borle, R.M. 2014. *Textbook of Oral and Maxillofacial Surgery. 1<sup>st</sup> Edition*. New Delhi: Jaypee brothers.
- Caetano, G.F., Fronza, M., Leite, M.N., Gomes, A., dan Frade, M.A.C. Comparison of Collagen Content in Skin Wounds Evaluated by Biochemical Assay and by Computer-aided Histomorphometric Analysis. *Pharmaceutical Biology*. 2016. 54(11): 2555-9.
- Chen, F.J., Porter, D., Vollrath, F. Morphology and structure of silkworm cocoons. *Materials Science & Engineering: C-Materials for Biological Applications*. 2012. 32(4): 772-8. (a)
- Chen, F.J., Porter, D., Vollrath, F. Structure and physical properties of silkworm cocoons. *Journal of the Royal Society Interface*. 2012. 9(74): 2299-308. (b)
- Chen, Y., Yu, Q. dan Xu, C.B. A Convenient Method for Quantifying Collagen Fibers in Atherosclerotic Lesions by ImageJ Software, *International Journal of Clinical and Experimental Medicine*. 2017. 10(10): 14904-10.
- Cockbill, S. Wounds: the healing process. *Hospital Pharmacist*. 2002. 9: 255-260
- Conn, P.M. 2008. *Sourcebook of model for biomedical research*. New jersey: Humana press. pp: 631-639.
- de Sousa, O.M., Lopes, N.N., Alves, M.T., Caran , M.M. Effects of Glycine on Collagen, PDGF, and EGF Expression in Model of Oral Mucositis. *Nutrients*. 2018. 10: 1485.



- Doherty, G.M. 2016. *Current Diagnosis and Treatment: Surgery*. 14<sup>th</sup> edition. St. Louis: McGraw Hill.
- Eroschenko, V.P. 2005. *Di Fiore's Atlas of Histology with Functional Correlations*. Philadelphia: Lippincott Wilkins & Wilkins.
- Feinberg, S.E. 2005. *Oral Maxillofacial Trauma*. vol. 1. Philadelphia: WB Saunders. pp: 25-61.
- Fenton, H. dan West, G.B. Studies on Wound Healing. *Brit J Pharmacol*. 1963. 20: 505-515.
- Fishman, T.D. Phases of Wound Healing. *J Prac Med Surg*. 2010. 56(3):112-120.
- Fitria, L., Sarto, M. Profil Hematologi Tikus (*Rattus norvegicus* Berkenhout, 1769) Galur Wistar Jantan dan Betina Umur 4, 6, dan 8 Minggu. *Biogenesis*. 2014. 2(2): 94-100.
- Fonseca, J.R. Walker, R.V. 1991. *Oral and maxillofacial surgery trauma*. Philadelphia : Saunders.. pp: 186-187.
- Gal, P., Toprcer,T., Vidinsky,B., Motky,M., Novetny,M., Kilik, R. Early chane in the tensile strength an morfology of primary suture skin in wound in rats. *Folia Biologica (Praha)*.2006. 52,109-115.
- Gantwerker, E.A. dan Hom, D.B. Skin: Histology and Physiology of Wound Healing. *Facial Plast Surg Clin N Am*. 2011.19: 441–453.
- Gayatri, D. Perkembangan Manajemen Perawatan Luka: Dulu dan Kini. *Jurnal Keperawatan Indonesia*. 1999. 2(8) : 304-308.
- Greenhalgh, D. G. 2016. *Burn Care for General Surgeons and General Practitioners*. California: Springer. pp: 100-101.
- Hasibuan, S.R., Prihatiningsih, Soetji, P. Peranan Pemberian Platelet Rich Plasma Dengan Penambahan Bovine Trombin Terhadap Kekuatan Tarik Kulit Tikus Wistar Pada Proses Penyembuhan Luka Pasca Bedah. *Jurnal kedokteran gigi*. 2010.(1):3-5.
- Hupp, J.R., Ellis, E., Tucker, M.R. 2018. *Contemporary Oral and Maxillofacial Surgery*. 6<sup>th</sup> Edition. St. Louis: Mosby Elsevier.



IACUC. 2014. *Weight loss in research animals*. The University Of North Carolina At Capel Hill USA. pp: 1-4

Ingold, M. Wound therapy: growth factors as agents to promote healing. *Trends Biotechnol.* 1993. 11(9):387-92.

Ju, H.W., Lee, O.J., Lee, J.M., Moon, B.M., Park, H.J., Park, Y.R., Lee, M.C., Kim, S.H., Chao, J.R., Ki, C.S., Park, C.H. Wound healing effect of electrospun silk fibroin nanomatrix in burn-model, *International Journal of Biological Macromolecules*. 2016. 85: 29-39.

Kamalathevan, P; Peng, S.O; Yew, L.L. Silk-Based Biomaterials in Cutaneous Wound Healing: Wound Care Journal. *Advances in Skin and Wound Care*. 2018. 31(12): 565-573.

Kiani, F. A., Kachiwal, A. B., Shah, M. G., Khan, M. S., Lochi, G. M., Manan, A., HaQ, I., dan Khan, F.M. Histological Characterization of Wound Healing of Flank Verses Midline Ovariohysterectomy in Different Age Groups of Cats. *Journal of ClinicalPathology and Forensic Medicine*. 2014. 5 (2): 6-16.

Kram, D.J; Keller, K.A. 2001. Use of Laboratory Animals in Toxicology Studies. *Toxicology testing handbook*. New York. pp: 1-17.

Kumar, V., Abbas, A.K., Fausto, N. 2010. *Tissue renewal, repair, and regeneration*. In: *Pathologic Basis of Disease*, 8th ed. Philadelphia: Elsevier. pp:111-15.

Levy, M dan Slobodian, E. Sequences of Amino Acid Residues in Silk Fibroin. *J Biol Chem*. 1952.199: 563-572.

Liu, J., Lu, F., Chen H., Bao, R., Li, Z., Lu, B., Yu, K., Dai, F., Wu, D., Lan, G. Healing of skin wounds using a new cocoon scaffold loaded with platelet-rich or platelet-poor plasma. *The Royal Society of Chemistry Advances*. 2017. 7: 6474-6485.

Mesher, A. 2015. *Junqueira's Basic Histology: Text and Atlas*. 14<sup>th</sup> Edition. Philadelphia: McGraw Hill.



UNIVERSITAS  
GADJAH MADA

PENGARUH APLIKASI WOUND DRESSING KEPOMPONG ULAT SUTERA (*Bombyx mori*) TERHADAP KEPADATAN KOLAGEN DAN KEKUATAN TARIK LUCA INSISI KULIT (Penelitian In Vivo pada Tikus Wistar)  
ADYAPUTRA I, drg. Cahya Yustisia Hasan, Sp.BM(K); drg. Bambang Dwirahardjo, Sp.BM(K)

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Mohammadi, A.B., Eteghad, S.S., Torbati, M., Fazljou, S.M., Vatandoust, S.M., Golzari, S.E., Mahmoudi, J. Identification and applications of neuroactive silk proteins: a narrative review. *J Appl Biomed.* 2019. 17(3): 147–156.
- Murphy, P.S dan Evans, G.R. Advances in Wound Healing: A review of Currentt Wound Healing Products. *Plast Surg Int.* 2012. 19 (43): 11-19.
- Nanci, A. 2005. *Ten Cate's Oral Histology Development, Structure, and Function*, 6<sup>th</sup> ed. St.Louis: Mosby. pp: 65-8, 397-403.
- Novaes, R.D., Cupertino, M.C., Sarandy, M.M., Souza, A., Soares, E.A. dan Gonçalves, R. V. Time-Dependent Resolution of Collagen Deposition During Skin Repair in Rats: A Correlative Morphological and Biochemical Study. *Microscopy and Microanalysis.* 2015. 21(06): 1482-90.
- Oliveira, H.G., Barud, H.S., Cavicchioli, M. Preparation and Characterization of a Bacterial Cellulose/Silk Fibroin Sponge Scaffold for Tissue Regeneration. *Carbohydr Polym.* 2015.128:41-51.
- Padamwar, M.N dan Pawar, A.P. Silk sericin and it's applications: A review. *Journal of Scientific and Industrial Research.* 2004. 63: 323-329.
- Phillips, S.J. Physiology of Wound Healing and Surgical Wound Care, *ASAIO Journal.* 2000. 46: 2-5.
- Porras, R. 1994. *Cohen Master Of Surgery-Plastic And Reconstructive*. Michigan: Elsevier. pp: 3-13.
- Prasetyono, T.2014. *Panduan klinis manajemen luka*. Jakarta: EGC. pp : 3-60.
- Price, R.D., Myers, S., Leigh, I.M., Navsaria, H.A. The role of hyaluronic acid in wound healing: assessment of clinical evidence. *Am J Clin Dermatol.* 2005. 6(6):393-402.
- Pusponegoro, A.D. 2005. Luka. Di dalam: Sjamsuhidajat, R dan De Jong, W. (Editor). *Buku Ajar Ilmu Bedah*. Edisi ke-2. Jakarta: EGC. pp 66-88.
- Robinson, J.K., Hanke, C.W., Sangelmann, R.D., Siegel, D.M. 2005. *Surgery of the skin, pocedural dermatology*. Philadelphia: Elsevier Mosby. pp : 117-135.



UNIVERSITAS  
GADJAH MADA

PENGARUH APLIKASI WOUND DRESSING KEPOMPONG ULAT SUTERA (*Bombyx mori*) TERHADAP KEPADATAN KOLAGEN DAN KEKUATAN TARIK LUCA INSISI KULIT (Penelitian In Vivo pada Tikus Wistar)  
ADYAPUTRA I, drg. Cahya Yustisia Hasan, Sp.BM(K); drg. Bambang Dwirahardjo, Sp.BM(K)  
Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Ross, J. 2014. *Using the Colour Deconvolution plugin in ImageJ Colour Deconvolution*. Biomedical Imaging Research Unit. pp 1-11.
- Saghazadeh, S., Rinoldi, C., Schot, M., Kashaf, S., Sharifi, F. Drug Delivery Systems and Materials for Wound Healing Applications. *Adv Drug Deliv Rev.* 2018. 127:138-166
- Sood, A., Mark, S.G., Tomaselli, N.L. Wound dressing and comparative effectiveness data. *Advance in Wound Care.* 2014 .(3): 511-529.
- Sjamsuhidajat, R. 2005. *Intisari Prinsip-Prinsip Ilmu Bedah*. Laniyati dkk., (Penerjemah). Edisi ke-6. Jakarta: EGC.
- Terada, S., Sasaki, M., Yanagihara, K., Yamada, H. Preparation of silk protein sericin as mitogenic factor for better mammalian cell culture. *J Biosci Bioeng.* 2005. 100(6):667-71.
- Townsend, C.M., Beauchamp, R.D., Evers, B.M. and Mattox, K.L. 2012. *Sabiston Textbook of Surgery. 19th. Edition.*, Philadelphia: Elsevier Saunders. pp: 60-62.
- Ubbink, D.T., Vermeulen, H., Goossens, A., Kelner, R.B. Occlusive Vs Gauze Dressing For Local Wound Care In Surgical Patient : A Randomized Clinical Trial. *J Ach Surg.* 2008. 143:950-951.
- Velnar, T., Bailey, V., Smrkolj, V. The Wound Healing Process : an Overview of Cellular and Molecular Mechanism. *The J of International Medical Research.* 2009 .1528-42.
- Vidinsky, B., Gal, P., Toporcer, T. Histological Study of the First Seven Days of Skin Wound Healing in Rats. *Acta vet. Brno.* 2006. 75 : 197-202.
- Walter, C.J., Dumville, J.C., Sharp, C.A., Page, T. Systematic review and meta-analysis of wound dressings in the prevention of surgical-site infections in surgical wound healing by primary intention. *Br J Surg.* 2012. 99: 1185-1194.
- Webster, J., Scuffham, P., Sherriff, K.L., Stankiewicz, M., and Chaboyer, W.P. Negative Pressure Wound Therapy For Skin Grafts and Surgical Wounds



Healing by Primary Intention. *Cochrane Database of Systematic Reviews*.  
2012. 4: 1-45

Wijaya, I. 2018. *Perawatan Luka dengan Pendekatan Multidisiplin*. Yogyakarta:  
Penerbit Andi. pp: 47-90.

Winter, G.D. Formation of the Scab and the Rate of Epithelialization of Superficial  
Wounds in the Skin of the Young Domestic Pig. *Nature*. 1962. 193: 293-4.

World Union of Wound Healing Societies (WUWHS). 2016. *Closed surgical  
incision management: preventing surgical site complications*. Wounds  
International.

Xu, R., Xia, H., He, W., Zhichao, L., Jian, B., Bo, L., Yuzhen, W., Qiang ,L., Yi,  
K., Yang, B., Zhihui, Y., Rongshuai, Y., Haisheng, L., Rixing, Z.  
Controlled water vapor transmission rate promotes wound-healing via  
wound re-epithelialization and contraction enhancement. *Scientific Reports*.  
2016. 6(24596): 1-12

Xue, M. dan Jackson, C.J. Extracellular Matrix Reorganization During Wound  
Healing and Its Impact on Abnormal Scarring. *Advances in Wound Care  
(New Rochelle)*. 2015. 4(3): 119-36.

Yao, K., Bae, L., Yew, P.W. Post-operative wound management. *Australian  
Family Phycisian*. 2013. 42:12.

Yu, K., Lu, F., Li, Q., Zou, Y. Accelerated wound-healing capabilities of dressing  
fabricated from silkworm cocoon. *Int J Biol Macr*. 2017. 102: 901-913.

Zhang, J., Kaur, J., Rajkhowa, R., Li, J.L., Liu, X.Y., Wang, X.G. Mechanical  
properties and structure of silkworm cocoons: A comparative study of  
*Bombyx mori*, *Antheraea assamensis*, *Antheraea pernyi* and *Antheraea  
mylitta* silkworm cocoons. *Materials Science & Engineering: C-Materials  
for Biological Applications*. 2013. 33(6): 3206-13.

Zhang, X., Chen, Z., Bao, H., Liang, J., Xu, S., Cheng, G., Zhu, Y. Fabrication  
and Characterization of Silk Fibroin/Curcumin Sustained-Release Film.  
*Materials* . 2019 . 12: 3340



UNIVERSITAS  
GADJAH MADA

PENGARUH APLIKASI WOUND DRESSING KEPOMPONG ULAT SUTERA (*Bombyx mori*) TERHADAP KEPADATAN KOLAGEN DAN

KEKUATAN TARIK LUCA INSISI KULIT (Penelitian In Vivo pada Tikus Wistar)

ADYAPUTRA I, drg. Cahya Yustisia Hasan, Sp.BM(K); drg. Bambang Dwirahardjo, Sp.BM(K)

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>