

DAFTAR PUSTAKA

- Aicher S, Garrecht H, Reinhardt HW. 2014. Materials and Joints in Timber Structures - Recent Developments of Technology. Springer, Jerman.
- Alrasyid H, Marfuah, Wijayakusumah H, Hendarsyah. 1991. Vademikum Dipterocarpaceae. Badan Penelitian dan Pengembangan Kehutanan. Kementerian Kehutanan.
- Ashton PS, 1982. Dipterocarpaceae. Hlm. 237–552 dalam Van Steenis CGGJ, editor. Flora Malesiana.
- Ashwell G. 1957. Colorimetric analysis of sugars. *Methods in Enzymology* **3**: 73-105.
- Aslam MS, Ahmad MS, Mamat AS. 2015. A phytochemical, ethnomedicinal and pharmacological review of genus dipterocarpus. *International Journal of Pharmacy and Pharmaceutical Sciences* **7(4)** : 27-38.
- ASTM International. 2002. Annual Book of ASTM Standards. West Conshohocken, PA.
- Ayadi N, Lejeune F, Charrier-El Bouhtoury F, Charrier B, Merlin A. 2003. Color stability of heat-treated wood during artificial weathering. *Holz als Roh- und Werkstoff* **61**: 221–226.
- Barbaroux C, Bréda N, Dufrêne E. Distribution of above-ground and below-ground carbohydrate reserves in adult trees of two contrasting broad-leaved species (*Quercus petraea* and *Fagus sylvatica*). *New Phytologist*. **157(3)**:605-615.
- Basri E, Yuniarti K, Wahyudi I, Saefudin, Damayanti R. 2015. Effects of girdling on wood properties and drying characteristics of *Acacia mangium*. *Journal of Tropical Forest Science* **27**: 498-505.
- Becerra J, Flores C, Mena J, *et al.* 2002. Antifungal and antibacterial activity of diterpenes isolated from wood extractables of Chilean Podocarpaceae. *Journal of the Chilean Chemical Society* **47**: 151-157
- Bianchi ATJ. 1932. The Resistance of Some Netherlands East Indian Timbers Against the Attack of Shipworms (Teredo). Fifth Pasific Congress, Canada.
- Borges L, Cragg SM, Bergot J, *et al.* 2008. Laboratory screening of tropical hardwoods for natural resistance to the marine borer *Limnoria quadripunctata*: The role of leachable and non-leachable factors. *Holzforschung* **62**: 99-111.
- Borges L. 2014. Biodegradation of wood exposed in the marine environment: Evaluation of the hazard posed by marine wood-borers in fifteen European sites. *International Biodeterioration & Biodegradation* **96**: 97-104
- Bultman JD., Southwell CR. 1976. Natural resistance of tropical american woods to terrestrial wood-destroying organism. *Biotropica* **8(2)**: 71 - 95.
- Cha MY, Lee KH, Kim YS. 2014. Micromorphological and chemical aspects of archaeological bamboos under long-term waterlogged condition. *International Biodeterioration & Biodegradation* **86**: 115– 121.
- Chirinos R, Pallardel IB, Huamán A, *et al.* 2009. HPLC-DAD characterisation of phenolic compounds from Andean oca (*Oxalis tuberosa* Mol.) tubers and

- their contribution to the antioxidant capacity. *Food Chemistry* **113**: 1243-1251.
- Chong KF. 1979. Malayan marine borer tests on timber. *Malayan Forester* **42**: 115–119.
- Chow PS, Landhausser SM. 2004. A method for routine measurements of total sugar and starch content in woody plant tissues. *Tree Physiology* **24**: 1129–1136.
- Cragg SM, Brown CJ, Albuquerque RM, Eaton RA. 2001. Rates of Emission from CCA-Treated Wood in The Marine Environment: Measurement, Modelling and Requirements for Future Research. *Proceedings. 6th International Preservation Symposium; Environment and Wood Preservation, Cannes-Mandelieu.*
- Dubois M, Gilles KA, Hamilton JK, Rebers PA, Smith F. 1956. Colorimetric method for determination of sugars and related substances. *Analytical Chemistry* **28**: 350–356.
- Eaton RA, Hale MDC. 1993. *Wood: Decay, Pests and Protection*. Chapman & Hall, London.
- Edmondson CH. 1953. Response of marine borers to chemically treated woods and other products. *Bishop Museum Occasional papers* **21**: 87–133.
- Fengel D, Wegener G. 1995. *Kayu: Kimia, Ultrastuktur, Reaksi-reaksi (Terjemahan)*. Gadjah Mada University Press, Yogyakarta.
- Fernandes FHA, Salgado H. 2016. Gallic acid: review of the methods of determination and quantification. *Critical Reviews in Analytical Chemistry* **46(3)**: 257–265.
- Fernandes A, Saridan A. 2015. *Dipterokarpa Kurang Dikenal sebagai Bahan Baku Industri*. Balai Besar Penelitian Dipterokarpa, Samarinda.
- Fojutowski A, Wróblewska H, Komorowicz M, *et al.* 2014. Changes in the properties of english oak wood (*Quercus robur* L.) as a remaining submerged in baltic sea waters for two years. *International Biodeterioration & Biodegradation* **86**: 122–128.
- Forest Watch Indonesia, Global Forest Watch. 2001. *Potret Keadaan Hutan Indonesia*. Forest Watch Indonesia, Bogor dan Global Forest Watch, Washington DC.
- Gao H, Shupe TF, Hse CY, Eberhardt TL. 2006. Antioxidant activity of extracts from the bark of *Chamaecyparis lawsoniana* (A. Murray) Parl. *Holzforschung* **60(4)**: 459–462.
- Gierlinger N, Jacques D, Grabner M, *et al.* 2004. Colour of larch heartwood and relationships to extractives and brown-rot decay resistance. *Trees-Structure and Function* **18(1)**: 102–108.
- Goetz PW. 1986. *The New Encyclopaedia Britannica* (15th edn). Encyclopaedia Britannica Inc, Chicago **3**: 937.
- Gruber A, Pirkebner D, Oberhuber W, Wieser G. 2011. Spatial and seasonal variations in mobile carbohydrates in *Pinus cembra* the timberline ecotone of the central austrian alps. *European Journal of Forest Research* **130**: 173–179.

- Hakim EH. 2002. Oligostilbenoid dari tumbuh-tumbuhan Dipterocarpaceae. *Bulletin of the Indonesia Society of Natural Products Chemistry* **2**: 1-19.
- Hardiansyah G. 2012. Analisis pertumbuhan tanaman meranti pada sistem tebang pilih tanam jalur (TPTJ). *Vokasi* **8(3)**: 165-171.
- Hegnauer R. 1966. *Chemotaxonomie der Pflanzen*, Band 4. Birkhäuser Verlag Basel und Stuttgart, German.
- Hergert HL. 1960. Chemical composition of tannins and polyphenols from conifer wood and bark. *Forest Product Journal* **10**: 610-617.
- Hillis WE. 1962. *Wood Extractives and Their Significance to The Pulp and Paper Industries*. Academic Press.
- Hillis WE. 1987. *Heartwood and Tree Exudates*. Springer-Verlag Berlin Heidelberg, Germany.
- Hillis WE, Hasegawa M. 1963. The formation of polyphenols in trees I. administration of c glucose and subsequent distribution of radioactivity. *Phytochemistry* **2**: 195-199.
- Hoch G, Richter A, Korner C. 2003. Non-structural compounds in temperate forest trees. *Plant Cell and Environment* **26(7)**: 1067-1081.
- Hon DNS, Minemura N. 2001. Colour and Discoloration. Hlm. 385-441 dalam Hon DNS, Shiraishi N, editor. *Wood and Cellulosic Chemistry*. Marcel Dekker, New York.
- Ito T, Tanaka T, Nakaya K, *et al.* 2001. A novel bridged stilbenoid trimer and four highly condensed stilbenoid oligomers in *Vatica rassak*. *Tetrahedron* **53**: 7309-7314.
- Ito T, Akao Y, Yi H, *et al.* 2003-a. Antitumor effect of resveratrol oligomers against human cancer cell lines and the molecular mechanism of apoptosis induced by vaticanol c. *Carcinogenesis* **24(9)**: 1489-1497.
- Ito T, Tanaka T, Iimuna M, *et al.* 2003-b. Two nes oligostilbenes with dihydrobenzofuran from the stem bark of *Vateria indica*. *Tetrahedron* **59**: 1255-1264.
- Jacobson MZ. 2005. studying ocean acidification with conservative, stable numerical schemes for nonequilibrium air-ocean exchange and ocean equilibrium chemistry. *Journal of Geophysical Research Atmospheres* **110(D7)**: 1 - 17.
- Jiang Y, Schaffrath J, Knorz M, Winter S. 2014. Bonding of Various Wood Species-Studies about Their Applicability in Glued Laminated Timber. Hlm. 365-374 dalam Aicher S, Reinhardt HW, Garrecht H, editor. *Materials and Joints in Timber Structures*. Springer, German.
- Karpanen O, Venalainen M, Harju AM, Laakso T.. 2008. The effect of brown-rot decay on water adsorption and chemical composition of scots pine heartwood. *Ann. For. Sci.* **65**: 610.
- Kartawinata, K. 1983. *Jenis-jenis Keruing*. Lembaga Biologi Nasional-LIPI, Bogor.
- Kebler PJA, Sidiyasa K. 1999. *Pohon-pohon Hutan Kalimantan Timur: Pedoman Mengenal 280 Jenis Pohon Pilihan di Daerah Balikpapan-Samarinda*. MOEFEC, Kalimantan.

- Khoddami A, Wilkes MA, Roberts TH. 2013. Techniques for analysis of plant phenolic compounds. *Molecules* **18**(2): 2328-2375.
- Klein T, Hoch G, Yakir D, Korner C. 2014. Drought stress, growth and nonstructural carbohydrate dynamics of pine trees in a semi-arid forest. *Tree Physiology* **34**(9): 981-992.
- Kozlowski TT. 1992. Carbohydrate sources and sinks in woody plants. *The Botanical Review* **58**: 107-222.
- Le-Normand M, Edlund U, Holmbom BR, Monica EK. 2012. Hot-water extraction and characterization of spruce bark non-cellulosic polysaccharides. *Nordic Pulp and Paper Research Journal* **27**(1): 18-23.
- Lewis EL. 1980. The practical salinity scale 1978 and its antecedents. *Journal of Oceanic Engineering* **5**(1): 3 - 8.
- Lindfors, EL, Lindstrom M, Iversen T. 2008. Polysaccharide degradation in waterlogged oak wood from the ancient warship vasa. *Holzforschung* **62**(1): 57-62.
- Lloret F, Sapes G, Rosas T, *et al.* 2018. Non-structural carbohydrate dynamics associated with drought-induced die-off in woody species of a shrubland community. *Annals of Botany* **00**: 1-14.
- Lukmandaru G. 2009. Perubahan warna pada kayu teras jati (*Tectona grandis*) doreng melalui ekstraksi berturutan. *Jurnal Ilmu dan Teknologi Hasil Hutan* **2**(1): 15-20.
- Lukmandaru G. 2011. komponen kimia kayu jati dengan pertumbuhan eksentris. *Jurnal Ilmu Kehutanan* **5**(1): 21 - 29.
- Lukmandaru G. 2012. Komposisi ekstraktif pada kayu mangium (*Acacia mangium*). *Jurnal Ilmu dan Teknologi Kayu Tropis* **10**(2): 150-158.
- Lukmandaru G, Mohammad AR, Wargono P, Prasetyo VE. 2016. studi mutu kayu jati di hutan rakyat Gunungkidul sifat kimia kayu. *Jurnal Ilmu Kehutanan* **10**(2): 108 - 118.
- Luo ZB, Calfapietra C, Liberloo M, Scarascia-mugnozza G, Polle A. 2006. Carbon partitioning to mobile and structural fractions in poplar wood under elevated CO₂ (Euroface) and N fertilization. *Global Change Biology* **12**(2): 272-283.
- Mackenzie FT, Byrne RH, Duxbury AC. 2020. Seawater. *Encyclopedia Britannica*. <https://www.britannica.com/science/seawater> (diakses Juli 2021).
- Magel E, Einig W, Hampp R. 2000. Carbohydrates in trees. *Developments in Crop Science* **26**: 317-336.
- Maimoona A, Naeem I, Saddiqe Z, Ali N, Ahmed G, Shah I. 2011. Analysis of total flavonoids and phenolics in different fractions of bark and needle extracts of *Pinus roxburghii* and *Pinus wallichiana*. *Journal of Medicinal Plants Research* **5**(13): 2724-2728.
- Maria KW, Manurung TF, Sisilia L. 2016. Identifikasi jenis pohon famili dipterocarpaceae di kawasan arboretum sylva universitas tanjungpura pontianak. *Jurnal Hutan Lestari* **4**(4): 527 - 534.
- Martawijaya A, Kartasujana I, Kadir K, Prawira SA. 1989. Atlas Kayu Indonesia Jilid I. Badan Penelitian dan dan Pengembangan Kehutanan, Bogor.

- Menon KD. 1957. A note on marine borers in Malayan waters. *Malayan Forester* **20**: 32–37.
- Metsamuuronen S, Siren H. 2019. Bioactive phenolic compounds, metabolism and properties: a review on valuable chemical compounds in scots pine and norway spruce. *Phytochemistry Review* **18**: 623-664.
- Modugno F, Ribechini E, Colombini MP. 2006. Aromatic resin characterisation by gas chromatography–mass spectrometry raw and archaeological materials. *Journal of Chromatography* **1134**: 298-304.
- Muhtadi. 2014. Ilmu Kimia Tumbuhan Keruing (*Dipterocarpus*) Famili Dipterocarpaceae. Lingkar Media, Yogyakarta.
- Muslich M, Sumarni G. 2004. Ketahanan 62 jenis kayu Indonesia terhadap penggerek kayu di laut. *Jurnal. Penelitian Hasil Hutan* **22(3)**: 183-191.
- Muslich M, Sumarni G. 2005. Keawetan 200 jenis kayu Indonesia terhadap penggerek di laut. *Jurnal Penelitian Hasil Hutan* **23(3)**: 163 – 176.
- Niamké FB, Amusant N, Kokutse AD, *et al.* 2010. Radial distribution of non-structural carbohydrates in Malaysian teak. *Biological and Chemical Science* **4(3)**: 710- 720.
- Niamké FB, Amusant N, Charpentier JP, *et al.* 2011. Relationships between biochemical attributes (non-structural carbohydrates and phenolics) and natural durability against fungi in dry teak wood (*Tectona grandis* L.). *Annals of Forest Science* **68**: 201-211.
- Niamké FB, Nadine A, Jay-Allemand C, Coulibaly SK, Adima AA. 2018. Heartwood formation process in teak (*Tectona grandis* L): fate of non-structural carbohydrates and characterization of forsythoside B. *International Journal of Biological and Chemical Sciences* **12(3)**: 1102-1112.
- Nusbaum RM, Starley M. 2000. The effect of wood extractive content on glue adheslon and surface wettability of wood. *Wood and Fiber Science* **34(1)**: 57-71
- Oberhuber W, Swidrak I, Pirkebner D, Gruber A. 2011. Temporal dynamics of non-structural carbohydrates and xylem growth in (*Pinus sylvestris*) exposed to drought. *Canadian Journal of Forest Research* **41(8)**: 1590–1597.
- Oey DJ. 1964. Berat jenis dari jenis-jenis kayu Indonesia dan pengertian beratnya kayu untuk keperluan praktek. Pengumuman No.1. Lembaga Penelitian Hasil Hutan, Bogor.
- Palmer C. 1992. Renewed prosperity for the country boats of bangladesh. *Energy Policy* **20(1)**: 54-61.
- Pontis JA, Costa MA, Silva SJR, Flach A. 2014. Color, phenolic and flavonoid content of honey from Roraima, Brazil. *Food Science and Technology* **34(1)**: 69-73.
- Prawirohatmodjo S. 2004. Kimia Kayu. Diktat Kuliah Tidak Diterbitkan. Bagian Penerbitan Fakultas Kehutanan, Universitas Gadjah Mada, Yogyakarta.
- Rana R, Langenfeld-Heyser R, Finkeldey R, Polle A. 2009. Functional anatomy of five endangered tropical timber wood species of the family dipterocapaceae. *Trees Journal* **23**: 521-529.

- Randi A, Bodos V, Kusumadewi Y, *et al.* 2019. *Vatica sarawakensis*. The IUCN Red List of Threatened Species 2019.
- Rawn JD, Ouellette RJ. 2018. Organic Chemistry: Structure, Mechanism, Synthesis, Second Edition. Academic Press.
- Rowe JW. 1989. Natural Products of Woody Plants: Chemicals Extraneous to The Lignocellulosic Cell Wall. Springer, New York.
- Rowell RM. 2005. Handbook of Wood Chemistry and Wood Composites. CRC Press, New York.
- Sadek P. 2002. The HPLC Solvent Guide. Journal of The America Chemical Society **124(35)**: 10627.
- Sala A, Hoch G. 2009. Height-related growth declines in ponderosa pine are not due to carbon limitation. Plant, Cell and Environment **32(1)**: 22–30.
- Saridan A, Fernandes A. 2014. Ciri Morfologi dan Mikroskopis *Vatica sarawakensis* Heim. Balai Besar Penelitian Dipterokarpa, Samarinda.
- Saridan A, Ngatiman. 2012. Eksplorasi Jenis-Jenis Dipterokarpa. Balai Besar Penelitian Dipterokarpa, Samarinda.
- Saridan A, Wahyudi A. 2017. Eksplorasi jenis-jenis dipterokarpa potensial di kalimantan tengah. Jurnal Penelitian Ekosistem Dipterokarpa **3(1)**: 23-32.
- Savage JA, Clearwater MJ, Haines DF, *et al.* 2016. Allocation, stress tolerance and carbon transport in plants: how does phloem physiology affect plant ecology?. Plant, Cell and Environment **39**: 709–725.
- Savins M, Lee R. 2005. Masalah Kualitas Kapal Nelayan. Pembuatan Kapal di Aceh dan Nias, Wilayah Bencana Tsunami. FAO.
- Schofield P, Mbugua D, Pell AN. 2001. Analysis of condensed tannins: A review. Animal Feed Science Technology **91(1)**: 21–40.
- Seta ADS. 2020. Sifat Kimia *Dipterocarpus confertus*, *Vatica sarawakensis*, dan *Shorea retusa* yang Telah Direndam di Laut Sulawesi. Skripsi (Tidak dipublikasikan). Fakultas Kehutanan, Universitas Gadjah Mada, Yogyakarta.
- Silverio FO, Barbosa LCA, Maltha CRA, *et al.* 2007. Characterization of lipophilic wood extractives from clones of *Eucalyptus urograndis* cultivate in brazil **2(2)**: 157-168.
- Simard S, Giovannelli A, Treydte K, *et al.* 2013. Intra-annual dynamics of non-structural carbohydrates in the cambium of mature conifer trees reflects radial growth demands. Tree Physiology **33(9)**: 913-923.
- Singh HR, Sasekumar A. 1996. Wooden panel deterioration by tropical marine wood borers. Estuarine, Coastal and Shelf Science **42(6)**: 755–769.
- Singleton VL, Orthofer R, Lamuela-Raventós RM. 1999. Analysis of total phenols and other oxidation substrates and antioxidants by means of folin-ciocalteu reagent. Methods in Enzymology **299**: 152-178.
- Sjostrom E. 1993. Kimia Kayu: Dasar-dasar Penggunaan (Terjemahan). Gadjah Mada University Press, Yogyakarta.
- Skaar C. 1988. Wood–Water Relations. Springer Verlag, Berlin, Germany.
- Sosef MSM, Hong LT, Prawirohatmodjo S. 1998. Timber Trees: Lesser Known Timber. Prosea, Bogor.

- Sotheeswaran, S, V Pasuphaty. 1993. Distribution of resveratrol oligomers in plants. *Phytochemistry* **32**: 1083-1092.
- Sturgeon RJ. 1990. Monosaccharides. *Methods in Plant Biochemistry* **2**:1-37.
- Syafii W, Siregar IZ. 2006. Sifat kimia dan dimensi serat kayu mangium (*Acacia mangium* Willd.). *Jurnal Ilmu Dan Teknologi Kayu Tropis* **4(1)**:28– 32.
- Tamburini D, Lucejko JJ, Modugno F, Colombini MP. 2014. Characterisation of archaeological waterlogged wood from herculaneum by pyrolysis and mass spectrometry. *International Biodeterioration & Biodegradation* **86**: 142 - 149.
- Taylor A, Cooper P. 2002. The effect of stem girdling on wood quality. *Wood and Fiber Science* **34(2)**: 212-220.
- Uçar G, Yilgor N. 1995. Chemical and technological properties of 300 years waterlogged wood (*Abies bornmülleriana* M.). *Holz als Roh-und Werkstoff* **53**: 129-132.
- Unesco. 1985. The international system of units in oceanography. *UNESCO Technical Papers in Marine Science* **45**: 124.
- Wiati CB, Indriyanti SY. 2014. Rantai pasokan kayu hutan alam di Kalimantan Selatan dan Kalimantan Tengah serta permasalahannya. *Jurnal Penelitian Dipterokarpa* **8(1)**: 25-34.
- Widyawati PS, Budianta TDW, Kusuma FA, Wijaya EL. 2015. Difference of solvent polarity to phytochemical content and antioxidant activity of *Pluchea indica* less leaves extracts. *International Journal of Pharmacognosy and Phytochemical Research* **6(4)**: 850-855.
- Wurth MKR, Peláez-Riedl S, Wright SJ, Körner C. 2004. Non-structural carbohydrate pools in a tropical forest. *Oecologia* **143**: 11–24.
- Yang G, Jaakkola P. 2011. *Wood Chemistry and Isolation of Extractives from Wood*. Saimaa University of Applied Sciences, Finland.
- Yunanta RRR, Lukmandaru G, Fernandes A. 2014. Sifat kimia dari Kayu *Shorea retusa*, *Shorea macroptera*, dan *Shorea macrophylla*. *Jurnal Penelitian Ekosistem Dipterokarpa* **8(1)**: 15 - 24.
- Zabel RA, Morell JJ. 1992. *Wood: Microbiology, Decay and Its Prevention*. Academic Press, London.
- Zhang H, Wang C, Wang X. 2014. Spatial variations in non-structural carbohydrates in stems of twelve temperate tree species. *Trees* **28**: 77–89.
- Zhang Q, Jia X, Shao M, Ma C. 2018. Unfolding non-structural carbohydrates from sapling to dying black locust on China's Loess Plateau. *Journal of Plant Growth Regulation* **37**: 794–802.
- Zgoda-Pols JR, Freyer AJ, Killmer LB, Porter JR. 2002. Antimicrobial resveratrol tetramers from the stem bark of *Vatica oblongifolia*. *ssp. oblongifolia*. *Journal Natural Products* **65(11)**: 1554-1559.
- Zobel BJ, Buijtenen JP. 1989. *Wood Variation – Its Causes and Control*. Springer-Verlag Berlin, Heidelberg.

LAMPIRAN