

## DAFTAR PUSTAKA

- Aksoy, M.S. and Ozer, U., 2003, Potentiometric And Spectroscopic Studies With Chromium (III) Complexes of Hydroxysalicylic Acid Derivatives in Aqueous Solution, *Turk. J. Chem.*, 27, 667- 673
- Alothman, Z. A. Habila, M.A., and Ali, R., 2011, Environment and Chemistry, *Proceeding of International Conference on Biology, IPCBEE*, IACSIT Press, Singapore
- Al-Qodah, Z. and Shawabkah, R., 2009, Production and Characterization of Granular Activated Carbon From Activated Sludge, *Braz. J. Chem. Eng.*, 26 (01), 127-136
- Allwar, 2012, Characteristics of Micro- and Mesoporous Structure and Surface Chemistry of Activated Carbons Produced by Oil Palm Shell, *Proceeding of International Conference on Chemical, Ecology and Environmental Sciences (ICEES'2012)*, Bangkok
- Annesinia, M.C., Piemonteb, V., and Turchettib, L., 2013, Simultaneous Removal of Albumin-Bound Toxins in Liver Support Devices: Bilirubin and Tryptophan Adsorption on Activated Carbon, *Chem. Eng. Trans.*, 32, 1069-1074
- Barkauskas, J. and Dervinyte, M., 2004, An Investigation of The Functional Groups on The Surface of Activated Carbons, *J. Serb. Chem. Soc.* 69 (5), 363–375
- Bardakci, M., Acarali, N.B., Tugrul, N., Derun, E.M., and Piskin, M.B., 2013, Production of Zinc Borate for Pilot-scale Equipment and Effects of Reaction Conditions on Yield, *Mater. Sci.*, 19 (2), 158-163
- Beckett, M.A., Horton, P.N., Hursthouse, M.B., and Timmisa, J.L., 2013, Struktur Ion Poliborat Triborate and Pentaborate Salts of Non-metal Cations Derived From N-substituted Piperazines: Synthesis, Structural (XRD) and Thermal Properties, *RSC Adv.*, 3, 15185–15191
- Björnström, J., Martinelli, A., Johnson, J.R.T., Matic, A., and Panas, I., 2003, Signatures of A Drying  $\text{SiO}_2 \cdot x(\text{H}_2\text{O})$  Gel From Raman Spectroscopy and Quantum Chemistry, *Chem. Phys. Lett.*, 380, 165–172
- Bialopiotrowicz, T., Blanpain, P., René, F., and Lalande, L., 2002, An Adsorption of Bovine Serum Albumin on Carbon/Zirconium Oxide Microfiltration Membranes at Different pH's as Determined from Breakthrough Curves, *Ars Separatoria Acta*, 1, 111-137
- Bouchemal, N. and Addoun, F., 2009, Adsorption of Dyes from Aqueous Solution onto Activated Carbons Prepared From date Pits: The Effect Adsorbents Pore Size Distribution, *Dessalin. & Water Treat.*, 7, 242-250
- Bowser, J., 1993, Inorganic Chemistry, Pubs.Co., New York

- Brinker, C.J., 1988, Hydrolysis and Condensation of Silicates: Effects on Structure, *J. Non-Cryst. Solids*, 100, 31-50
- Chayande, S.P. and Yenkie, M.K.N., 2013, Characterization of Activated Carbon Prepared From Almond Shells For Scavenging Phenolic Pollutants, *Chem Sci. Trans.*, 2 (3), 835-840
- Chen, C., Sun, X., Jiang, E., Niu, D., Yu, A., Liu, Z., and Li, J.G., 2009, A Two-step Hydrothermal Synthesis Approach to Monodispersed Colloidal Carbon Spheres, *Nanoscale Res. Lett.*, 4, 971–976
- Chen, J., Xia, N., Zhou, T., Tan, S., Jiang, F., and Yuan, D., 2009, Mesoporous Carbon Spheres: Synthesis, Characterization and Supercapacitance, *Int. J. Electrochem. Sci.*, 4, 1063–1073
- Chen, X. and Jayaseelan, S., 2001, Study of Sewage Sludge Pyrolysis Mechanism And Mathematical Modeling, *J. Environ. Eng.*, 127 (7), 1-9
- Chi Y, Geng, W., Zhao, L., Yan, X., Yuan, Q., Li, N., and Li, X., 2012, Comprehensive Study of Mesoporous Carbon Functionalized with Carboxylate Groups and Magnetic Nanoparticles as A Promising Adsorbent, *J. Colloid Interface Sci.*, 369, 366–372
- Chu, P.K and Liuhe, L., 2006, Characterization of Amorphous and Nanocrystalline Carbon Films, *Mater.Chem.Phys.*, 96, 253–277
- Cuhadaroglu, D. and Uygun, O.A., 2008, Production and Characterization of Activated Carbon from A Bituminous Coal by Chemical Activation, *Afr. J. Biotechnol.*, 7 (20), 3703-3710
- Crapse, K.P. and Kyser, E.A., 2011, *Literature Review of Boric Acid Solubility Data*, Savannah River National Laboratory, Savannah River Nuclear Solutions, LLC, Aiken, 2
- Da'i, W., Zheng, M., Zhao, Y., Liao, S., Ji, G., and Cao, J., 2010, Template Synthesis of Three-Dimensional Cubic Ordered Mesoporous Carbon With Tunable Pore Sizes, *Nanoscale Res Lett.* 5 (1), 103–107
- Dai, M., 2012, Synthesis, Characterizations and Applications of Mesoporous Carbon Composites, *Dissertation of Philosophy Doctor Degree*, Arizona State University, USA
- Dekhoda, A.M., 2010, Developing Biochar-Based Catalyst for Biodiesel Production, UBC Social Ecological Economic Development Studies (SEEDS), *Student Report*, University of British, Columbia
- Deng, Y., Chong L, Ting Y, Feng L, Fuqiang Z, and Ying W, 2007, Facile Synthesis of Hierarchically Porous Carbons from Dual Colloidal Crystal/Block Copolymer Template Approach, *Chem. Mater.*, 19, 3271-3277

- De-Ridder, D.J., 2012, *Adsorption of Organic Micropollutants Onto Activated Carbon and Zeolites*, Water Management Academic Press, Netherlands
- Eltepe, H.E., 2004, The Development of Zinc Borate Production Process, *Thesis*, Department of Chemical Engineering, Turkey
- Falcone, J., 1982, The Effect of Degree of Polymerization of Silicates on Their Interactions with Cations in Solution, *ACS. Symp. Ser.*, 194 (9), 133–148
- Feret, F.R., 1998, Determination of The Crystallinity of Calcined and Graphitic Cokes by X-ray Diffraction, *Analyst*, 123, 595–600
- Fernández-Morales, I., Almazán-Almazán, M.C., Pérez-Mendoza, M., Domingo-García, M., López-Garzo, A., 2005, PET as Precursor of Microporous Carbons: Preparation and Characterization, *Microporous and Mesoporous Mater.*, 80, 107–115
- Ferrer, M.L., Duchowicz, R., Carrasco, B., Torre, G.D., and Acun, A.U., 2001, The Conformation of Serum Albumin in Solution: A Combined Phosphorescence Depolarization-Hydrodynamic Modeling Study, *Biophys. J.*, 80, 2422–2430
- Figueiredo, J.L., Pereira, M.F.R., Freitas, M.M.A., and O’rfaño, J.J.M., 1999, Modification of The Surface Chemistry of Activated Carbons, *Carbon*, 37, 1379–1389
- Forconi, M. and Herschlag, D., 2009, *Metal Ion-based RNA Cleavage As A Structural Probe*, Methods in Enzymology, 468, Elsevier Inc., 93
- Gimba, C.R. and Turori, M., 2006., Adsorption Efficiency of Coconut Shell-based Activated Carbons on Colour of Molasses, Oils, Dissolved Oxygen and Related Parameters from Industrial Effluent., *Sci. World J.*, 1(1), 21–26
- Gimba, C.E., Ocholi, O., Egwaikhide, P.A., Muyiwa, T., and Akporhonor, E.E., 2009, New Raw Material for Activated Carbon. I. Methylene blue Adsorption on Activated Carbon Prepared from *Khaya Senegalensis* Fruits, *Cien. Inv. Agr.* 36 (1), 107–114.
- Girisuta, B., 1975, Levulinic Acid from Lignocellulosic Biomass, *Thesis*, University of Groningen, Groningen
- Gonen, M., 2009, Nanosized Zinc Borate Production, *Thesis of Philosophy Doctor*, Izmir Institute of Technology in Chemical Engineering, Izmir
- Gauden, P., Terzyk, P., Rychlicki, G., Kowalczyk, P., C’wiertnia, M.S., and Garbacz, J.K., 2004, Estimating The Pore Size Distribution of Activated Carbons from Adsorption Data of Different Adsorbates by Various Methods, *J. Colloid. Interface Sci.*, 273, 39–63
- Halim, H.P., Im, J.S., and Lee, C.W., 2013, Preparation of Needle Coke from Petroleum by-Products, *Carbon Lett.*, 14 (3), 152–161

- Han, S and Hyeon, T., 1999., Simple Silica-Particle Template Synthesis of Mesoporous Carbons, *Chem. Commun.*, 1999, 1955–1956
- Han, S, Kim, M., and Hyeon, T., 2003a, Direct Fabrication of Mesoporous Carbons Using in-situ Polymerized Silica Gel Networks as A Template, *Carbon*, 41, 1525–1532
- Han, S., Yun, Y., Park, K.W., Sung, Y.E., Hyeon, and T., 2003b, Simple Solid-Phase Synthesis of Hollow Graphitic Nanoparticles and Their Application to Direct Methanol Fuel Cell Electrodes, *Adv. Mater.*, 15 (22), 1922-1925
- Han, S., Kim, S., Lim, H., Choi, W., Park, H., Yoon, J., and Hyeon, T., 2003c, New Nanoporous Carbon Materials With High Adsorption Capacity and Rapid Adsorption Kinetics, For Removing Humic Acids, *Microporous Mesoporous Mater.*, 58, 131–135
- Harris, P.J.F., 2005, New Perspectives on The Structure of Graphitic Carbons, *Crit. Rev. Solid State Mater.Sci.*, 30, 235–253
- Hayashi, J., Kazezaya, A., Muroyama, K., and Watkinson, AP., 2000, Preparation of Activated Carbon From Lignin by Chemical Activation, *Carbon*, 38, 1873-1878
- Huang, Y., Hu, S., Zuo, S., Xu, Z., Han, C., and Shen, J., 2009, Mesoporous Carbon Materials Prepared from Carbohydrates With A Metal Chloride Template, *J. Mater. Chem.*, 19, 7759–7764
- Huang, B., Bartholomew, C.H., and Woodfield, B.F., 2014, Improved Calculations of Pore Size Distribution for Relatively Large, Irregular Slit-shaped Mesopore Structure, *Microporous Mesoporous Mater.*, 184 , 112–121
- Huheey, J.E., Keiter, E.A., and Keiter, R.L., 1993, *Inorganic Chemistry, Principles of Structure and Reactivity*, 4<sup>th</sup> ed., Harper Collins College Pub., New York
- Ignat, M., Alexa, I., and Popovici, E., 2010, Biomolecules Adsorption Onto Ordered Mesoporous Carbon, *Eur.Cells Mater.*, 20(3), 119
- Jansen, J.C., 1992, Zeolite Crystal Growth and Structure on An Atomic Scale, *Dissertation, Technische Universiteit Delft*, Netherland
- Jall, P.K., Patel, S., and Mishra, B.K., 2004, Chemical Modification of Silica Surface by Immobilization of Functional Groups for Extractive Concentration of Metal Ions, *Talanta*, 62, 1005–1028
- Kaneko, K., 1994, Review: Determination of Pore Size and Pore Size Distribution, *J. Membr. Sci.*, 96, 59-89

- Khan, A.Y., 2003., Titanium Dioxide Coated Activated Carbon: A Regenerative Technology for Water Recovery., *Thesis*, University of Florida, Florida
- Kim, S. and Pinnavaia, T.J., 2001., A Low Cost Route to Hexagonal Mesoporous Carbon Molecular Sieves, *Chem. Commun.*, 2001, 2418–2419
- Kim, J., Jinwoo L, and Taeghwan H., 2004, Direct Synthesis of Uniform Mesoporous Carbons from The Carbonization of As-synthesized Silica/Triblock Copolymer Nanocomposites, *Carbon*, 42, 2711–2719
- Kim, D.J., Lee, H.I., Yie, J.E., Kim, S.J., and Kim, J.M., 2005, Ordered Mesoporous Carbons: Implication of Surface Chemistry, Pore Structure and Adsorption of Methyl Mercaptan, *Carbon*, 43, 1868–1873
- Kondo, S., Amino, E., and Kurimoto, M., 1989, *Effect of Pore Size of Silica for The Adsorption of Proteins*, *Pure Appl. Chem.*, 61 (11), 1897–1901
- Krzesińska, M. and Zachariasz, J., 2007, Correlation Between The Carbonization Temperature and The Physical Parameters of Porous Carbons Derived from *Yucca flaccida*, *J. Phys.: Conf. Ser.*, 79, 1–5
- Kuster, B.F.M., Eindhoven, 1990, 5-Hydroxymethylfurfural (HMF), A Review Focussing on Its Manufacture, *Starch*, 42 (8), 314–321
- Kyotani, T., 2000, Control of Pore Structure in Carbon, *Carbon*, 38, 269–286
- Lätt, M., Käärik, M., Permann, L., Kuura, H., Arulepp, M., and Leis, J., 2008, A Structural Influence on The Electrical Double-layer Characteristics of Al<sub>4</sub>C<sub>3</sub>-derived Carbon, *J Solid State Electrochem*, 1–6
- Lee, H.I., Pak, C., Shin, C.H., Chang, H., Seung, D., Yied, J.E., and Kim, J.M., 2005, Rational Design of Ordered Mesoporous Carbon With Controlled Bimodal Porosity via Dual Silica Templating Route, *Chem. Commun.*, 6035–6037
- Lee, H.I., Kim, J.H., You, D.Y., Lee, J.E., Kim, J.M., Ahn, W.S., Pak, C., Joo, S.H., Chang, H., and Seung, D., 2008, Rational Synthesis Pathway for Ordered Mesoporous Carbon with Controllable 30–100 Angstrom Pores, *Adv. Mater.*, 20, 757–762
- Lee, J., Yoon, S., Hyeon, T., Oh, S.M., and Kim, K.B., 1999, Synthesis of A New Mesoporous Carbon and Its Application to Electrochemical Double-layer Capacitors, *Chem. Commun.*, 2177–2178
- Lee, J., Han, S., and Hyeon, T., 2004, Synthesis of New Nanoporous Carbon Materials Using Nanostructured Silica Materials as Templates, *J. Mater. Chem.*, 14, 478–486
- Lee, H.I., Stucky, G.D., Kim J.H., Pak C., Chang H., and Kim J.M., 2011., Spontaneous Phase Separation Mediated Synthesis of 3D Mesoporous Carbon with Controllable Cage and Window Size, *Adv. Mater.*, 23, 2357–2361

- Lin, G., Jiang, J., Wu, J., and Sun, K., 2013, Effects of Heat Pretreatment During Impregnation on The Preparation of Activated Carbon from Chinese Fir Wood by Phosphoric Acid Activation, *Bioenerg. Res.*, 6 (4), 1237-1242
- Lorenc-Grabowska, E. and Gryglewicz, G., 2007, Removal of Cyanocobalamine from Aqueous Solution Using Mesoporous Activated Carbon, *Dyes and Pigments*, 75, 136-142
- Lowell, S., Shield, J.E., and Thomas, M.A., Thommes, M., 2004, *Characterization of Porous Solids and Powders: Surface Area, Pore Size, and Density*, Kluwer Academic Publishers, London, 38–40
- Lower, S.K., 1999, *Introduction To Acid-base Chemistry*, A Chem Reference Text, Simon Fraser University
- Lua, A.C. and Yang, T., 2005, Characteristics of Activated Carbon Prepared From Pistachio-Nut Shell by Zinc Chloride Activation Under Nitrogen and Vacuum Conditions, *J. Colloid Interface Sci.*, 290, 505–513
- Luo, L.B., Yu, .SH., Qian, H.S., and Gong, JY., 2006, Large Scale Synthesis of Uniform Silver @ Carbon Rich Composite (Carbon and Cross-Linked PVA) Sub-Microcables by A Facile Green Chemistry Carbonization Approach, *Chem. Commun.*, 793-795
- Lu, A.H., Tu`ysu, H., and Ferdi Schu, F., 2007, Synthesis of Ordered Mesoporous Carbon Containing Highly Dispersed Cpper–Sulphur Compounds inThe Carbon Framework via A Nanocasting Route, *Microporous Mesoporous Mater.* doi:10.1016/j.micromeso.2007.07.017
- Manoj, B. and Kunjomana, A.G., 2012, Study of Stacking Structure of Amorphous Carbon by X-Ray Diffraction Technique, *Int. J. Electrochem. Sci.*, 7, 3127–3134
- Markus, G. W. and Peduzzi, P., 1994, Frequency, Size and Distribution of Bacteriophages in Different Marine Bacterial Morphotypes, *Mar. Ecol. Prog. Ser.*, 108, 11–20
- Marsh H. and Reinoso, R., 2006, Activated Carbon, Elsevier Sci., USA
- McDougall, G.J., 1991., The Physical Nature and Manufacture of Activated Carbon, *J. S. Afr. Inst. Min. Metal*, 91 (4), 109-120
- Mikhail, S.R. and Robens, E., 1983, *Microstructure and Thermal Analysis of Solid Surfaces*, John Wiley & Sons, New York
- Morf, P., Hasler, P., and Nussbaumer, T., 2002, Mechanism and Kinetics of Homogeneous Secondary Reactions of Tar From Continuous Pyrolysis of Wood Chips, *Fuel*, 81, 843-853
- Naseh, M.V., Khodadadi, A.A., Mortazavi, Y., Sahraei, A.O., Pourfayaz, F., and Sedghi, S.M., 2009, Functionalization of Carbon Nanotubes Using Nitric Acid Oxidation and DBD Plasma, World Academy of Science, *Eng. Techol.*, 49



- Nies, N.P. and Hulbert, R.W., 1972, *Zinc Borate of Low Hydration And Method For Preparing Same*, US Patent No. 3649172
- Nwosu, F.O., Olu-Owolabi, B.I., Adebawale, K.O., Henle, T., and Schwarzenbolz, U., 2009, Pore Structure and Surface Functional Groups on Six Tropical Fruit Nutshell Active Carbons, *Biorem. Biodiv. Bioavail.*, 3(2), 89-95
- Oliveira, L.C, Pereira, E, Guimaraes, I.R, Vallone, A, Pereira, M, Mesquita, J.P, and Sapag, K. 2009, Preparation of Activated Carbons from Coffee Husks Utilizing  $\text{FeCl}_3$  and  $\text{ZnCl}_2$  as Activating Agents, *J. Hazard Mater.*, 165 (1-3), 87-94
- Onal, Y., Akmil Basar, C., Sancı-Ozdemir, C., and Erdogan, S, 2006, Textural Development of Sugar Beet Bagasse Activated With  $\text{ZnCl}_2$ , *J. Hazard Mater.*, 142 (1-2), 138-43
- Owen, S.M. and Brooker, A., 1994, *A Guide to Modern Inorganic Chemistry*, ed.3, Longman group, Singapore
- Palmer, D.A., Anovitz, L.M., and Wilson, L.L., 2008, Solubility of Zinc Silicate and Zinc Ferrite in Aqueous Solution to High Temperatures, ICPWS XV, Berlin, September 8–11 2008, 1-10
- Panahi, H.A., Moniri, E., Izadi, A., Abolhasani, F., Abutorabi, E.S., and Abedini, L., 2009, Specific Interaction of Boric acid with Carbohydrates and its Effect on Thin Layer Chromatography, *J. Appl. Chem. Res.*, 9, 52-58
- Peng, L., Lin, L., Zhang, J., Zhuang, J., Zhang, B., and Gong, Y., 2010, Catalytic Conversion of Cellulose to Levulinic Acid by Metal Chlorides, *Molecules*, 15, 5258-5272
- Pereira, E.S., Rubio, E.M., and Pilar, S., 2010, Di-D-fructose Dianhydride-Enriched Products by Acid Ion-Exchange Resin-Promoted Caramelization of D-Fructose: Chemical Analyses, *Agric. Food Chem.*, 8 (3), 1777–1787
- Pirillo, S., Ppedroni, V., and Rueda, E., 2009, Elimination of Dyes From Aqueous Solutions Using Iron Oxides and Chitosan as Adsorbents. A Comparative Study, *Quim. Nova*, 32 ( 5), 1239-1244
- Puziy, A.M., Poddubnaya, O.I., Mart'inez-Alonso, A., Sua'rez-Garc'ia, F., and Tasco, J.M.D., 2002, Synthetic Carbons Activated with Phosphoric Acid: Surface Chemistry and Ion Binding Properties, *Carbon*, 40, 1493–1505
- Qiao, W.M., Song, Y., Yoon, S.H., Korai, Y., Mochida, A., Yoshiga, S., Fukuda, H., and Yamazaki, A., 2006, Carbonization of Waste PVC to Develop Porous Carbon Material Without Further Activation, *Waste Manage.*, 26, 592–598
- Quintas, M.A.C., Fundo, J.F., and Silva, C.L.M., 2010, Sucrose in The Concentrated Solution or The Supercooled State: A Review of

Caramelisation Reactions and Physical Behaviour, *Food Eng. Rev.*, 2, 204–215

Rampe,MJ., Setiaji, B., Trisunaryanti, W., dan Triyono, 2010, The Effect of Temperature on The Crystal Growth of Coconut Shell Carbon, *Proceedings of the third International Conference on Mathematics and Natural Sciences*, Indonesia

Ramakrishnan, K. and Namasivayam, C., 2009, Development and Characterstics of Activated Carbons from *Jatropha* Husk, An Agro Industrial Solid Waste by Chemical Activation Methods, *J. Environ. Eng. Manage.*, 19 (3), 173-178

Rao, C.P., Geetha,K., and Raghavan, M.S.S., 1994, Fe (III) Complexes of D-glucose and D-fructose, *Biometals*, 7 (1), 25-29

Rezaiyan and Cheremisinoff, 2005, *Gasification Technologies A Primer for Engineers and Scientists*, Taylor & Francis Group, New York

Rosatella, A.A., Simeonov, S.P., Raquel, F., Fradea, M., and Afonso, C.A.F., 2011, 5-Hydroxymethylfurfural (HMF) As A Building Block Platform: Biological Properties, Synthesis and Synthetic Applications, *Green Chem.*, 13, 754–793

Ryoo, R., Joo, S.H., and Jun, S., 1999, Synthesis of Highly Ordered Carbon Molecular Sieves via Template-Mediated Structural Transformation, *J. Phys. Chem. B*, 103 (37), 7759-7764

Sae-ung, S. and Boonamnuyvitaya, V., 2003, Adsorption of Formaldehyde Vapor by Using Activated Carbon Prepared from Coffee Residue, *Proceedings of the 2<sup>nd</sup> Regional Conference on Energy Tech. Towards a Clean Environment*, Phuket, Thailand

Salih, B.M.M. and Satyanarayana, S., 2009, Vitamin B12 Models: Synthesis and Characterization of Cyano Bridged Dicobaloximes and Antimicrobial Activity, *Afr. J. Pure Appl. Chem.*, 3 (9),170-176

Sakintuna, B. and Yurum, Y., 2006, Preparation and Characterization of Mesoporous Carbons Using Turkish Natural Zeolitic Template/Furfuryl Alcohol System, *Microporous Mesoporous Mater.*, 93, 304–312

Seo, J.A., Oh, J., Kim, D.J., Kim, H.K., and Hwang, Y.H., 2004, Making Monosaccharide and Disaccharide Sugar Glasses by Using Microwave Oven, *J. Non-Cryst. Solids*, 333, 111–114

Sevilla, M. and Fuertes, A.B., 2009, The Production of Carbon Materials by Hydrothermal Carbonization of Cellulose, *Carbon*, 47, 2281–2289

Sevim, F., Demir, F., Bilen, M., and Okur, H., 2006, Kinetic Analysis of Thermal Decomposition of Boric Acid from Thermogravimetric Data, *Korean J. Chem. Eng.*, 23 (5), 736-740



- Sembiring, S., 2011, Synthesis and Characterization of Rice Husk Silica Based Borosilicate Ceramic by Sol–Gel Routes, *Indones. J. Chem.*, 11 (1), 85-87
- Shen, W., Yang, X., Guo, Q., Liu, Y., Song, Y., Han,Z., Sun, Q., and Cheng, J., 2006, The Effect of Carbon Precursor on The Pore Size Distribution of Mesoporous Carbon During Templating Synthesis Process, *Mater. Lett.*, 60, 3517–3521
- Sheveleva, IV., Voit, AV., and Zemskova,LA., 2006, *Adsorption of Protein by Modified Carbon Fibres*, Chemistry for Sustainable Development, 14, 295-299
- Shin, K.D., Lim,S.T., and Son, H., 1998, Effect of Organic Acids on Hygroscopicity and Browning of Sucrose Candies, *Food Sci. Biotechnol.* 7 (2), 107-111
- Shriver, D.F., Atkins, P.W., and Langford, C.H., 1990, *Inorganic Chemistry*, Oxford Univ. Press, Oxford
- Shuhada, N., 2010, The Role of pH, Temperature and catalyst Type in Caramel Manufacturing Process, *Thesis*, Faculty of Chemical and Natural Resources Engineering, Universiti Malaysia Pahang, Malaysia
- Shyamasundar, V., 2005, Investigation of Properties Responsible for Phenol Removal via Titania Coated Activated Carbon, *Thesis*, Univ. of Florida, Florida, USA
- Sing, K.S.W. and Williams , R.T., 2004, Review: The Use of Molecular Probes for the Characterization of Nanoporous Adsorbents, Part. Part. Syst. Charact., 21, 71 – 79
- Song-Lin, Z., Shang-yu, GAO., Xi-gen, Y., and Bo-sen,U., 2003., Carbonization Mechanism of Bamboo (*phyllostachys*) by Means of Fourier Transform Infrared and Elemental Analysis, *J. Forest Res.*, 14 (1), 75-79
- Song, A.,Ma, J., Xu, D., and Li , R., 2015, Adsorption and Diffusion of Xylene Isomers on Mesoporous Beta Zeolite *Catalysts*, 5, 2098-2114
- Stadtländer, C.T.K.H., 2007, *Modern Research and Educational Topics in Microscopy Scanning Electron Microscopy and Transmission Electron Microscopy of Mollicutes: Challenges and Opportunities*, Formatex
- Storck, S., Bretinger, H., Maier, W.F., 1998, Characterization of Micro- and Mesoporous Solids by Physisorption Methods and Pore-size Analysis, *Appl. Catalysis A: General* , 174, 137-146
- Surendrana, K.P., Mohananb, P., and Sebastiana, M.T., 2004, The Effect of Glass Additives On The Microwave Dielectric Properties of Ba(Mg<sub>1/3</sub>Ta<sub>2/3</sub>)O<sub>3</sub> Ceramics, *J. Solid State Chem.*, 177, 4031–4046

- Sun, Y., Yue, Q., Gao, B., Gao, Y., Xu, X., Li, Q., and Wang, Y., 2014, Adsorption and Cosorption of Ciprofloxacin and Ni(II) on Activated Carbon-mechanism Study, *J. Taiwan Inst. Chem. Eng.*, 45, 681–688
- Tawalbeh M., Allawzi, MA., and Kandah, M., 2005, Production of Activated Carbon from Jojoba Seed Residue by Chemical Activation Using a Static Bed Reactor, *J. Appl. Sci.*, 5 (3), 482-487
- Tamai H, Kakii T, Hirota Y, Kumamoto T, and Yasuda H., 2013, Synthesis of Extremely Large Mesoporous Activated Carbon and Its Unique Adsorption for Giant Molecules. *Chem Mater.*, 18, 454-462
- Tarasevich, YI., 2001, Porous Structure and Adsorption Properties of Natural Porous Coal, *Colloids Surf. A: Physicochem. Eng. Aspects*, 176, 267–272
- Teng, H., Lin, YC., and Hsu, LY., 2000, Production of Activated Carbons from Pyrolysis of Waste Tires Impregnated with Potassium Hydroxide, *J. Air & Waste Manage. Assoc.*, 50,1940-1946
- Thommes, M., 2010, Physical Adsorption Characterization of Nanoporous Materials *Chemie Ingenieur Technik*, 82 (7), 1059-1073
- Villarroel-Rocha, J., Barrera, D., Blanco, A.A.G., Roca, M.E., 2013, Sapag, K., Importance of The t-plot Method in the Characterization of Nanoporous Materials, *Adsorption Sci. Tech.*, 31(2/3 ), 165-188
- Vinu, A., Moria, T., and Ariga, K., 2006, New Families of Mesoporous Materials, *Sci. Technol. Adv. Mater.*, 7, 753–771
- Viswanathan, B., Neel, PI., and Varadarajan,TK., 2009, Methods of Activation and Specific Applications of Carbon Materials, *Thesis*, Indian Institute of Technology Madras, India
- Wang, C., Fu, L., Tong, X., Yang, Q., and Zhang, W., 2012, Efficient and Selective Conversion of Sucrose to 5-Hydroxymethylfurfural Promoted by Ammonium Halides Under Mild Conditions, *Carbohydr. Res.*, 347, 182–185
- Westermarck, S., 2000, Use of Mercury Porosimetry and Nitrogen Adsorption in Characterisation of The Pore Structure of Mannitol and Microcrystalline Cellulose Powders, Granules and Tablets, *Dissertation*, Department of Pharmacy, University of Helsinki, Finland
- Wickramaratne, N. and Jaroniec, M., 2012, Adsorption and Structural Properties of Ordered Mesoporous Carbons Synthesized by Soft-templating in The Presence of Boric Acid and Tetraethyl Orthosilicate, *RSC Adv.*, 2, 1877–1883
- Windolz, M., Budavari, S., Blumeti,RF., and Otterbein, ES., 1983, Preparation of Activated Carbon Using The Copyrolysis of Agricultural and Municipal Solid Wastes at a Low Carbonization Temperature, *The Merck Index: An*

*Encyclopedia of Chemicals, Drugs, and Biologicals*, Merck & CO, Inc., 10<sup>th</sup> ed., USA

- Wu, D., Liang, Y., Yang, X., Zou, C., Li, Z., Lu, G., Zeng, X., and Fu, R., 2008, Preparation of Activated Ordered Mesoporous Carbons with a Channel Structure, *Langmuir* 24, 2967-2969
- Wu, D., Liang, Y., Yang, X., Li, Z., Zou, C., Zeng, X., Lu, G., and Fu, R., 2009, Direct Fabrication of Bimodal Mesoporous Carbon by Nanocasting, *Microporous Mesoporous Mater.*, 116, 91-94
- Xiang, Q., Yu, J., and Jaronec, M., 2012, Graphene-based Semiconductor Photocatalysts, *Chem. Soc. Rev.*, 41, 782-796
- Xu, D., 2006, Adsorption of Boric Acid on Pure and Humic Acid Coated Amorphous-aluminum Hydroxide: A Raman And Xanes Spectroscopy Study, *Thesis of Master Degree*, Department of Soil Science, University of Saskatchewan, Canada
- Xue, C., Tu, B., and Zhao, D., 2009, Facile Fabrication of Hierarchically Porous Carbonaceous Monoliths with Ordered Mesosstructure via an Organic Organic Self-Assembly, *Nano Res.*, 2, 242- 253
- Yadav, P.K., McKavanagh, F., Maguire, P., and Lemoine, P., 2010, Adsorption of Bovine Serum Albumin on Amorphous Carbon Surfaces Studied With Dippennanolithography, *Appl.Surf.Sci.*, 1-34
- Yagsi, N.U., 2004, Production and Characterization of Activated Carbon from Apricot Stones a Thesis Submitted to The Graduate School of Natural and Applied Sciences of The Middle East Technical University, *Thesis*, Department of Chemical Engineering, Turkey
- Yi, J.H., Ko, Y.N., Koo, H.Y., Jung, D.S., and Kang, Y.C., 2011, Characteristics of ZnO-B<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub> Glass Powders Prepared by Spray Pyrolysis as Densification Promoter for BaTiO<sub>3</sub> Ceramics, *J. Ceram. Process. Res.*, 12 (2), 122-125
- Ying, L., Jian, Z., Zhen, Y.X., Jun, L.G., Dong, TH., and Zhang, LH., 2011, Simple Synthesis of Semi Graphitized Ordered Mesoporous Carbons With Tunable Pore Sizes, *New Carbon Mater.*, 26 (2)
- Yoon, S.O., Jo, T.H., Kim, K.S., and Kim, S., 2008, Phase Formation in The Al<sub>2</sub>O<sub>3</sub>-, Quartz-, and Cordierite-Zinc Borosilicate Glass Composites, *Ceram. Int.*, 34, 2155-2157
- You, B., Yanga J., Yonga G.P., Liua S., Xieb W., and Sua Q., 2011, Influence of Preparation Conditions on Structural Stability of Ordered Mesoporous Carbons Synthesized by Evaporation-induced Triconstituent Co-assembly Method., *Chin. J. Chem. Phys.*, 24 (3), 365-373

- Yuan, D.S., Zeng, J., Chen, J., and Liu, Y., 2009, Highly Ordered Mesoporous Carbon Synthesized via in Situ Template for Supercapacitors, *J.Electrochem.Sci.*, 4, 562-570
- Yusufu, M. I, Ariaahu, C. C., and Igbabul, B. D, 2012, Production and Characterization of Activated Carbon from Selected Local Raw Materials, *Afr. J. Pure App. Chem.*, 6(9), 123-131
- Zhao, J., Lai, C., Dai., Y., and Xie, J., 2007, Pore Structur Control of Mesoporous Carbon As Supercapasitor Material, *Mater. Lett.*, 61, 4639-4642
- Zhang, Y. and Wilcox, D. E., 2002 Thermodynamic and Spectroscopic Study of Cu(II) and Ni(II) Binding to Bovine Serum Albumin, *J. Bio. Inorg. Chem.*, 7, 327-337
- Zhu, Z., Li, A.M., Xia, M., Wan, J., and Zhang, Q., 2008, Preparation and Characterization of Polymer Based Spherical Activated Carbons, *Chin. J. Polym. Sci.*, 26 (5), 645–651
- Zhuravlev, L.T., 2000, The Surface Chemistry of Amorphous Silica., Zhuravlev Model, *Colloids and Surfaces A: Physicochem. Eng. Aspects*, 173, 1–38
- Zou, L., Huang, Y., Huang, Q., and Wang C., 2003, An Investigation of Heterogeneity of The Degree of Graphitization in Carbon-carbon Composites, *Mater. Chem. Phys.*, 82, 654 – 662
- Zheng, T., Xu, X., Pan, J., Xiao, S., and Jingwen, L., 2012, Studies of Preparation and Characteristics in Borosilicate Photosensitive Glass-Ceramics, *Mater. Sci. Appl.*, 3, 98-102
- Zhuravlev, LT., 2000, The Surface Chemistry of Amorphous Silica: Zhuravlev Model, *Colloids Surf. A: Physicochem.Eng.Aspects*, 173, 1–38
- Zhu, Z., Li, A., Xia, A., Wan, J.N., and Zhang, Q., 2008, Preparation and Characterization of Polymer-based Spherical Activated Carbons, *Chin. J. Polym. Sci.*, 26 (5), 645–651