



UNIVERSITAS  
GADJAH MADA

## REFERENCES

- Adejumo, A. O. *et al.* (2016) ‘Community referral for presumptive TB in Nigeria: a comparison of four models of active case finding’, *BMC Public Health* 2016 16:1, 16(1), pp. 1–9. doi: 10.1186/S12889-016-2769-7.
- Akin, J., Hutchinson, P. and Strumpf, K. (2007) ‘Decentralisation and government provision of public goods: The public health sector in Uganda’, <http://dx.doi.org/10.1080/00220380500187075>, 41(8), pp. 1417–1443. doi: 10.1080/00220380500187075.
- Amo-Adjei, J. (2013) ‘Perspectives of Stakeholders on the Sustainability of Tuberculosis Control Programme in Ghana’, *Tuberculosis Research and Treatment*, 2013, pp. 1–6. doi: 10.1155/2013/419385.
- Azman, A. S., Golub, J. E. and Dowdy, D. W. (2014) ‘How much is tuberculosis screening worth? Estimating the value of active case finding for tuberculosis in South Africa, China, and India’, *BMC Medicine*, 12(1), pp. 1–9. doi: 10.1186/s12916-014-0216-0.
- Biermann, O., Tran, P. B., Viney, K., Caws, M., Lönnroth, K. and Sidney Annerstedt, K. (2020) ‘Active case-finding policy development, implementation and scale-up in high-burden countries: A mixed-methods survey with National Tuberculosis Programme managers and document review’, *PLOS ONE*. Edited by H. D. Shewade, 15(10), p. e0240696. doi: 10.1371/journal.pone.0240696.
- Biermann, O., Tran, P. B., Viney, K., Caws, M., Lönnroth, K. and Annerstedt, K. S. (2020) ‘Active case-finding policy development, implementation and scale-up in high-burden countries: A mixed-methods survey with National Tuberculosis Programme managers and document review’, *PLOS ONE*, 15(10), p. e0240696. doi: 10.1371/JOURNAL.PONE.0240696.
- Biermann, O., Atkins, S., *et al.* (2020) ““Power plays plus push”: experts’ insights into the development and implementation of active tuberculosis case-finding policies globally, a qualitative study”, *BMJ open*, 10(6), p. e036285. doi: 10.1136/bmjopen-2019-036285.
- Biermann, O., Dixit, K., *et al.* (2021) ‘Building on facilitators and overcoming barriers to implement active tuberculosis case-finding in Nepal, experiences of community health workers and people with tuberculosis’, *BMC Health Services Research* 2021 21:1, 21(1), pp. 1–13. doi: 10.1186/S12913-021-06290-X.



UNIVERSITAS  
GADJAH MADA

Biermann, O., Tran, P. B., et al. (2021) ‘Capitalizing on facilitators and addressing barriers when implementing active tuberculosis case-finding in six districts of Ho Chi Minh City, Vietnam: a qualitative study with key stakeholders’, *Implementation Science* 2021 16:1, 16(1), pp. 1–12. doi: 10.1186/S13012-021-01124-0.

Birat Nepal Medical Trust, N. (2014) ‘Programme Evaluation Report “Intensified case finding through contact tracing and initial default tracing to reach the targets of Nepal National TB Programme, National Strategic Plan 2010-2015 in nine districts”’.

Birat Nepal Medical Trust, N. (2019) *TB REACH Wave 5: Scale up of intensified Active Case Finding Model in Nepal*. Available at: <https://bnmtnepal.org.np/projects/tb-reach-wave-5/> (Accessed: 18 July 2021).

Bothamley, G. H. et al. (2008) ‘Active case finding of tuberculosis in Europe: A Tuberculosis Network European Trials Group (TBNET) survey’, *European Respiratory Journal*, 32(4), pp. 1023–1030. doi: 10.1183/09031936.00011708.

Braun, V. and Clarke, V. (2006) ‘Using thematic analysis in psychology’, *Qualitative Research in Psychology*, 3(2), pp. 77–101. doi: 10.1191/1478088706QP063OA.

Brownson, R. C., Fielding, J. E. and Green, L. W. (2018) ‘Building Capacity for Evidence-Based Public Health: Reconciling the Pulls of Practice and the Push of Research’, *Annual review of public health*. 2017/11/20, 39, pp. 27–53. doi: 10.1146/annurev-publhealth-040617-014746.

Chambers, D. A., Glasgow, R. E. and Stange, K. C. (2013) ‘The dynamic sustainability framework: Addressing the paradox of sustainment amid ongoing change’, *Implementation Science*, 8(1), p. 117. doi: 10.1186/1748-5908-8-117.

Chen, J. O. et al. (2019) ‘Role of community-based active case finding in screening tuberculosis in Yunnan province of China’, *Infectious Diseases of Poverty*, 8(1), p. 92. doi: 10.1186/s40249-019-0602-0.

Corbett, E. L. et al. (2010) ‘Comparison of two active case-finding strategies for community-based diagnosis of symptomatic smear-positive tuberculosis and control of infectious tuberculosis in Harare, Zimbabwe (DETECTB): A cluster-randomised trial’, *The Lancet*, 376(9748), pp. 1244–1253. doi: 10.1016/S0140-6736(10)61425-0.

Crocker, J., Saywell, D. and Bartram, J. (2017) ‘Sustainability of community-led total sanitation outcomes: Evidence from Ethiopia and Ghana’, *International Journal of Hygiene and Environmental Health*, 220(3), pp. 551–557. doi: <https://doi.org/10.1016/j.ijheh.2017.02.011>.

DeCorby-Watson, K. *et al.* (2018) ‘Effectiveness of capacity building interventions relevant to public health practice: a systematic review’, *BMC Public Health*, 18(1), p. 684. doi: 10.1186/s12889-018-5591-6.

Department of Health Services, Ministry of Health and Population, N. (2019) *Annual Report 2018/19*.

Department of Health Services; Ministry of Health and Population; Nepal (2020) *Annual Report DoHS 2019/2020*.

Fox, G. J. *et al.* (2015) ‘Barriers to adherence with tuberculosis contact investigation in six provinces of Vietnam: a nested case–control study’, *BMC Infectious Diseases* 2015 15:1, 15(1), pp. 1–8. doi: 10.1186/S12879-015-0816-0.

Gaglio, B., Shoup, J. A. and Glasgow, R. E. (2013) ‘The RE-AIM framework: A systematic review of use over time’, *American Journal of Public Health*, 103(6), p. e38. doi: 10.2105/AJPH.2013.301299.

Glasgow, R. E., Vogt, T. M. and Boles, S. M. (1999) ‘Evaluating the public health impact of health promotion interventions: The RE-AIM framework’, *American Journal of Public Health*, 89(9), pp. 1322–1327. doi: 10.2105/AJPH.89.9.1322.

Golub, J. E. *et al.* (2005) ‘Active case finding of tuberculosis: historical perspective and future prospects’, *International Union Against Tuberculosis and Lung Disease*, 9(11). Available at: <https://www.ingentaconnect.com/content/iuatld/ijtld/2005/00000009/00000011/art00004#>.

Government of Nepal, M. of H. & P. D. of H. and Services, N. T. C. (2018) *National Tuberculosis Program Annual Report 2017/18*.

Gurung, S. C. *et al.* (2019) ‘The role of active case finding in reducing patient incurred catastrophic costs for tuberculosis in Nepal’, *Infectious Diseases of Poverty*, 8(1). doi: 10.1186/s40249-019-0603-z.

Hamilton, K., Tolfree, R. and Mytton, J. (2018) ‘A systematic review of active case-finding strategies for tuberculosis in homeless populations’, *International Journal of Tuberculosis and Lung Disease*. International Union against Tubercul. and Lung Dis., pp. 1135–1144. doi: 10.5588/ijtld.17.0784.

Ho, J., Fox, G. J. and Marais, B. J. (2016) ‘Passive case finding for tuberculosis is not enough’, *International journal of mycobacteriology*, 5(4), pp. 374–378. doi: 10.1016/J.IJMYCO.2016.09.023.

Humphreys, J. S., Wakerman, J. and Wells, R. (2006) ‘What do we mean by sustainable rural health services? Implications for rural health research’, *Australian Journal of Rural Health*, 14(1), pp. 33–35. doi: 10.1111/j.1440-1584.2006.00750.x.

Hussain, H. *et al.* (2019) ‘The cost-effectiveness of incentive-based active case finding for tuberculosis (TB) control in the private sector Karachi, Pakistan’, *BMC Health Services Research*, 19(1), pp. 1–10. doi: 10.1186/s12913-019-4444-z.

Kaji, A. *et al.* (2015) ‘Challenges in tackling tuberculosis on the Thai-Myanmar border: findings from a qualitative study with health professionals’, *BMC Health Services Research*, 15(1). doi: 10.1186/S12913-015-1129-0.

Kerrigan, D. *et al.* (2017a) ‘Improving active case finding for tuberculosis in South Africa: informing innovative implementation approaches in the context of the Kharitode trial through formative research’, *Health Research Policy and Systems* 2017 15:1, 15(1), pp. 1–8. doi: 10.1186/S12961-017-0206-8.

Kerrigan, D. *et al.* (2017b) ‘Improving active case finding for tuberculosis in South Africa: Informing innovative implementation approaches in the context of the Kharitode trial through formative research’, *Health Research Policy and Systems*, 15(1), p. 42. doi: 10.1186/s12961-017-0206-8.

Koplan, J. P. *et al.* (1999) ‘Framework for program evaluation in public health.’, *MMWR. Recommendations and reports : Morbidity and mortality weekly report. Recommendations and reports / Centers for Disease Control*, 48(RR-11), pp. 1–40. Available at: <https://stacks.cdc.gov/view/cdc/5204>.

Kranzer, K. *et al.* (2013) ‘The benefits to communities and individuals of screening for active tuberculosis disease: A systematic review’, *International Journal of Tuberculosis and Lung Disease*, 17(4), pp. 432–446. doi: 10.5588/ijtld.12.0743.

Lennox, L., Maher, L. and Reed, J. (2018) ‘Navigating the sustainability landscape: A systematic review of sustainability approaches in healthcare’, *Implementation Science*. BioMed Central Ltd., p. 27. doi: 10.1186/s13012-017-0707-4.

Lestari, T. *et al.* (2019) ‘Bridging the knowledge-practice gap in tuberculosis contact management in a high-burden setting: a mixed-methods protocol for a multicenter health system strengthening study’, *Implementation Science*, 14(1), p. 31. doi: 10.1186/s13012-019-0870-x.

Lorent, N. *et al.* (2015a) ‘Challenges from Tuberculosis Diagnosis to Care in Community-Based

Active Case Finding among the Urban Poor in Cambodia: A Mixed-Methods Study', *PLOS ONE*.

Edited by P.-J. Cardona, 10(7), p. e0130179. doi: 10.1371/journal.pone.0130179.

Lorent, N. *et al.* (2015b) 'Challenges from Tuberculosis Diagnosis to Care in Community-Based Active Case Finding among the Urban Poor in Cambodia: A Mixed-Methods Study', *PLOS ONE*, 10(7), p. e0130179. doi: 10.1371/JOURNAL.PONE.0130179.

Luke, D. A. *et al.* (2014) 'The program sustainability assessment tool: A new instrument for public health programs', *Preventing Chronic Disease*, 11(2014). doi: 10.5888/pcd11.130184.

Lung, T. *et al.* (2019) 'Household contact investigation for the detection of tuberculosis in Vietnam: economic evaluation of a cluster-randomised trial', *The Lancet Global Health*, 7(3), pp. e376–e384. doi: 10.1016/S2214-109X(18)30520-5.

Main, S. *et al.* (2019) 'Training for Tuberculosis Elimination in Indonesia: Achievements, Reflections, and Potential for Impact', *Tropical Medicine and Infectious Disease* . doi: 10.3390/tropicalmed4030107.

MoH/DoHS/NTC (2017) *National Tuberculosis Program - Nepal: Annual report 2016/17*, National Tuberculosis Center, Nepal. Available at: <http://nepalntp.gov.np>.

Mupere, E. *et al.* (2013) 'Effectiveness of active case-finding strategies in tuberculosis control in Kampala, Uganda', *International Journal of Tuberculosis and Lung Disease*, 17(2). doi: 10.5588/ijtld.12.0160.

Nathavitharana, R. R. *et al.* (2017) 'FAST implementation in Bangladesh: High frequency of unsuspected tuberculosis justifies challenges of scale-up', *International Journal of Tuberculosis and Lung Disease*, 21(9), pp. 1020–1025. doi: 10.5588/ijtld.16.0794.

National Tuberculosis Centre (2016) *National Strategic Plan for Tuberculosis Prevention, Care and Control (2016-2021)*.

National Tuberculosis Centre (2018a) *National Tuberculosis Program Nepal: Annual Report 2018*.

National Tuberculosis Centre (2018b) *NTP Implementation Guideline (District level)*, National Tuberculosis Center, Ministry of Health, Nepal. Available at: [https://nepalntp.gov.np/wp-content/uploads/2018/01/NTP\\_Implementation\\_Guideline\\_District\\_level.pdf](https://nepalntp.gov.np/wp-content/uploads/2018/01/NTP_Implementation_Guideline_District_level.pdf).

National Tuberculosis Centre (2018c) *NTP Implementation Guideline (Local level)*, National Tuberculosis Center, Ministry of Health, Nepal. Available at: [https://nepalntp.gov.np/wp-content/uploads/2018/01/NTP\\_Implementation\\_Guideline\\_local\\_level.pdf](https://nepalntp.gov.np/wp-content/uploads/2018/01/NTP_Implementation_Guideline_local_level.pdf).

National Tuberculosis Centre (2018d) *NTP Implementation Guideline (State level)*, National Tuberculosis Center, Ministry of Health, Nepal. Available at: [https://nepalntp.gov.np/wp-content/uploads/2018/01/NTP-Implementation-Guideline\\_State\\_level.pdf](https://nepalntp.gov.np/wp-content/uploads/2018/01/NTP-Implementation-Guideline_State_level.pdf).

National Tuberculosis Centre (2019) *National Tuberculosis Programme-SR Implementation Guideline*, National Tuberculosis Center, Ministry of Health, Nepal. Available at: <https://nepalntp.gov.np/wp-content/uploads/2019/04/TB-SR-Implementation-Guideline-3rd-Edition-2075-76.pdf>.

National Tuberculosis Centre, M. (2019) *Report of the Joint Monitoring Mission for Tuberculosis*. National Tuberculosis Control Centre; Department of Health Services; Ministry of Health and Population; Nepal (2019) *National Tuberculosis Program Annual Report 2018/19*.

National Tuberculosis Control Centre; Department of Health Services; Ministry of Health and Population; Nepal (2020) *National TB Prevalence Survey, 2018-19*.

Nazar, H. and Nazar, Z. (2019) ‘Community pharmacy minor ailment services: Pharmacy stakeholder perspectives on the factors affecting sustainability’, *Research in Social and Administrative Pharmacy*, 15(3), pp. 292–302. doi: 10.1016/J.SAPHARM.2018.04.036.

Onwuegbuzie, A. J. and Collins, K. M. T. (2007) ‘A Typology of Mixed Methods Sampling Designs in Social Science Research’, *The Qualitative Report*, 12(2), p. 281. doi: 10.46743/2160-3715/2007.1638.

Ottmani, S. et al. (2009) *TB contact investigations: 12 years of experience in the National TB Programme, Morocco 1993-2004*, *Eastern Mediterranean Health Journal*.

Prasad, B. M. et al. (2016) ‘Experience of active tuberculosis case finding in nearly 5 million households in India’, *Public Health Action*, 6(1), pp. 15–18. doi: 10.5588/pha.15.0035.

Proctor, E. K., Powell, B. J. and McMillen, J. C. (2013) ‘Implementation strategies: recommendations for specifying and reporting’, *Implementation Science*, 8(1), p. 139. doi: 10.1186/1748-5908-8-139.

Sarriot, E. G. et al. (2004) ‘Qualitative research to make practical sense of sustainability in primary health care projects implemented by non-governmental organizations’, *The International Journal of Health Planning and Management*, 19(1), pp. 3–22. doi: 10.1002/hpm.743.

Scheirer, M. A. and Dearing, J. W. (2011a) ‘An agenda for research on the sustainability of Public Health Programs’, *American Journal of Public Health*, 101(11), pp. 2059–2067. doi: 10.2105/AJPH.2011.300193.

- Scheirer, M. A. and Dearing, J. W. (2011b) ‘An agenda for research on the sustainability of Public Health Programs’, *American Journal of Public Health*, 101(11), pp. 2059–2067. doi: 10.2105/AJPH.2011.300193.
- Schell, S. F. et al. (2013) ‘Public health program capacity for sustainability: A new framework’, *Implementation Science*, 8(1), p. 15. doi: 10.1186/1748-5908-8-15.
- Shah, L. et al. (2017) ‘Cost-effectiveness of active case-finding of household contacts of pulmonary tuberculosis patients in a low HIV, tuberculosis-endemic urban area of Lima, Peru’, *Epidemiology and Infection*, 145(6), pp. 1107–1117. doi: 10.1017/S0950268816003186.
- Shediac-Rizkallah, M. C. and Bone, L. R. (1998) *Planning for the sustainability of community-based health programs: conceptual frameworks and future directions for research, practice and policy*, *Health education research theory*. Available at: <https://academic.oup.com/her/article/13/1/87/607311>.
- Stoll, S. et al. (2015) ‘Peer Reviewed: A Mixed-Method Application of the Program Sustainability Assessment Tool to Evaluate the Sustainability of 4 Pediatric Asthma Care Coordination Programs’, *Preventing Chronic Disease*, 12(12), p. 150133. doi: 10.5888/PCD12.150133.
- Thapa, R. et al. (2019) ‘Implementing Federalism in the Health System of Nepal: Opportunities and Challenges’, *International Journal of Health Policy and Management*, 8(4), p. 195. doi: 10.15171/IJHPM.2018.121.
- Tuot, S. et al. (2019) ‘Acceptability of active case finding with a seed-and-recruit model to improve tuberculosis case detection and linkage to treatment in Cambodia: A qualitative study’, *PLOS ONE*. Edited by J. T. Galea, 14(7), p. e0210919. doi: 10.1371/journal.pone.0210919.
- World Health Organisation (2014) *The End TB Strategy*, World Health Organisation. doi: 10.1017/CBO9781107415324.004.
- World Health Organisation (2019) *Global Tuberculosis Report 2019*. Geneva. Available at: <https://apps.who.int/iris/bitstream/handle/10665/329368/9789241565714-eng.pdf?ua=1> (Accessed: 22 October 2019).
- World Health Organization (2004) *Guidelines for conducting an evaluation of the sustainability of CDTI projects*.
- World Health Organization (2013) *Systematic screening for active tuberculosis Principles and recommendations*.
- World Health Organization (2015) *Systematic screening for active tuberculosis: an operational*



UNIVERSITAS  
GADJAH MADA

**Barriers in Sustainability of Active Case Finding Intervention for Tuberculosis case detection in Pyuthan and Kapilvastu districts of Nepal: An Implementation Research**  
Acharya, Shraddha, dr. Riris Andono Ahmad, MPH, PhD and Prof. dr. Ari Probandari, MPH, PhD  
Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

guide.

World Health Organization (2018) *WHO. Estimates of TB and MDR-TB burden Country Profiles 2018.* Available at:

[https://extranet.who.int/sree/Reports?op=Replet&name=%2FWHO\\_HQ\\_Reports%2FG2%2FPROD%2FEXT%2FTBCountryProfile&ISO2=NP&LAN=EN&outtype=html](https://extranet.who.int/sree/Reports?op=Replet&name=%2FWHO_HQ_Reports%2FG2%2FPROD%2FEXT%2FTBCountryProfile&ISO2=NP&LAN=EN&outtype=html) (Accessed: 24 February 2020).

World Health Organization (2020) *Global Tuberculosis Programme: Our response to COVID-19, World Health Organisation.* Available at: <https://www.who.int/teams/global-tuberculosis-programme/covid-19> (Accessed: 24 July 2021).

Yadav, R. P. et al. (2014) ‘Cost-effectiveness of a tuberculosis active case finding program targeting household and neighborhood contacts in Cambodia’, *American Journal of Tropical Medicine and Hygiene*, 90(5), pp. 866–872. doi: 10.4269/ajtmh.13-0419.