

REFERENCES

- A POLÍTICA NACIONAL DE SAUDE NA FAMILIA (2017) *MOH-TL*.
- Abubakar, I. *et al.* (2013) ‘Systematic review and meta-analysis of the current evidence on the duration of protection by bacillus Calmette-Guérin vaccination against tuberculosis’, *Health Technology Assessment. Health Technol Assess*, pp. 1–4. doi: 10.3310/hta17370.
- Arantes, L. J., Shimizu, H. E. and Merchán-Hamann, E. (2016) ‘Contribuições e desafios da Estratégia Saúde da Família na Atenção Primária à Saúde no Brasil: Revisão da literatura’, *Ciencia e Saude Coletiva*. Associacao Brasileira de Pos - Graduacao em Saude Coletiva, pp. 1499–1510. doi: 10.1590/1413-81232015215.19602015.
- Arshad, A. *et al.* (2014) ‘Community based interventions for the prevention and control of tuberculosis’, *Infectious Diseases of Poverty*. BioMed Central Ltd. doi: 10.1186/2049-9957-3-27.
- AS, M. *et al.* (2019) ‘Where, when, and how many tuberculosis patients are lost from presumption until treatment initiation? A step by step assessment in a rural district in Zimbabwe’, *International journal of infectious diseases : IJID : official publication of the International Society for Infectious Diseases*, 78, pp. 113–120. doi: 10.1016/J.IJID.2018.10.013.
- Barberis, I. *et al.* (2017) *The history of tuberculosis: from the first historical records to the isolation of Koch's bacillus*, *J PREV MED HYG*.
- Bartholomew, et al (2008) ‘Counselor Assessments of Training and Adoption Barriers’, *Bone*, 23(1), pp. 1–7.
- Begin, M. *et al.* (2013) ‘Contact Tracing of Tuberculosis: A Systematic Review of Transmission Modelling Studies’, *PLoS ONE*, 8(9). doi: 10.1371/journal.pone.0072470.
- Biermann, O., Dixit, K., *et al.* (2021) ‘Building on facilitators and overcoming barriers to implement active tuberculosis case-finding in Nepal, experiences of community health workers and people with tuberculosis’. doi: 10.1186/s12913-021-06290-x.
- Biermann, O., Tran, P. B., *et al.* (2021) ‘Capitalizing on facilitators and addressing barriers when implementing active tuberculosis case-finding in six districts of Ho Chi Minh City, Vietnam: a qualitative study with key stakeholders’, *Implementation Science*, 16(1), pp. 1–12. doi: 10.1186/s13012-021-01124-0.
- CDC (2014) ‘Tuberculosis (TB): Basic TB Facts’, p. 2020. Available at:



UNIVERSITAS
GADJAH MADA

ASSESSING THE APPROPRIATENESS OF SAUDE NA FAMILIA PROGRAM FOR TB ACTIVE CASE

FINDING IN BOBONARO

MUNICIPALITY, TIMOR LESTE.

Mali, Marcelo Amaral, 1. dr. Yodi Mahendradhata, M.Sc.Ph.D, FRSPH, 2. DR. Dra. Ning Rintiswati, MKes

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

<http://www.cdc.gov/tb/topic/basics/default.html>.

Chen, C. et al. (2017) ‘Community-based active case finding for tuberculosis in rural western China: A cross-sectional study’, *International Journal of Tuberculosis and Lung Disease*, 21(11). doi: 10.5588/ijtld.17.0123.

Damschroder, L. J. et al. (2009) ‘Fostering implementation of health services research findings into practice: A consolidated framework for advancing implementation science’, *Implementation Science*, 4(1), p. 50. doi: 10.1186/1748-5908-4-50.

Durovni, B. et al. (2018) ‘The impact of the Brazilian Family Health Strategy and the conditional cash transfer on tuberculosis treatment outcomes in Rio de Janeiro: an individual-level analysis of secondary data’, *Journal of public health (Oxford, England)*, 40(3), pp. e359–e366. doi: 10.1093/pubmed/fdx132.

Ereso, B. M. et al. (2020) ‘Barriers for tuberculosis case finding in Southwest Ethiopia: A qualitative study’, *PLOS ONE*, 15(1), p. e0226307. doi: 10.1371/JOURNAL.PONE.0226307.

Falzon, D. et al. (2015) ‘The role of eHealth and mHealth in tuberculosis and tobacco control: A WHO/ERS consultation’, *European Respiratory Journal*, 46(2), pp. 307–311. doi: 10.1183/09031936.00043315.

Falzon, D. et al. (2016) ‘Digital health for the end TB strategy: Developing priority products and making them work’, *European Respiratory Journal*, 48(1), pp. 29–45. doi: 10.1183/13993003.00424-2016.

Guidelines for Domiciliary Visits (2015) *Guidelines for Domiciliary Visits*.

Guinness, L. et al. (2018) ‘Determinants of health care utilisation: the case of Timor-Leste’, *Int Health*, 10, pp. 412–420. doi: 10.1093/inthealth/ihy044.

Kaminski, J. (2011) ‘Theory in Nursing Informatics Column’, *Canadian Journal of Nursing Informatics*, 6(2), pp. 1–7.

KNOEMA (2020) *Timor-Leste - Incidence of tuberculosis* 498.0. Available at:

<https://knoema.com/atlas/Timor-Leste/Incidence-of-tuberculosis> (Accessed: 23 March 2021).

Lewis, C. C. et al. (2015) ‘Outcomes for implementation science: An enhanced systematic review of instruments using evidence-based rating criteria’, *Implementation Science*, 10(1), pp. 1–17. doi: 10.1186/s13012-015-0342-x.

Marquieviz, J. et al. (2013) ‘A estratégia de Saúde da Família no controle da tuberculose em Curitiba (PR)’, *Ciencia e Saude Coletiva*, 18(1), pp. 265–271. doi: 10.1590/S1413-



UNIVERSITAS
GADJAH MADA

ASSESSING THE APPROPRIATENESS OF SAUDE NA FAMILIA PROGRAM FOR TB ACTIVE CASE

FINDING IN BOBONARO

MUNICIPALITY, TIMOR LESTE.

Mali, Marcelo Amaral, 1. dr. Yodi Mahendradhata, M.Sc.Ph.D, FRSPH, 2. DR. Dra. Ning Rintiswati, MKes

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

81232013000100027.

Martins, N. *et al.* (2006) ‘Reconstructing Tuberculosis Services after Major Conflict: Experiences and Lessons Learned in East Timor’, *PLoS Medicine / www*, 3(10), p. 1765. doi: 10.1371/journal.

Martins, N. and Trevena, L. J. (2014) ‘Implementing what works: A case study of integrated primary health care revitalisation in Timor-Leste’, *Asia Pacific Family Medicine*, 13(1). doi: 10.1186/1447-056X-13-5.

McCloud, R. F. *et al.* (2016) ‘Beyond access: Barriers to internet health information seeking among the urban poor’, *Journal of the American Medical Informatics Association*, 23(6), pp. 1053–1059. doi: 10.1093/jamia/ocv204.

MoF-TL (2016) ‘Poverty declining in Timor-Leste | Timor-Leste Ministry of Finance’, pp. 1–2. Available at: <https://www.mof.gov.tl/poverty-declining-in-timor-leste/?lang=en>.

NSP (2020) *National Strategic Plan for Ending TB 2020-24- EDITED - 20032020_FINAL_30March_withbudget*.

NTP (2020) *TLS-NTP-manual_FINAL 17-06_2020*. V.

Otero, L. *et al.* (2016) ‘A prospective longitudinal study of tuberculosis among household contacts of smear-positive tuberculosis cases in Lima, Peru’, *BMC Infectious Diseases*, 16(1), p. 259. doi: 10.1186/s12879-016-1616-x.

Parmar, M. M. (2018) *Tuberculosis – r-GLC Mission Report : 2018*. NEW-DELHI: Tuberculosis - World Health Organization <https://www.who.int/teams/tuberculosis/r-GLC-mission-timor-leste-2018>.

Pedrazzoli, D. *et al.* (2019) ‘Measuring the economic burden for TB patients in the end TB strategy and universal health coverage frameworks’, *International Journal of Tuberculosis and Lung Disease*, 23(1), pp. 5–11. doi: 10.5588/ijtld.18.0318.

Pengpid, S. and Peltzer, K. (2019) ‘Knowledge, attitudes, and practices regarding tuberculosis in Timor-Leste: Results from the demographic and health Survey 2016’, *Journal of Preventive Medicine and Public Health*. Korean Society for Preventive Medicine, pp. 115–122. doi: 10.3961/jpmph.18.170.

PHC-MOH-TL (2015) *Comprehensive services package for primary health care. II*.

Proctor, E. *et al.* (2011) ‘Outcomes for implementation research: Conceptual distinctions, measurement challenges, and research agenda’, *Administration and Policy in Mental Health and*



UNIVERSITAS
GADJAH MADA

ASSESSING THE APPROPRIATENESS OF SAUDE NA FAMILIA PROGRAM FOR TB ACTIVE CASE FINDING IN BOBONARO

MUNICIPALITY, TIMOR LESTE.

Mali, Marcelo Amaral, 1. dr. Yodi Mahendradhata, M.Sc.Ph.D, FRSPH, 2. DR. Dra. Ning Rintiswati, MKes

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Mental Health Services Research, 38(2), pp. 65–76. doi: 10.1007/s10488-010-0319-7.

RM, B. et al. (2021) ‘Community-based active case-finding interventions for tuberculosis: a systematic review’, *The Lancet. Public health*, 6(5), pp. e283–e299. doi: 10.1016/S2468-2667(21)00033-5.

Sá, L. D. de et al. (2012) ‘Cuidado ao doente de tuberculose na Estratégia Saúde da Família: percepções de enfermeiras’, *Revista da Escola de Enfermagem da USP*, 46(2), pp. 356–363. doi: 10.1590/s0080-62342012000200013.

Saunders, M. J. et al. (2019) ‘Active and passive case-finding in tuberculosis-affected households in Peru: a 10-year prospective cohort study’, *The Lancet Infectious Diseases*, 19(5), pp. 519–528. doi: 10.1016/S1473-3099(18)30753-9.

Shamanewadi, A. N. et al. (2020) ‘Enablers and Challenges in the Implementation of Active Case Findings in a Selected District of Karnataka, South India: A Qualitative Study’, *Tuberculosis Research and Treatment*, 2020, pp. 1–10. doi: 10.1155/2020/9746329.

De Souza, R. A. et al. (2018) ‘Familyhealthand conditional cash transfer in Brazil and its effect on tuberculosis mortality’, *International Journal of Tuberculosis and Lung Disease*, 22(11), pp. 1300–1306. doi: 10.5588/ijtld.17.0907.

Takarinda, K. C. et al. (2018) ‘How well does the process of screening and diagnosis work for HIV-infected persons identified with presumptive tuberculosis who are attending HIV care and treatment clinics in Harare city, Zimbabwe?’, *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 112(10), pp. 450–457. doi: 10.1093/trstmh/try073.

The World Bank (2021) *Timor leste Overview*, *The World Bank Research Observer*. Available at: <https://www.worldbank.org/en/country/timor-leste/overview> (Accessed: 28 September 2021).

Timire, C., Sandy, C. and Harries, A. D. (2019) ‘Eliminating tuberculosis by 2035: Tackling the financial barriers at all stages of the cascade of care’, *International Journal of Tuberculosis and Lung Disease*, 23(11), pp. 1235–1236. doi: 10.5588/ijtld.19.0248.

Viney, K. et al. (2019) ‘Four of five tuberculosis patients experience catastrophic costs related to TB diagnosis and care in Timor-Leste.’, *The international journal of tuberculosis and lung disease : the official journal of the International Union against Tuberculosis and Lung Disease*, 23(11), pp. 1191–1197. doi: 10.5588/ijtld.18.0765.

Weiner, B. J. et al. (2017) ‘Psychometric assessment of three newly developed implementation outcome measures’, *Implementation Science*, 12(1), pp. 1–12. doi: 10.1186/s13012-017-0635-3.



UNIVERSITAS
GADJAH MADA

ASSESSING THE APPROPRIATENESS OF SAUDE NA FAMILIA PROGRAM FOR TB ACTIVE CASE

FINDING IN BOBONARO

MUNICIPALITY, TIMOR LESTE.

Mali, Marcelo Amaral, 1. dr. Yodi Mahendradhata, M.Sc.Ph.D, FRSPH, 2. DR. Dra. Ning Rintiswati, MKes

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

WHO (2014) ‘Assessing TB case-finding’, pp. 1–9. Available at:

https://www.who.int/tb/publications/tb_framework_checklist3.pdf.

WHO (2020) ‘WHO | Global tuberculosis report 2019’, WHO. Available at:

http://www.who.int/tb/publications/global_report/en/ (Accessed: 27 June 2020).

World Health Organization (2020) *GLOBAL TB REPORT 2019*.

Wysocki, A. D. *et al.* (2017) ‘Atenção Primária à Saúde e tuberculose: Avaliação dos serviços’,

Revista Brasileira de Epidemiologia, 20(1), pp. 161–175. doi: 10.1590/1980-

5497201700010014.