

DAFTAR PUSTAKA

- Alcock, A. 1910. On the classification of the Potamonidae (Telphusidae). *Records of the Indian Museum*, 5, 252–261.
- Allen, G. 1996. *Chilatherina sentaniensis*. *The IUCN Red List of Threatened Species* 1996: e.T4631A11047266.
- Allen, G. 1996. *Glossolepis incisus*. *The IUCN Red List of Threatened Species* 1996: e.T9268A12976780.
- Allen, G. R. 1995. *Rainbowfish, In Nature and Aquariums*. Christensens Research Institute, Madang.
- Angilletta, M. J. Jr., P. H. Niewiarowski, C. A. Navas. 2002. The evolution of thermal physiology in ectotherms. *Journal of Thermal Biology* 27: 249–268.
- Barria, E. M., S. Santos, C. G. Jara, C. J. Butler. 2014. Sexual Dimorphism in the Cephalothorax of Freshwater Crabs of Genus *Aegla* Leach from Chile (Decapoda, Anomura, Aeglidae): an Interspecific Approach Based on Distance Variables. *Zoomorphology*. DOI 10.1007/s00435-014-0231-x.
- Bhosale, M. M., R. A. Pawar, M. S. Sawant, A. S. Pawase. 2017. Species differentiation of deepsea crabs (*Charybdis feriatus*, *Portunus pelagicus*, and *P. sanguinolentus*) using conventional morphometric data of Ratnagiri Coast, India. *Journal of Fisheries and Life Sciences*, Vol.2(1): 35-39.
- Bott, R. 1969. Flüßskrabben aus Asien und ihre Klassifikation (Crustacea, Decapoda). *Senckenbergiana Biologica*, 50(5/6), 359–366.
- Bott, R. 1970. Die Süßwasserkrabben von Europa, Asien, Australien und ihre Stammesgeschichte. Eine Revision der Potamoidea und der Parathelphusoidea (Crustacea, Decapoda). *Abhandlungen der Senckenbergischen Naturforschenden Gesellschaft*, 526, 1–338, pls. 1–58.
- Bott, R. 1974. Die Süßwasserkrabben von Neu Guinea. *Zoologische Verhandelingen*, 136, 1–36, pls. 1–4.
- BP DAS. 2005. *Rencana Teknik Lapangan Rehabilitasi dan Konservasi Tanah DAS Sentani*. BP DAS. Jayapura.
- Butman, C. A. 1987. Larval settlement of soft-sediment invertebrates: the spatial scales of pattern explained by habitat selection and the emerging role of hydrodynamic processes. *Oceanogr. Mar. Biol. Annu. Rev.* 25:113–165.

- Calman, W. T. 1914. Report on the river-crabs (Potamonidae) collected by the British Ornithologists' Union Expedition and the Wollaston Expedition in Dutch New Guinea. *Trans. Zool. Soc.* London 20(8):307-313.
- CFR. 1987. *Code of Federal Regulations: Wildlife and Fisheries*. The Office of the Federal Register National Archives and Records Administration. Washington, p. 402.
- Cumberlidge, N. 2011. *Freshwater Crabs of Africa: Biodiversity, Distribution, and Conservation. Chapter 6*. Editor: Darwal, W.R.T., K.G. Smith, D.J. Allen, R.A. Holland, I.J. Harrison, E.G.E. Brooks. The Diversity of Life in African Freshwater Under Water, Under Threat. An Analysis of The Status and Distribution of Freshwater Species Troughtout Mainland Africa. Cambridge [UK] and Gland Swizerland. IUCN. Pp:178-199.
- Davie, P. J. F. 2002. Crustacea: Malacostraca. Eucarida (Part 2). Decapoda – Anomura, Brachyura: *Zoological Catalogue of Australia*. 19.3B. CSIRO Publications, pp. 1–641.
- Diawol, V. P., F. Giri, P. A. Collins. 2015. Shape and size variations of *Aegia uruguayana* (Anomura, Aeglidae) under laboratory conditions: A geometric morphometric approach to the growth. *J. Iheringia, Série Zoologia* **105**(1): 76-83.
- Dinas PU Jayapura. 2007. *Master Plan dan Detail Desain Operasi dan Pemeliharaan Danau Sentani*. Jayapura.
- Dobson, M. 2004. Freshwater crabs in Africa. *Freshwater Forum* 21: 3-26.
- Effendie, M. I. 1997. *Biologi Perikanan*. Yayasan Pustaka Nusatama. Yogyakarta.
- Elewa, A. M. T. 2004. Application of geometric morphometrics to the study of shape polymorphism in Eocene ostracodes from Egypt and Spain. In: *Morphometrics: Applications in Biology and Paleontology* (A.M.T. Elewa, ed). Berlin. Springer, p.7.
- Fauzi, M., S. Rispiningtati, A. P. Hendrawan. 2014. Kajian kemampuan maksimum Danau Sentani dalam mereduksi banjir di DAS Sentani. *Jurnal Teknik Pengairan* 5(1): 42–53.
- Fernandez-Carvalho J., J. L. Imhoff, V. V. Faria, J. K. Carlson, G. H. Burgess. 2013. Status and the potential for extinction of the large tooth saw Fish *Pristis pristis* in the Atlantic Ocean. *Aquatic Conserv: Mar. Freshw. Ecosys* 24(4): 478–497, DOI: 10.1002/aqc.2394.

- Garth, J. S., D. P. Abbott. 1980. *Intertidal invertebrates of California: Brachyura: the true crabs Ch:5*. Stanford California (USA): Stanford Junior University.
- GBIF. 2021. *Holthuisana Bott, 1969*. <https://doi.org/10.15468/39omei> accessed via GBIF.org on 2021-09-27
- Glazier, D. 2015. Is metabolic rate a universal ‘pacemaker’ for biological processes? *Biol. Rev.* 90: 377–407.
- Grinang, J., I. Das, P. K. L. Ng. 2018. Geometric morphometric analysis in female freshwater crabs of Sarawak (Borneo) permits addressing taxonomy-related problems. *PeerJ* 7. 6205: 4-10.
- Holthuis, L. B. 1974. Notes on the localities, habitats, biology, colour and vernacular names of New Guinea freshwater crabs (Crustacea Decapoda, Sundathelphusidae). *Zool. Verh. (Leiden)* 137: 3-47.
- Holthuis, L. B. 1980. A new cavernicolous freshwater crab from New Guinea (Crustacea Decapoda). *Zoologische Mededelingen*, 55(27), 313–320.
- Idaszkin, Y. L., F. Márquez, A. C. Nocera. 2013. Habitat-specific shape variation in the carapace of the crab *Cyrtograpsus angulatus*. *J. Zoology* **290**: 117-126.
- Indrayani, E., K. H. Nitimulyo, S. Hadisusanto, Rustadi. 2015. Peta Batimetri Danau Sentani, Papua. *Depik*, 4(3): 116-120.
- Junardi, I. Idola, T. R. Setyawati. 2020. Morphometric of Freshwater crab *Parathelphusa maindroni* Rathbun, 1902 (Decapoda, Gecarcinucidae) from two habitat type in Gunung Palung National Park. *Bioscience*, 4(2):140-150.
- Kementrian Lingkungan Hidup (KLH). 2014. *Indonesian Lake Management*. The Indonesian Movement for Lake Ecosystem Conservation and Rehabilitation, Ministry of Environment of the Republic of Indonesia, Jakarta.
- Klaus, S., D. Brandis, P. K. L. Ng, D. C. J. Yeo. 2009. *Phylogeny and Biogeography of Asian Freshwater Crabs of the Family Gecarcinucidae (Brachyura: Potamoidea)*. Article. 92588. pp. 499-507.
- Kyne, P. M., J. Carlson, K. Smith. 2013. *Pristis pristis*. *The IUCN Red List of Threatened Species* 2013: e.T18584848A18620395.
- Laksmiana, Y. 2010. *Jelajah Jayapura: Eksotisme Alam Budaya di Pintu Gerbang Papua*. Jakarta: PT. Gramedia. Hal.22.

- Marshall, C. T., N. A. Yaragina, Y. Lambert, O. S. Kjesbu. 1999. Total lipid energy as a proxy for total egg production by fish stocks. *Nature* 402: 288–290.
- Martens, E., von .1868. Ueber einige neue Crustaceen. *Monatsberichte k.-p. Akademie Wissenschaften Berlin*, 1868, 608–615.
- Martin, J. W., G. E. Davis. 2001. *An Updated Classification of The Recent Crustacea*. California (US) : Natural History Museum of Los Angeles County.
- Monod, T. H., L. Laubier. 1996. Les Crustace's dans la Biosphere. In *Traite' de Zoologie. Anatomie, Syste'-matique, Biologie. Crustace's. Tome VII, Fascicule II. Ge'ne'ralite's (suite) et Syste'matique. Journal of Forest Science*: 91–166.
- Ng, P. K. L. 1998. Crabs. In: *FAO Species Identification Guide for Fishery Purposes. The Living Marine Resources of the Western Central Pacific. Vol 2. Cephalopods, Crustaceans, Holothurians, and Sharks*. (K. E. Carpenter and V. H. Niem, ed). FAO. Roma, pp. 1046-1047, 1143.
- Ng, P. K. L. & B. Sket. 1996. The freshwater crab fauna (Crustacea: Brachyura) of the Philippines. IV. On a collection of Parathelphusidae from Bohol. *Proceedings of the Biological Society of Washington*, 109(4), 695–706.
- Ng, P. K. L. & D. Guinot. 1998. *Geelvinkia darnei*, a new species of cavernicolous crab (Crustacea, Decapoda, Brachyura, Parathelphusidae) from Irian Jaya, Indonesia. *Mémoires de Biospéologie*, 24, 181–182.
- Ng, P. K. L. 2004. *Crustacea: Decapoda, Brachyura*. Yule, C.M., H.S. Yong (eds). *Freshwater Invertebrates of Malaysian region*. Akademi Sains Malaysia. 311-336.
- Ng, P. K. L., D. Guinot, P. J. F. Davie. 2008. Systema Brachyurorum: Part I. An annotated checklist of extant Brachyuran crab of the world. *The Raffles Bulletin of Zoology* 17: 1-286.
- Ng, P. K. L. 2014. The identify of the Sarawak freshwater crab *Parathelphusa oxygona* Nobili, 1901, with description of a new species, *Parathelphusa nobilii*, from Western Kalimantan, Indonesia, Borneo (Crustacea: Brachyura: Gecarcinucidae). *Zootaxa* 3774 (I): 31-44.
- Nobili, G. 1905. Decapodi e Isopodi della Nuova Guinea Tedesca raccolti dal Sign. L. Biró. *Annales Musei Nationalis Hungarici*, 3, 480–507, pls. 12, 13.
- Pattiselanno, F. & A.Y.S. Arobaya. 2013. Danau Sentani; kondisi saat ini dan tantangan pengembangannya di waktu mendatang. *Warta Konservasi Lahan Basah Wetland International*.

- Polly, P. D. 2012. *Geometric Morphometric: An Introduction*. Department of Geology, Indiana (Biology and Anthropology). Bloomington. pp. 21-22.
- Pratiwi, R., O. Astuti. 2012. Biodiversitas Krustasea (Decapoda, Brachyura, Macrura) dari Ekspedisi Perairan Kendari 2011. *Ilmu Kelautan*. 17(1): 8-14.
- Rathbun, M. J. 1926. Brachyuran crabs from Australia and New Guinea. *Records of the Australian Museum*, 15(2), 177–182, pls. 14, 15.
- Rohlf, F. J. And L. F. Marcus. 1993. A revolution in morphometrics. *Trends Ecology and Evolution* 8:129-132.
- Rohlf, F. J. 2016. *tpsDig2Version 2.17*. Stony Brook (US): Department of Ecology and Evolution 8:129-132.
- Roux, J. 1911. Nouvelles espèces de Décapodes d'eau douce provenant de Papouasie. *Notes Leyden Museum*, 33, 81–106.
- Roux, J. 1927. Contribution à la faune carcinologique d'eau douce de la Nouvelle-Guinée. *Nova Guinea*. 15(3): 3-4; 319-350.
- Said, D. S., N. H. Sadi. 2018. Beberapa Aspek Biologis Udang Asli Danau Sentani, Papua. *Limnotek Perairan Darat Tropis di Indonesia 2018* 25(2): 65-77.
- Sarnita, A. & L. Darma. 1993. Catatan tentang pemanfaatan Danau Sentani Irian Jaya untuk usaha perikanan. *Prosiding seminar hasil penelitian perikanan air tawar 1992/1993*. Balai Penelitian perikanan Air Tawar, Sukamandi.
- Satria & A. R. Syam. 2008. Forum Nasional Pemacauan Sumberdaya Ikan: *Konservasi jenis-jenis Ikan asli di Danau Sentani, Papua*. Pusat Riset Perikanan Tangkap.
- Silva, T. E., P.B. Fumis, A.C. Almeida, G. Bertini, & V. Fransozo. 2014. Morphometric analysis of the mud crab *Hexapanopeus paulensis* Rathbun, 1930 (Decapoda, Xanthoidea) from the southeastern coast of Brazil. *Latin American Journal of Aquatic Research*. 42(3):588-597.
- Silva, A. C. F., M. Shapouri, R. Cereja, A. Dissanayake, C. Vinagre. 2017. Variations in Crab Claw Morphology and Diet Across Contrasting Intertidal Habitats. *Marine Ecology*. 38: e12374 1-8.
- Slice, D. E. 2007. Geometric morphometrics. *Annu. Rev. Anthropol.* 36. 261–281.
- Short, J. W. 2008. *Freshwater Crustacea of the Mimika Region-Papua, Indonesia*. Timika. PT. Indonesia Printer. pp. 28-31; 76-80.

- Stemmer M., C. D. Schubart. 2013. Allopatric differentiation and morphometric growth in a Jamaican freshwater crab, with the discrimination of a cave phenotype. *Studies on Neotropical Fauna and Environment*. 48(2): 95-103.
- Stobutzki, I. C., D. R. Bellwood. 1994. An analysis of the sustained swimming abilities of pre-settlement and postsettlement reef fishes. *Journal of Experimental Marine Biology and Ecology* 175: 275–286.
- Tantri, N. 2016. Crustacea Air Tawar (Decapoda: Brachyura dan Caridea) di Kabupaten Sintang, Kalimantan Barat. Bogor. *Tesis Program Studi Biosains Hewan*: Institut Pertanian Bogor. Hal: 1-6.
- Tappin, A. R. 2010. *Rainbow Fishes. Their Care and Keeping in Captivity*. Art Publications.
- Torres, M. V., F. Giri, & P. A. Collins. 2014. Geometric morphometric analysis of the freshwater prawn *Macrobrachium borellii* (Decapoda: Palaemonidae) at a microgeographical scale in a floodplain system. *Ecological Research*. 29(5): 959–968.
- Umar, C., S. Makmur. 2006. Komposisi Jenis dan Hasil Tangkapan Ikan di Danau Sentani Papua. *Biodiversitas*, 7(4):349-353.
- Wagner, N. D., H. Hillebrand, A. Wacker, P. C. Frost. 2013. Nutritional indicators and their uses in ecology. *Ecology Letters* 16: 535–544.
- Walukow, A. F. 2012. Analisis kebijakan penurunan luas hutan di daerah aliran sungai Sentani berwawasan lingkungan. *Jurnal Manusia dan Lingkungan*, 19(1):74-78.
- Wijaya, N. I., F. Yulianda, M. Boer, & S. Juwana. 2010. Biologi Populasi Kepiting Bakau (*Scylla serrata* F.) di Habitat Mangrove Taman Nasional Kutai, Kabupaten Kutai Timur. *Jurnal Oseanologi dan Limnologi di Indonesia*. 36 (3): 443 – 461.
- Wowor, D., P. K. L. Ng. 2009. Two new species of *Holthuisana* Bott, 1969 (Crustacea: Decapoda: Brachyura: Gecarcinucidae) from West Papua, Indonesia. *Zootaxa* 2071: 50-60.
- Yeo, D. C. J., P. K. L. Ng, N. Cumberlidge, C. Magalhães, S. R. Daniels, M. R. Campos. 2008. Global diversity of crabs (Crustacea: Decapoda: Brachyura) in freshwater. *J. Hydrobiologia* **595**: 275-286.
- Yule, C. M., H. S. Yong. 2012. Crustacea: Decapoda, Brachyura. *Freshwater Invertebrates of the Malaysian Region*. pp. 311-336

Zelditch, M. L., D. L. Swiderski, H. D. Sheets. 2012. *Geometric Morphometrics for Biologists: A Primer*. Academic Press. Oxford, pp. 23-25.