

## DAFTAR PUSTAKA

- Baird, R.E., Stokes, C.E., and Windham, A.S. 2017. *Basidiomycota: Diverse Complex of Saprophytic, Parasitic, and Symbiotic Fungi*. in Ownley, B.H and Trigiano, R.N. 2017. *Plant Pathology: Concepts and Laboratory Exercise Third Edition*. CRC Press. Florida.
- Banniza, G., and Holderness, M. 2001. *Rice Sheath Blight-Pathogen Biology and Diversity*. in Sreenivasaprasad, S., & Johnson, R. 2001. *Major Fungal Diseases of Rice: Recent Advances*. Springer Science Business Media, p. 201.
- Bintang, A. S., Wibowo, A., Priyatmojo, A., and Subandiyah, S. 2018. Morphological and Molecular Characterization of *Rhizoctonia solani* Isolates from Two Different Rice Varieties. *Jurnal Perlindungan Tanaman Indonesia*, 21(2), 72. <https://doi.org/10.22146/jpti.25469>
- Bray, F. 1986. *The Rice Economies: Technology and Development in Asia Societies*. University of California Press. California, pp. 8-11.
- Bridge, P.D., and Arora, D.K. 1998. *Interpretation of PCR Methods for Species Definition*. In Bridge, P.D. 1998. *Application of PCR in Mycology*. CAB International. Oxon, p. 65.
- Budiarti, S. W., Lukman, R., Sumardiyono, C., Wibowo, A., and Priyatmojo, A. 2019. Effect of photoperiod on the cultural morphology of *Rhizoctonia solani* isolates of maize from Yogyakarta and Central Java, Indonesia. *Biodiversitas*, 20(7), 2028–2038. <https://doi.org/10.13057/biodiv/d200732>
- Butler, E.E., and Bracker, C.E. 1970. *Morphology and Cytology of Rhizoctonia solani*. in Parmeter, J.R. 1970. *Rhizoctonia solani, Biology and Pathology*. Univeristy of California Press. London, pp. 32-38.
- Chavan, V.S. 2018. *Air Bone Fungal Spores on Paddy Crop (Oryza sativa L.)*.

Laxmi Book Publication. India, pp. 10-11.

- Desvani, S. D., Lestari, I. B., Wibowo, H. R., Supyani, S., Poromarto, S. H., and Hadiwiyono, H. 2018. Morphological characteristics and virulence of *Rhizoctonia solani* isolates collected from some rice production areas in some districts of Central Java. *AIP Conf. Proc.*, 2014. <https://doi.org/10.1063/1.5054472>
- Galvão, K. M. de A., Cunha, F. S. da, Ishikawa, F. H., Costa, A. E. da S., and Capucho, A. S. 2019. Characterization, pathogenicity and anastomosis groups of *Rhizoctonia solani* from watermelon. *Comun. Sci*, 9(4), 710-717. <https://doi.org/10.14295/cs.v9i4.2963>
- Garnica, Sigisfredo., Schön, Max., Abarenkov, Kessy., Riess, Kai., Liimatainen, Kare., Niskanen, Tuula., Dima, Bálint., Soop, Karl., Frøslev, Tobias., Jeppesen, Thomas., Peintner, Ursula., Kuhnert, Regina., Brandrud, Tor., Saar, Günter., Oertel, Bernhard and Ammirati, Joe. 2016. Determining threshold values for barcoding fungi: Lessons from Cortinari (Basidiomycota), a highly diverse and widespread ectomycorrhizal genus. *FEMS Microbiol. Ecol.* 92. [10.1093/femsec/fiw045](https://doi.org/10.1093/femsec/fiw045).
- Gherbawy, Y., and Voigt, K. 2010. *Molecular Identification of Fungi*. Springer. New York.
- Ghosh S, Mirza N, Kanwar P, Tyagi K, and Jha G. Genome analysis provides insight about pathogenesis of Indian strains of *Rhizoctonia solani* in rice. *Funct Integr Genomics*. 2019 Sep;19(5):799-810. doi: 10.1007/s10142-019-00687-y. Epub 2019 May 17. PMID: 31102065
- Giraldo, A., Gené, J., Sutton, D. A., Madrid, H., de Hoog, G. S., Cano, J., Decock, C., Crous, P. W., and Guarro, J. 2015. Phylogeny of *Sarocladium* (Hypocreales). *Persoonia*, 34,10–24. <https://doi.org/10.3767/003158515X685364>

- González García, V., Portal Onco, M. A., and Rubio Susan, V. 2006. Review. Biology and systematics of the form genus *Rhizoctonia*. *Span. J. Agric. Res.*, 4(1), 55–79. <https://doi.org/10.5424/sjar/2006041-178>
- Ibiam, O., Umechuruba, i and Arinze, Ae. 2009. A survey of seed borne fungi associated with seeds of rice (*Oryza sativa* L. FARO 12, 15 and 29) in storage and the field in Afikpo North local Government area of Ebonyi State. *Scientia Africana*. 7. 10.4314/sa.v7i2.46011.
- Kasiamdari, Rina., Smith, Sarah., Scott, Eileen and Smith, Frank. 2002. Identification of binucleate *Rhizoctonia* as a contaminant in pot cultures of arbuscular mycorrhizal fungi and development of a PCR-based method of detection. *Mycol. Res.*. 106. 1417-1426. 10.1017/S0953756202006834.
- Kasiamdari, R.S., Nayogyani, A., Wahyuni, I.N., Arif, M.F., and Aristya, G. R. 2021. Morphological and PCR-based characterisation of *Podosphaera aphanis* (Wallr.) U. Braun & S. Takamatsu causing powdery mildew disease in strawberry in Java, *Arch. Phytopathol. Plant Prot.*, 54:15-16, 990-1000, DOI: [10.1080/03235408.2020.1869396](https://doi.org/10.1080/03235408.2020.1869396)
- Köhl J, Kolnaar R and Ravensberg WJ. 2019. Mode of Action of Microbial Biological Control Agents Against Plant Diseases: Relevance Beyond Efficacy. *Front. Plant Sci.* 10:845. doi: 10.3389/fpls.2019.00845
- Kristamtini., Widodo, S., Wiranti, E. W., and Sutarno. 2018. Crops and consumer preferences of 20 local rice genetic resources of Yogyakarta , Indonesia. *IOP Conf. Series: Earth and Environmental Science* 215 (2018) 012019.
- Kumar, M., Singh, V., Singh, K.N., and Virkam, P. 2008. Morphological and Virulence characterization of *Rhizoctonia Solani* causing sheath blight of rice. *Env Ecol*, 26 (3),1158-1166.
- Kurtzman, C.P.1985. *Molecular Taxonomy of the Fungi*. In Bennett, J.W and Lasure, L.L 1985. *Gene Manipulations in Fungi*. Academic Press, Inc. Florida, pp. 44.
- Kwon JH, Shen SS and Park CS. 2001. Pod rot of cowpea (*Vigna sinensis*) caused

by *Choanephora cucurbitarum* Korea. *Plant Pathol J.* 17: 354-356

- Lal, M., and Kandhari, J. 2009. Cultural and morphological variability in *Rhizoctonia solani* isolates causing sheath blight of rice. *J Mycol Plant Pathol.*, 39(1), 77.
- Moni, Z. R., Ali, M. A., Alam, M. S., Rahman, M. A., Bhuiyan, M. R., Mian, M. S., Iftekharuddaula, K.M., Latif, M.A., and Khan, M. A. I. 2016. Morphological and Genetical Variability among *Rhizoctonia solani* Isolates Causing Sheath Blight Disease of Rice. *Rice Sci.* 23(1), 42–50. <https://doi.org/10.1016/j.rsci.2016.01.005>
- Nei, M. 1972. Genetic Distance Between Populations. *The American Naturalist*, Vol. 106, No. 949 (May-Jun ., 1972), pp. 283-292
- Nugroho, K. R. N., Slamet, S., and Estari, P. U. J. I. L. 2017. Keragaman Genetik 24 Varietas Padi Sawah Dan Padi Gogo ( *Oryza Sativa* L .) Indonesia Berdasarkan Marka SSR. *Scr., Biol*, 4, 5–10.
- Nuryanto, B. 2017. Penyakit Hawar Pelepah ( *Rhizoctonia solani* ) pada Padi dan Taktik Pengelolaannya. *Jurnal Perlindungan Tanaman Indonesia*, 21( 2), 63–71 <https://doi.org/10.22146/jpti.22494>
- Prabhukarthikeyan, S. R., Umapathy, Keerthana., Krishnan, Nagendran., Yadav, Manoj., Chidambaranathan, Parameswaran., Panneerselvam, Periyasamy and Rath, Prakash. 2020. First Report of *Fusarium proliferatum* Causing Sheath Rot Disease of Rice in Eastern India. *Plant Dis.* 105. 10.1094/PDIS-08-20-1846-PDN.
- Pramunadipta, Syafiq., Widiastuti, Ani., Wibowo, Arif., Suga, Haruhisa and Priyatmojo, Achmadi. 2020. Short Communication: *Sarocladium oryzae* associated with sheath rot disease of rice in Indonesia. *Biodiversitas.* 21. 1243-1249. 10.13057/biodiv/d210352.
- Priyatmojo, A. 2006. Tipe Mating pada Empat Isolat *Thanatephorus cucumeris*

(Anamorf: *Rhizoctonia solani* Anastomosis Gru (AG) 1-IC. *Jurnal Perlindungan Tanaman Indonesia*, 12(2), 112–122.

Qu, P., Saldajeno, M. G. B., and Hyakumachi, M. 2013. Mechanism of the generation of new somatic compatibility groups within *Thanatephorus cucumeris* (*Rhizoctonia solani*). *Microbes Environ.* 28(3), 325–335. <https://doi.org/10.1264/jsme2.ME12214>

Rashidi, H.H and Buehler, L.K 2000. *Bioinformatics Basics: Applications in Biological Science and Medicine*. CRC Press. Florida, pp. 70.

Salazar, O., M.C. Julian, and V. Rubio. 2000. Primers Based on Specific Rdna-ITS Sequences for PCR Detection *Rhizoctonia solani*, *R. solani* AG 2 Subgroups and Ecological Types, Binucleate *Rhizoctonia*. *Mycol. Res.* 104: 281–285.

Sayler, R.J. and Y. Yang. 2007. Detection and Quantification of *Rhizoctonia solani* AG1-IA, the Rice Sheath Blight Pathogen, in Rice Using Real-Time PCR. *Plant Dis.* 12: 1663–1668.

Singh, G. 2004. *Plant Systematics: An Intergrated Approach*. Science Publishers, Inc. Enfield, pp. 181-192.

Singh, G. 2019. *Plant Systematics: An Intergrated Approach, Fourth Edition*. CRC Press. Florida, pp. 12, 187-188.

Singh, R., and Kumar, P. 2016. Sheath blight of rice: Current status and perspectives. *Indian Phytopath.* 69 (4): 340-351.

Singh, V., and Amaradasa, B. S. 2018. *Morphological and molecular variability among Indian isolates of Rhizoctonia solani causing banded leaf and sheath blight in maize*. *Eur J Plant Pathol* (2018) 152:45–60 <https://doi.org/10.1007/s10658-018-1447-2>

Soesanto, Loekas., Mugiastuti, Endang and Manan, Abdul. 2021. The use of alternative liquid media for propagation of pathogenic fungi and their effect on weeds. *Biodiversitas*. 22. 719-725.

- Song J.J. and Soyotong K. 2016. Antifungal Activity of *Chaetomium elatum* Against *Pyricularia oryze* Causing Rice Blast. *Int. J. Agric. Technol.* 12(7.1): 1437-1447.
- Song J.J. and Soyotong K. 2018. Nano-particles from *Chaetomium* against Rice Blast. . *bioRxiv* 339283, 1. <https://doi.org/10.1101/339283>
- Suryanto, A. 2019. *Pola Tanam*. UB Press. Malang, p. 8.
- Suryawanshi,P.P., Krishnaraj,P.U. and Prashanthi,S.K. 2019. Morphological and Molecular Characterization of *Rhizoctonia solani* causing Sheath Blight in Rice. *Int J Curr Microbiol Appl Sci.*, 8(01), 1714–1721. <https://doi.org/10.20546/ijcmas.2019.801.182>
- Tomar, R.S., Parakhia, M.V., Patel., S.V., and Golakiya, B.A. 2010. *Molecular Markers and Plants Biotechnology*. New India Publishing Agency. New Delhi, p. 48-49.
- Tongon, R., and Soyotong, K. 2015. Application of nanoparticles from *Chaetomium globosum* to control leaf spot of rice. *J. Agric. Technol.* 2015 Vol. 11(8): 1919-1926.
- Traiperm, P., Norsaengsri, M., and Gale, S. W. 2015. A taxonomic revision of the tribe *Oryzeae* (Poaceae) in Thailand. *Sci Asia*, 41(6), 363–376. <https://doi.org/10.2306/scienceasia1513-1874.2015.41.363>
- Tramontano, A. 2007. *Introduction to Bioinformatics*. Chapman & Hall/CRC. Florida, pp. 1.
- White, T. J., T. Bruns, S. Lee, and J. W. Taylor. 1990. *Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetics*. Pp. 315-322 In: *PCR Protocols: A Guide to Methods and Applications*, eds. Innis, M. A., D. H. Gelfand, J. J. Sninsky, and T. J. White. Academic Press, Inc., New York.
- Woodhall, J. W., Brown, L., Harrington, M., Herbert, K., Keith, S., Webb, K. M., and Neher, O. T. 2020. First Report of Binucleate *Rhizoctonia*

(*Ceratobasidium*) AG F Causing Dry Rot Canker of Sugar Beet in  
Idaho. *Plant Dis.* 104, 2519. doi: [10.1094/PDIS-06-19-1328-PDN](https://doi.org/10.1094/PDIS-06-19-1328-PDN)

Zheng, A., Lin, R., Zhang, D., Qin, P., Xu, L., Ai, P., Ding, L., Wang, Y., Chen, Y., Liu, Y., Sun, Z., Feng, H., Liang, X., Fu, R., Tang, C., Li, Q., Zhang, J., Xie, Z., Deng, Q., Li, S., Wang, S., Zhu, J., Wang, L., Liu, H., and Li, P. 2013. The evolution and pathogenic mechanisms of the rice sheath blight pathogen. *Nat Commun* 4, 1424 (2013). <https://doi.org/10.1038/ncomms2427>