



DAFTAR PUSTAKA

- Abdurachman, A., Sutono, S. 2005. Teknologi pengendalian erosi lahan berlereng. dalam Teknologi Pengelolaan Lahan Kering : Menuju pertanian produktif dan ramah lingkungan. Pusat Penelitian dan Pengembangan Tanah dan Agroklimat, Bogor.
- Abdurachman, A., Dariah, A., Mulyani, A. 2008. Strategi dan teknologi pengelolaan lahan kering mendukung pengadaan pangan nasional. Jurnal Litbang 27(2):43-49.
- Akram, H. M., Ali, A., Sattar, A., Rehman, H.S.U., Bibi, A. 2013. Impact of water deficit stress on various physiological and agronomic traits of three basmati rice (*Oryza sativa L.*) cultivar. The Journal Animal and Sciences 23(5):1415-1423.
- Amang, B. 1995. Kebijaksanaan Pangan Nasional. PT. Dharma Karsa Utama, Jakarta.
- Andriani, A., 2011. Deteksi Diferensial *Tomato Chlorosis Virus* (ToCV) dan *Tomato Infectious Chlorosis Virus* (TICV) dengan *Reverse Transcription Polymerase Chain Reaction* (RT-PCR). Fakultas Pertanian Institut Pertanian Bogor. Skripsi.
- Asanoa, K., Yamasakib, M., Takunoc, S., Miuraa, K., Katagirid, S., Itod, T., Doie, K., Wuf, J., Ebanag, K., Matsumotof, T., Innanc, H., Kitanoa, H., Ashikaria, M., Matsuokaa, M. 2011. Artificial selection for a green revolution gene during japonica rice domestication. University of Georgia, Georgia.
- Ashikari, M., Sasaki, A., Tanaka, M. U., Itoh, H., Nishimura, A., Datta, S., Ishiyama, K., Saito, T., Kobayashi, M., Khush, G.S., Kitano, H., Matsuoka, M. 2002. Loss-of-function a rice gibberellin biosynthesis gene, GA20 oxidase (GA20-ox2), led to the rice “green revolution”. Breeding Science 52:143-150.
- Badan Pusat Statistik. 2017. Impor Beras Menurut Negara Asal Utama 2000-2015. <<https://www.bps.go.id/statitable/2014/09/08/1043/impor-beras-menurut-negara-asal-utama-2000-2015.html>>. Diakses 12 Februari 2018.
- Beck, E.H., Fettig, S., Knake, C., Hartig, K., Bhattacharai, T. 2007. Specific and unspecific responses of plants to cold and drought stress. J.Biosci. 32: 501–510.
- Bolotin, A., Quinquis, B., Sorokin, A., Ehrlich, S.D. 2005. Clustered regularly interspaced short palindrome repeats (CRISPRs) have spacers of extrachromosomal origin. Microbiology 151: 2551–2561.
- Bortesi, L., Fischer, R. 2015. The CRISPR/Cas9 system for plant genome editing and beyond. Biotechnology Advances 33:41-52.
- Brenners, L., Barnettf, H., Crick, C., Orgel, A. 1061. The theory of mutagenesis. Journal Mol. Biol. 3:121-124.



Carsono, N. 2008. Peran Pemuliaan Tanaman dalam Meningkatkan Produksi Pertanian di Indonesia. Seminar on Agricultural Science, Tokyo.

Cho, S.W., Kim, S., Kim, J.M., Kim, J.S. 2013. Targeted genome engineering in human cells with the Cas9 RNA-guided endonuclease. *Nature Biotechnology* 31: 230-232.

Colebrook, E. H., Thomas, S.G., Phillips, A. L., Hedden, P. 2014. The role of gibberellin signalling in plant responses to abiotic stress. *Journal of Experimental Biology* 217: 67-75.

Crick, F. H. C., Barnetts, L., Brenner, R. J., Tobin, J.W. 1961. General nature of the genetic code for proteins. *Nature* 192:1227-1232.

Deltcheva, E., Chylinski, K., Sharma, C.M., Gonzales, K., Chao, Y., Pirzada, Z.A., Eckert, M.R., Vogel, J., Charpentier, E. 2011. CRISPR RNA maturation by trans-encoded small RNA and host factor RNase III. *Nature* 471: 602–607.

Ding, Q., Lee, Y.K., Esperance, A., Schaefer, K., Peters, D.T., Veres, A., Kim, K., Kuperwasser, N., Motola, D.L., Meissner, T.B., Hendriks, W.T., Trevisan, M., Gupta, R.M., Moisan, A., Banks, E., Friesen, M., Schinzel, R.T., Xia, F., Tang, A., Xia, Y., Figueroa, E., Wann, A., Ahfeldt, T., Daheron, L., Zhang, F., Rubin, L.L., Peng, L.F., Chung, R.T., Musunuru, K., Cowan, C.A. 2013. A TALEN genome editing system to generate human stem cellbased disease models. *Cell Stem Cell* 12(2): 238-251.

Doyle, J.J., Doyle, J.L. 1990. Isolation of Plant DNA from Fresh Tissue. *Focus* 12: 13-15.

Fajriah, L. R. 2015. Mentan: 200 Ribu Hektare Lahan Kekeringan Tiap Tahun.

<http://ekbis.sindonews.com/read/1006877/34/mentan-200-ribu-hektare-lahan-kekeringan-tiap-tahun-1432900151>. diakses pada 12 Desember 2016.

Feng, Z., Zhang, B., Ding, W., Liu, X., Yang, D.L., Wei, P., Cao, F., Zhu, S., Zhang, F., Mao, Y., Zhu, J.K. 2013. Efficient genome editing in plants using a CRISPR/Cas System. *Cell Research* 23:1229-1232.

Fletcher, R.A., Osborne, D. J. 1965. Regulation of protein and nucleic acid synthesis by gibberellin during leaf senescence. *Nature* 207: 1176-1177.

Gasiunas, G., Barrangou, R., Horvath, P., Siksnys, V. 2012. Cas9–crRNA ribonucleoprotein complex mediates specific DNA cleavage for adaptive immunity in bacteria. *Proc Natl Acad Sci U S A* 109(39): 2579-2586.

Graebe, J.E. 1987. Gibberellin biosynthesis and control. *Annu. Rev. Plant Physiol.* 38: 419-465.

Gupta, R., Chakrabarty, S. K. 2013. Gibberellic acid in plant: still a mystery unresolved. *Plant Signalling and Behaviour* 8: 1–5.



- Hairmanis, A., Supartopo, Yullianida, Sunaryo, Warsono, Sukirman, Suwarno. 2015. Pemanfaatan plasma nutfah padi (*Oryza sativa*) untuk perbaikan sifat padi gogo. Prosiding Seminar Nasional Masy. Biodiversitas Indonesia 1(1): 14-18.
- Handayani, F., Maideliza, T., Mansyurdin. 2013. Studi perkembangan aerenkim akar padi sawah dan padi ladang pada persemaian dengan perlakuan perendaman. Jurnal Biologi Universitas Andalas 2(2): 145-152.
- Hasanah, I. 2007. Bercocok Tanam Padi. Azka Mulia Media, Jakarta.
- Hedden, P., Phillips, A.L. 2000. Gibberellin metabolism: new insights revealed by the genes. Trends in Plant Science 5: 523–530.
- Horvath, P., Barrangou, R. 2010. CRISPR/Cas, the immune system of bacteria and archaea. Science 327: 167–170.
- Jaleel, C.A., Manivannan, P., Wahid A., Farooq M., Al-Juburi H.J., Somasundaram R., Panneerselvam R. 2009. Drought Stress in Plants: A Review on Morphological Characteristics and Pigments Composition. International J. of Agric. and Biol. 11:100–105.
- Jennifer, A. D., Charpentier, E. 2014. The new frontier of genome engineering with CRISPR-Cas9. Research 346:6213.
- Jia, H, Wang, N. 2014. Targeted genome editing of sweet orange using Cas9/sgRNA. PLoS One doi:[org/10.1371/journal.pone.0093806](https://doi.org/10.1371/journal.pone.0093806).
- Jiang, W., Zhou H., Bi, H., Fromm M., Yang B., Weeks D. P. 2013. Demonstration of CRISPR/Cas9/sgRNA-mediated targeted gene modification in *Arabidopsis*, tobacco, sorghum and rice. Nucleic Acids Research 41(20): 1-12.
- Jinek, M., Chylinski, K., Fonfara, I., Hauer, M., Doudna, J.A., Charpentier, E. 2012. A programmable dual-RNA-guided DNA endonuclease in adaptive bacterial immunity. Science 337: 816–821.
- Kamoshita, A., Babu, R. C., Boopathi, N. M., Fukai, S. 2008. Phenotypic and genotypic analysis of drought-resistance traits for development of rice cultivars adapted to rainfed environments. Field Crops Research 109 : 1–23.
- Kawahara, Y., Bastide, M. D. L., Hamilton, J.P., Kanamori, H., McCombie, W.R., Ouyang, S., Schwartz, D.C., Tanaka, T., Wu, J., Zhou, S., Childs, K.L., Davidson, R.M., Lin, H., Ocampo, L. Q., Vaillancourt, B., Sakai, H., Lee, S.S, Kim, J., Numa, H., Itoh, T., Buell C.R., Matsumoto, T. 2013. Improvement of the *Oryza sativa* Nipponbare reference genome using next generation sequence and optical map data. Rice 6(1) : 4.
- Khan, M. H., Dar, Z. A., Dar, S. A. 2015. Breeding strategies for improving rice yield—a review. Agricultural Sciences 6:467-478.



Khush, G. S. 1999. Green revolution : preparing for the 21st century. *Genome* 42(4): 646-655.

Kim, S.L., Choi, M., Jung, K.H., An, A. 2013. Analysis of the early-flowering mechanisms and generation of T-DNA tagging lines in Kitaake, a model rice cultivar. *Journal of Experimental Botany* 64 (14):4169-4182.

Lakitan, B. 1996. Dasar-dasar Fisiologi Tumbuhan. PT. Raja Grafindo Persada, Jakarta.

Liana, P. D. 2012. Transgenic plant-advantages regarding their cultivation, potentially risks and legislation regarding GMO's. University of Agriculture Science Veterinary Medicine Cluj-Napoca, Romania.

Liu, T., Zhu, S., Fu, L., Yu Y., Tang, Q., Tang, S. 2013. Morphological and physiological changes of Ramie (*Boehmeria Nivea L. Gaud*) in response to drought stress and GA3 treatment. *Rus. J. Plant Physiol.* 60:749-755

Luo, L.J. 2010. Breeding for water-saving and drought-resistance rice (WDR) in China. *J. of Experimental Botany*.61(13): 3509-3517.

Ma, X., Zhang, Q., Zhu, Q., Liu, W., Chen, Y., Qiu, R., Wang, B., Yang, Z., Li, H., Lin, Y., Shen, Y. X. R., Chen, Y., Wang, Z., Chen, Y., Guo, J., Chen, L., Zhao, X., Dong, Z., Liu, Z. G. 2015. A Robust CRISPR/Cas9 system for convenient, high-efficiency multiplex genome editing in monocot and dicot plants. *Molecular Plant* doi.org/10.1016/j.molp.2015.04.007.

Miao J., Guo, D., Zhang, J., Huang, Q., Qin, G., Zhang, X., Wan, J., Gu, H., Qu, L. J. 2013. Targeted mutagenesis in rice using CRISPR-Cas system. *Cell Research* 23:1233-1236.

Mojica, F.J., Diez-Villasen, D., García-Martínez, J., Sorial, E. 2005. Intervening sequences of regularly spaced prokaryotic repeats derive from foreign genetic elements. *J. Mol. Evol.* 60: 174–182.

Ningrum, D. K. 2014. Pengertian Kekeringan terhadap Produktivitas Padi Varietas 'Ciherang', 'Inpari 10', dan 'Inpari 13'. Institut Pertanian Bogor. Skripsi.

Nio, S.A., Tondais, S. M., Butarbutar, R. 2010. Evaluasi indikator toleransi cekaman kekeringan pada fase perkecambahan padi. *Jurnal Biologi XIV* (1) : 50 – 54.

Olimpieri, I., Caccia, R., Picarella, M.E., Pucci, A., Santangelo, E., Soressi, G.P., Mazzucato, A. 2011. Constitutive co-suppression of the GA 20-oxidase1 gene in tomato leads to severe defects in vegetative and reproductive development. *Plant Sci.* 180:496-503.



Pan, G., Zhang, X., Liu, K., Zhang, J., Wu, X., Zhu, J., dan Tu J. 2006. Map-based cloning of a novel rice cytochrome P450 gene CYP81A6 that confers resistance to two different classes of herbicides. *Plant Mol Biol* 61(6):933–943.

Peng, J., Richard, D.E., Hartley, N.M., Devos, K.M., Flintham, J.E., Beales, J., Fish, L.J., Worland, A.J., Pelica, F., Sudhakar, D., Christou, P., Snape, J.W., Gale, M.D., Harberd N.P. 1999. ‘Green revolution’ genes encode mutant gibberellin response modulators. *Nature* 400:256-261.

Prasetyo, A., Firmansyah, E., Sutiarso, L. 2016. Perancangan dan pengujian unjuk kerja system monitoring kadar lengas berbasis gypsum block untuk memantau dinamika tanah polietilen, polistiren, dan other. *Jurnal Teknologi Technoscientia* 8: 100-106.

Purwaningsih, O. 2016. Adaptasi tanaman terhadap kondisi water stress (plant adaption to water stress). Fakultas Pertanian Universitas PGRI, Yogyakarta.

Qiano, F., Chen, Z. Alteration of rice growth and development via antisense expression of *OsGA20ox-2* gene. 2013. *African Journal of Biotechnology*, 12(25): 3898-3904.

Qin, X., Liu, J.H., Zhao, W.S., Chen, X.J., Guo, Z.J., Peng, Y.L. 2012. Gibberellin 20-Oxidase gene *OsGA20ox3* regulates plant stature and disease development in rice. *Jurnal Molecular Plant-Microbe Interaction (MPMI)* 26(2): 227-239.

Rahmawati, S. 2006. Status perkembangan perbaikan sifat genetik padi. *Jurnal Agro Biogen* 2(1).

Ran, F.A., Hsu, P.D., Wright, J., Agarwala, V., Scott, D.A., Zhang, F. 2013. Genome engineering using the CRISPR-Cas9 system. *Nature Protocols* 8(11): 2281-2308.

Sadimantara, GR., Widarsih, A., Muhibin. 2013. Seleksi beberapa progeni hasil persilangan padi gogo (*Oryza sativa L.*) berdasarkan karakter pertumbuhan tanaman. *Jurnal Agroteknos* 3(1): 48-52.

Sah, S.K., Kaur, A., Sandu, J.S. 2014. High frequency embryogenic callus induction and whole plant regeneration in Japonica Rice ‘Kitaake’. *J. Rice Res* 2(2): 1-5.

Sakamoto, T., Miura, K., Itoh, H., Tatsumi, T., Ueguchi-Tanaka, M., Ishiyama, K., Kobayashi, M., Agrawal, G.K., Takeda, S., Abe, K., Miyao, A., Hirochika, H., Kitano, H., Ashikari, M., Matsuoka M. 2004. An overview of gibberellin metabolism enzyme genes and their related mutants in rice. *Plant Physiology* 134: 1642–1653.

Santoso, T.J., Enggarini, A., Triyatmiko, K.R., Sitepu, M.B. 2016. Introduksi konstruksi CRISPR-Cas9/Gen GA20 Ox-2 ke padi dan identifikasi mutan-mutan padi melalui analisis molekuler dan sekvensing. Laporan tahunan BB BIOGEN.



Santoso, T.J. 2015. CRISPR, teknologi pengeditan genom terarah untuk pengembangan tanaman non-transgenik. *Warta Biogen* 11(2): 9-12.

Shadily, H. 1984. *Ensiklopedi Indonesia. Ichtiar Baru-Van Hoeve dan Elsevier Publishing Projects*, Jakarta.

Shan, Q., Wang, Y., Zhang, J.L.Y., Chen, K., Liang, Z., Zhang, K., Liu, J., Xi, J.J., Qiu, J.L., Gao, C. Targeted genome modification of crop plants using a CRISPR-Cas system. *Nature biotechnology* 31(8): 686-688.

Sikuku P. A., Netondo, G. W., Musyimi, D. M., Onyango, J. C. 2010. Effects of water deficit on days to maturity dan yield of three nerica rainfed rice varieties. *ARPN J. of Agric. and Biol. Sci.* 5 (3): 1-9.

Silitonga, T.S., Risliawati, A. 2011. Pembentukan core collection untuk sumber daya genetik padi toleran kekeringan. *Buletin Plasma Nutfah* 17 (2) : 104-115.

Siregar, H. 1981. *Budidaya Tanaman Padi di Indonesia*. Sastra Hudaya, Bogor.

Song G., Jia, M., Chen, K., Kong, X., Khattak, B., Xie, C., Li, A., Mao, L.. 2016. CRISPR/Cas9: A powerful tool for crop genome editing. *The Crop Journal* 4: 75-82.

Streisinger, G., Owen, J. E., 1984. Mechanisms of spontaneous and induced frameshift mutation in bacteriophage T4. *Genetics Society of America Genetic* 109:633-659.

Suharsono. 2009. Struktur dan ekspresi gen. Jurusan Biologi FMIPA, Institut Pertanian Bogor.

Sujinah, Jamil, A. 2016. Mekanisme respon tanaman padi terhadap cekaman kekeringan dan varietas toleran. *Iptek Tanaman Pangan* 11(1):1-8.

Tekle, A. T., Alemu, M.A. 2016. Drought Tolerance Mechanisms in Field Crops. *World J. Biol. Med. Science* 3(2): 15-39.

Tjitrosoepomo, G. 1994. *Taksonomi Tumbuhan Obat-obatan*. Cetakan I. UGM Press, Yogyakarta.

Tripathi, L. 2005. Techniques for detecting genetically modified crops and products. *African Journal of Biotechnology* 4 (13):1472-1479.

Vettakkorumakankav, N.N., Falk, D., Saxena, P., Fletcher, R.A. 1999. A crucial role for gibberellins in stress protection of plants. *Plant Cell Physiol.* 40:542-548.

Vikram, P., Kadam, S., Singh, B.P., lee, Y.J., Pal, J.K., Singh, S., Singh, O. N., Mallikarjuna Swamy, B. P., Thiagarajan, K., Singh, S., Sing, N.K. 2016. Genetic diversity analysis



reveals importance of green revolution gene (Sd1 Locus) for drought tolerance in rice. Agric Res 5(1):1–12.

White, P. T. 1994. Rice: the essential harvest. Journal National Geographic 185: 48-79.

Wijayanto, T. 2013. Prospek penerapan bioteknologi dalam pemanfaatan dan pengembangan biodiversitas padi lokal Sulawesi Tenggara. Jurnal Agroteknos 3(1): 41-47.

Wood, A.J., Lo, T.W., Zeitler, B., Pickle, C.S., Ralston, E.J., Lee, A.H., Amora, R., Miller, J.C., Leung, E., Meng, X., Zhang, L., Rebar, E.J., Gregory, P.D., Urnov, F.D., Meyer, B.J. 2011. Targeted genome editing across species using ZFNs and TALENs. Science doi:10.1126/science.1207773.

Worldbank. 2016. Indonesian Population. <<http://wdi.worldbank.org/table/2.1>>. Diakses 8 November 2016.

Xiong, L., Yang, Y. 2003. Disease resistance and abiotic stress tolerance in rice are inversely modulated by an abscisic acidinducible mitogen-activated protein kinase. Plant Cell. 15: 745–759.

Xu, J., Feng, D., Li, X., Chang, T. Zhu, Z. 2002. Cloning of genomic DNA of rice 5-enolpyruvylshikimate 3-phosphate synthase gene and chromosomal localization of the gene. Sci. China, C, Life Sci. 45: 251–259.

Xu, R., Li, H., Qin, R., Wang, L., Li, L., Wei, P., Yang, J. 2014. Gene targeting using the *Agrobacterium tumefaciens*-mediated CRISPR-Cas system in rice. SpringerOpen Journal 7:5.

Yoshida, S. 1981. Fundamentals of Rice Science. International Rice Research Institute, Philippines.

Zeevaart, J.A., Gage, D.A., Talon, M. 1993. Gibberellin A1 is required for stem elongation in spinach. Proc. Nat. Acad. Sci. 90:7401-7405.