

## DAFTAR PUSTAKA

- Abbas, A.K., Litchman, A.H. & Pillai, S., 2015, *Cellular and Molecular Immunology*, 9<sup>th</sup> Ed., 1-3, Elsevier Publisher, Philadelphia.
- Alberts, B., Johnson, A., Lewis, J., Raff, M., Roberts, K. & Walter, P., 2002, *Molecular Biology of the Cell*, 4<sup>th</sup> Ed., 3457-3572, Garland Science, New York.
- Allen, L.V. & Ansel, H.C., 2014, *Ansel's Pharmaceutical Dosage Forms and Drug Delivery Systems*, 10<sup>th</sup> Ed., 411-419, Wolters Kluwer Health, Philadelphia.
- Aschwanden, C., 2001, Herbs for health, but how safe are they?, *Bulletin of the World Health Organization*, **79**(7), 691–692.
- Baratawidjaja, K.G., 2002, *Imunologi Dasar*, Edisi Kelima, 372-390, Balai Penerbit FKUI, Jakarta.
- Boyd, M.R. & Paull, K.D., 1995, Some practical considerations and applications of the national cancer institute in vitro anticancer drug discovery screen, *Drug Development Research*, **34**(2), 91-109.
- Bui, A.K., Bacic, A. & Pettolino F., 2006, Polysaccharide Composition of the Fruit Juice of *Morinda citrifolia* (Noni), *Phytochemistry*, **67**(12), 1271-1275.
- Chaplin, D.D., 2010, Overview of the Immune Response, *Allergy and Clinical Immunology*, **125**, 1-41.
- Chen, X.T., Li Y., Wang, H.L., Cheng, W.M., Zhang, L. & Ge, J.F., 2006, Immunomodulating effects of fractioned polysaccharides isolated from yuping-feng-powder in cyclophosphamide-treated mice, *The American Journal of Chinese Medicine*, **34**(4), 631-641.
- Cseke, L.J., Kirakosyan, A., Kaufman, P.B., Warber, S., Duke, J.A., & Brielman, H.L., 2016, *Natural Product from Plant*, 2<sup>nd</sup> Ed., 27-30, CRC Press, USA.
- Featherstone, S., 2015, *A Complete Course in Canning and Related Processes*, 14<sup>th</sup> Ed., 2, 185-186, Elsevier Publisher, Philadelphia.
- Furusawa, E., Hirazumi, A., Story, S. & Jensen, J., 2003, Antitumour Potential of a Polysaccharide-rich Substance from the Fruit Juice of *Morinda citrifolia* (Noni) on Sarcoma 180 Ascites Tumour in Mice, *Phytother Res.*, **17**, 1158-1164.

Furusawa, E. & Hirazumi, A., 1999, An Immunomodulatory Polysaccharide-Rich Substance from the Fruit Juice of *Morinda citrifolia* (Noni) with Antitumour Activity, *Phytoter Res.*, **13**, 380–387.

Hwang, Shen-An & Actor, J.K., 2014, Lymphocytes, *eLS*, 1-11.

Jones, D.S., 2016, *Pharmaceutics Dosage Form and Design*, 2<sup>nd</sup> Ed., 1-21, Pharmaceutical Press, London.

Mahato, R.I. & Narang, A.S., 2018, *Pharmaceutical Dosage Forms and Drug Delivery*, 3<sup>rd</sup> Ed., 425-427, CRC Press, USA.

Mosmann, T., 1983, Rapid colorimetric assay for cellular growth and survival: Application to proliferation and cytotoxicity assays, *Journal of Immunological Method*, **65**, 55-63.

Myers, J.A., Curtis, B.S. & Curtis, W.R., 2013, Improving accuracy of cell and chromophore concentration measurements using optical density, *BMC Biophysics*, **6**(4), 1-15.

Riss, T.L., Moravec, R.A., Niles, A.L., Duellman, S., Benink, H.A., Worzella, T.J. & Minor, L., 2013, Cell Viability Assay, dalam Sittampalam, G.S., (Eds.), *Assay Guidance Manual*, 355-364, Eli Lilly & Company and the National Center for Advancing Translational Science, Bethesda.

Rowe, R.C., Sheskey, P.J. & Quin, M.E., 2009, *Handbook of Pharmaceutical Excipient*, 6<sup>th</sup> Ed., 181-770, Pharmaceutical Press, London.

Sambasivarao, A., Baru, C.S.R. & Reddy, M.H., 2016, Accelerated Stability Testing of Dosage Forms as Per International Conference of Harmonization (ICH) Guidelines, *World Journal of Pharmaceutical and Medical Research*, **2**(3), 99-103.

Sinaga, E.M., 2018, Optimasi *Xanthan Gum* dan Sukrosa pada Formulasi Sirup Fraksi Buah Mengkudu (*Morinda citrifolia* L.), *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.

Sasmito, E., Pramono, S. & Khusnawati, N.N., 2015<sup>a</sup>, Effect of 50% Ethanolic Extract of Pegagan Herb (*Centella asiatica* (L.) Urban) on Cell Proliferation of Lymphocytes in Balb/c Male Mice Induced by Hepatitis B Vaccine, *Trad. Med. J.*, **20**(3), 164-169.

Sasmito, E., Hertiani, T., Kartika, S., Putri, F.M., Setiawan, V. & Narastika, L., 2015<sup>b</sup>, Optimization of Polysaccharide-rich Fractionation from *Morinda citrifolia* L. Fruit based on Immunostimulatory Effect in vitro, *Indonesian J. Pharm.*, **26**(2), 78-85.

- Sasmito, E., Hertiani, T., Renggani, T.N. & Laksana, B.J., 2015<sup>c</sup>, Polysaccharide-Rich Fraction of Noni fruit (*Morinda citrifolia* L.) as Doxorubicin Co-chemoterapy: Evaluation on Catalase, Macrophage and TCD8+ Lymphocyte, *Sci Pharm.*, **83**, 479-488.
- Sasmito, E., Lukitaningsih, E. & Rumiati, 2016, Produksi Terstandar Fraksi Polisakarida Buah Mengkudu (*Morinda citrifolia* L.), *Laporan Penelitian, Unpublished*, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Septisetyani, E.P., Ningrum, R.A., Romadhani, Y., Wisnuwardhani P.H. & Santoso, A., 2014, Optimization of Sodium Dodecyl Sulphate as a Formazan Solvent and Comparison of 3-(4,5-Dimethylthiazo-2-yl)-2,5-Diphenyltetrazolium Bromide (MTT) Assay with WST-1 Assay in MCF-7 Cells, *Indonesian J. Pharm.*, **25**(4), 245-254.
- Winslow, T., 2008, Hematopoietic Tree, Expanded Lymphoid Line, <https://visualsonline.cancer.gov/details.cfm?imageid=7150>, 6 Februari 2018.
- Xu, J., Yue, R.Q., Liu, J., Ho, H.M., Yi, T., Chen, H.B. & Han, Q.B., 2014, Structural diversity requires individual optimization of ethanol concentration in polysaccharide precipitation, *International Journal of Biological Macromolecules*, **67**, 205-209.