

DAFTAR PUSTAKA

- Aisha, A.F., Abu-Salah, K.M., Ismail, Z., dan Majid, A.M., 2013, Determination of Total Xanthenes in *Garcinia mangostana* Fruit Rind Extracts by Ultraviolet (UV) Spectrophotometry, *J Med Plants Res*, **7**(1), 29-35.
- Akao, Y., Nakagawa, Y., Inuma, M., dan Nozawa, Y., 2008, Anti-Cancer Effects of Xanthenes from Pericarp of Mangosteen, *International Journal of Molecular Sciences*, **9**, 355-370.
- Ananingrum, G.W., 2017, Formulasi Ekstrak Kulit Buah Manggis (*Garcinia mangostana*, L.) dalam Pembawa Campuran Propilen Glikol-Air dan Uji Transpor secara In Vitro, *Skripsi*, Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta.
- Agoes, G., dan Darijanto, S.T., 1993, *Teknologi Farmasi Likuida dan Semi Solida*, Pusat Antar Universitas Bidang Ilmu Hayati ITB, Bandung.
- Agustin, R., Sari, N., dan Zaini, E., 2014, Pelepasan Ibuprofen dari Gel Karbomer 940 Kokristal Ibuprofen-Nikotinamida, *Jurnal Sains Farmasi & Klinis*, **1**(1), 79-88.
- Aqil, M., Ahad, A., Sultana, Y., dan Ali, A., 2007, Status of Terpenes as Skin Penetration Enhancers, *Drug Discovery Today*, **12**, Issues 23–24, 1061-1067.
- Brand-Williams, W., Cuvelier, M.E., dan Berset, C., 1995, Use of Free Radical Method to Evaluate Antioxidant Activity, *Lebensm.-Wiss. u.-Technol.*, **28**, 25-30.
- Bronaugh, R.L., Stewart, R.F., dan Congdon, E.R., 1983, Differences in permeability of Rat Skin Related to Sex and Body Site, *J. Soc. Cosmet. Chem.*, **34**, 127-13.
- Chaverri, J.P., Rodriguez, N.M., Ibarra, M.O., dan Rojas, J.M.P., 2008., Medicinal Properties of Mangosteen, *Journal Food and Chemical Toxicology*, **46**, 3227- 3239.
- Chin, G.S., 2016, In Vitro Permeation and Skin Retention of Alpha-Mangostin Proniosome, *Thesis*, Faculty of Chemical and Energy Engineering, Universiti Teknologi Malaysia.
- Chin, Y.W., Jung, H.A., Chai, H., Keller, W.J., Kinghorn, A.D., 2008, Xanthenes with Quinone Reductase-Inducing Activity from the Fruits of *Garcinia mangostana* (Mangosteen), *Phytochemistry*, **69**, 754-758.
- Cronquist, A., 1981, *An Integrated System of Classification of Flowering Plants*, 337-340, Columbia University Press, New York.

- Cornwell, P.A., dan Barry, B.W., 1994, Sesquiterpene Components of Volatile Oils as Skin Penetration Enhancers for the Hydrophilic Permeant 5-Fluorouracil, *J. Pharm. Pharmacol*, **46**, 261–269.
- Day, R.A., dan Underwood, A.L., 2002. *Analisis Kimia Kuantitatif*, Edisi 6, Penerbit Erlangga, Jakarta.
- El-Kattan, A.F., Asbill, C.S., Kim, N., dan Michniak, B.B., 2001, The Effects of Terpene Enhancers on the Percutaneous Permeation of Drugs with Different Lipophilicities, *Int. J. Pharm.*, **215**, 229–240.
- Erizal, 2008, The Effect of Hydrogel Dressing Copolymer Poli(Vinylpirrolidone) (PVP)-K- Carrageenan Prepared by Radiation and Healing Times on the Radius Reductions Burn Injured of Wistar White Rat, *Indones. J. Chem.*, **8**(2), 271-278.
- Fusco, D., Colloca, G., Monaco, M.R., Cesari, M., 2007, Effects of Antioxidant Supplementation on the Aging Process, *Clinical Interventions in Aging*, **2**(3), 377-87.
- Ferreira, F.M., Palmeira, C.M., Oliveira, M.M., Santos, D., Simões, A.M., Rocha, S.M., Coimbra, M.A., dan Peixoto, F., 2012, Nerolidol Effects on Mitochondrial and Cellular Energetics. *Toxicol In Vitro*, **26**(2), 189–196.
- Gandjar, I.G., dan Rohman, A., 2007, *Kimia Farmasi Analisis*, Cetakan I, Penerbit: Pustaka Pelajar, Yogyakarta.
- Garrity, A.R., Morton, J.C., Morrison, P., dan De La Hueraga, 2005, V. Nutraceutical mangosteen tea, *PCT Int. Appl.* WO 2005048940, A2 20050602; 9 pp.
- Graaff, Kent M Van De., dan Rhees, R.Ward., 2001, *Scchaum's Easy Outlines Human Anatomy and Physiology*, New York: McGraw-Hill.
- Grass, G.M., dan Sweetana, S.A., 1988, In Vitro Measurement of Gastrointestinal Tissue Permeability using a New Diffusion Cell, *Pharm Res*, **5**: 372. <https://doi.org/10.1023/A:1015911712079>.
- Heyne, K., 1987, *Tumbuhan Berguna Indonesia III*, Penerjemah : Badan Penelitian dan Pengembangan Kehutanan, Yayasan Sarana Wahajaya, Jakarta, pp 1385 –1386.
- Higuchi, W.I., Sugibayashi, K., Hosoya, K., dan Morimoto, Y., 1985, Effect of the Absorption Enhancer, Azone, on the Transpor of 5-Fluorouracil Across Hairless Rat Skin, *Journal of pharmacy and pharmacology*, **37**, 578-580.

- Ho, C.K., Huang, dan Chen, 2002, Garcinone E, A Xanthone Derivative, has Potent Cytotoxic Effect Against Hepatocellular Carcinoma Cell Lines, *Planta Med*, **68**, 975-979.
- Irvan, P.B.M., dan Sasmitra, J., 2015., Ekstraksi 1,8-Cineole dari Minyak Daun Eucalyptus Urophylla dengan Metode Soxhletasi, *Jurnal, Teknik Kimia USU*, **4**(3), 53-57.
- Iswari, K., dan Hasyim, A., 2008, *Manggis Kaya Antioksidan*, Pusat Penelitian dan Pengembangan Tanaman.
- Jain, A.K., Thomas, Narisetty, S., Panchagnula, dan Ramesh, 2002, Transdermal drug Delivery of Imipramine Hydrochloride. I. Effect of Terpenes, *Journal of Controlled Release*, **79**, 93-101.
- Jung, H.A., Su, Bao Ning., Keller, William, J., Mehta, R.G., dan Kinghorn, A.D., 2006, Antioxidant Xanthonenes from the Pericarp of *Garcinia mangostana* (mangosteen), *Jurnal Agricultural and Food Chemistry*, **54**, 2077-2082.
- Kararli, T.T., Kirchhoff, C.F., Stanley, C., dan Penzotti, Jr., 1995, Enhancement of Transdermal Transport of Azidothymidine (AZT) with Novel Terpene and Terpene-Like Enhancers: In Vivo-In Vitro Correlations, *Journal of Controlled Release*, **34**, 43-51.
- Karsa, D.R., Goode, J.M., dan Donnelly, P.J., 1991, *Surfactants Applications Directory*, Blackie and Son Ltd, Scotland.
- Koh, J-J., Qiu, S., Zou, H., Lakshminarayanan, R., Li, J., Zhou, X., Tang, C., Saraswathi, P., Verma, C., Tan, D.T.H., Tan, A.L., Liu, S., dan Beuerman, R.W., 2013, Rapid Bactericidal Action of Alpha-Mangostin Against MRSA as an Outcome of Membrane Targeting, *Biochimica et Biophysica Acta*, **1828**, 834-844.
- Koleva, I.I., Van Beek, T.A., Linssen, J.P.H., Groot, A., dan Evstatieva, L.N., 2002, Screening of Plant Extracts for Antioxidant Activity: A Comparative Study on Three Testing Methods, *Phytochemical Analysis*, **13**, 8-17.
- Kunta, J.R., Goskonda, V.R., Brotherton, H.O., Khan, M.A., dan Reddy, I.K., 1997, Effect of Menthol and Related Terpenes on the Percutaneous Absorption of Propranolol Across Excised Hairless Mouse Skin, *J Pharm Sci*, **86**, 1369-1373.
- Lachman, L., Lieberman, H.A., dan Kanig, J.L., 1994, *Teori dan Praktek Farmasi Industri II*, Cetakan ke-1, Jakarta: UI-PRESS.

- Lapczynski, A., Bhatia, S.P., Letizia, C.S., dan Api, A.M., 2008, Fragrance Material Review on Nerolidol (Isomer Unspecified), *Food Chem. Toxicol*, **46**, S247–S250.
- Lesmana, Indra, 2017, Pengaruh Etanol pada Formulasi Gel Ekstrak Kering Kulit Buah Manggis (*Garcinia mangostana*, L.) Sifat Fisik, Daya Antioksidan, dan Kemampuan Difusinya Melewati Membran, *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada.
- Lieberman, H.A., Rieger, M.M., dan Banker, G.S., 1996, *Pharmaceutical Dosage Forms: Disperse Systems, Second Edition*, New York: Marcell Dekker Inc.
- Magnusson, B.M., Runn, P., Karlsson, K., dan Koskinen, L.O.D., 1997, Terpenes and Ethanol Enhance the Transdermal Permeation of the Tripeptide Thyrotropin Releasing Hormone in Human Epidermis, *International Journal of Pharmaceutics*, **157**:113-121.
- Mitsui, T., 1997, *New Cosmetic Science*, Edisi I, Elsevier, Amsterdam. Netherlands, hal.32- 45.
- Menon, G.K., Cleary, G.W., dan Lane, M.E., 2012, The Structure and Function of the Stratum Corneum, *International Journal of Pharmaceutics, Advances in Topical Drug Delivery* **435**, 3-9.
- Moghimi, H.R., Behzad, S., Makhmalzadeh, Manaf, A., 2009, Enhancement Effect of Terpenes on Silver Sulphadiazine Permeation through Third-Degree Burn Eschar, *Burns*, **35**, Issue 8, 1165-1170.
- Moongkarndi, P., Kosem, N., Kaslungka, S., Luanratana, O., Pongpan, N., dan Neungton, N., 2004, Antiproliferation, Antioxidation and Induction of Apoptosis by *Garcinia mangostana* (Mangosteen) on SKBR3 Human Breast Cancer Cell Line, *J. Ethnopharmacol*, **90**(1), 161-166.
- Mulja, M., dan Suharman., 1995, *Analisis Instrumental, ed. 1*, Airlangga University Press, Surabaya.
- Musa, K.H., Abdullah, A., Kuswandi, B., dan Hidayat, M.A., 2013, A Novel High throughput Method Based on the DPPH Dry Reagent Array for Determination of Antioxidant Activity, *Food Chemistry*, **141**, 4102-4106.
- Narishetty, S.T.K., dan Panchagnula, R., 2004, Transdermal Delivery of Zidovudine: Effect of Terpenes and their Mechanism of Action, *Journal of Controlled Release*, **95**(3), 367-379.

- Nielsen, J.B., 2006, Natural Oils Affect the Human Stratum Integrity and the Percutaneous Penetration of Benzoic Acid Dose-Dependently, *Basic & Clinical Pharmacology & Toxicology*, **98**, 575-581.
- Nokhodchi, A., Sharabiani, K., Rashidi, M.R., dan Ghafourian, T., 2007, The Effect of Terpene Concentrations on the Skin Penetration of Diclofenac Sodium, *International Journal of Pharmaceutics*, **335**, 97-105, dalam Sarunyoo Songkro, 2009, An Overview of Skin Penetration Enhancers: Penetration Enhancing Activity, *Songklanakarin J. Sci. Technol*, **31**(3), 299-321.
- Pathan, I.B., dan Setty, C.M., 2009, Chemical Penetration Enhancers for Transdermal Drug Delivery Systems, *Tro. J. Pharm. Res*, **8**(2), 173-179.
- Prasanthi, D., dan Lakshmi, P.K., 2012, Terpenes: Effect of lipophilicity in Enhancing Transdermal Delivery of Alfuzosin Hydrochloride. *J. Adv. Pharm. Technol. Res*, **3**, 216-223.
- Pokorný, J., 2003, Natural Antioxidants, dalam: Zeuthen, P., dan Bøgh-Sørensen, L. (Editor), *Food Preservation Techniques, Woodhead Publishing Series in Food Science, Technology and Nutrition*, Woodhead Publishing, hal. 31-48.
- Pothitirat, W., dan Gritsanapan, W., 2008, Quantitative Analysis of Total Mangostins in *Garcinia mangostana* Fruit Rind, *J. Health Res*, **22**(4), 161-166.
- Qosim, W.A., 2007, Kulit Buah Manggis sebagai Antioksidan. Available at <http://www.pikiranrakyat.com/cetak/2007/022007/15/kampus/lain01.html>
- Richa, Y., 2009, Uji Aktivitas Penangkap Radikal dari Ekstrak Petroleumeter, Etil Asetat dan Etanol *Rhizoma Binahong (Anredera Cordifolia)* (Tenore) Steen dengan Metode DPPH (2,2-Difenil-1-Pikrihidrazil), *Skripsi*, Fakultas Farmasi, Universitas Muhammadiyah Surakarta.
- Rowe, R.C., Sheskey, R.J., dan Owen, S. C., 2005, *Handbook of Pharmaceutical Excipient*, 5th Edition, Pharmaceutical Press.
- Salami, A., dan Fouladi, M., 2015, Effect of the Various Penetration Enhancer on the In Vitro Skin Permeation of Meloxicam through Whole Rat Skin, *Eur. J. Bio. Pharm. Sci*, **2**(3), 1282-1291.
- Singla, V., Saini, S., Singh, G., Rana, A.C., dan Joshi, B., 2011, Penetration Enhancers: A Novel Strategy for Enhancing Transdermal Drug Delivery, *Int Res J Pharm*, **2**(12), 32-36.
- Schubert, V., Dietrich, A., Ulrich, T., dan Mosandl, A., 2011, The Stereoisomers of Nerolidol: Separation, Analysis and Olfactoric Properties, *Z. Naturforsch. C.*, **47**, 304-307.

- Suksamrarn, S., Komutiban, O., Ratananukul, P., Chimnoi, N., Lartpornmatulee, N., dan Suksamrarn, A., 2006, Cytotoxic Prenylated Xanthones from The Young Fruit of *Garcinia Mangostana*, *Chem. Pharm. Bull*, **54**(3), 301-305.
- Tranggono, R.I., dan Latifah, F., 2007. *Buku Pegangan Ilmu Pengetahuan Kosmetik*, Jakarta: PT. Gramedia Pustaka Utama.
- Trommer, H., dan Neubert, R.H.H., 2006, Overcoming the Stratum Corneum: The Modulation of Skin Penetration, *Skin Pharmacology and Physiology*, **19**, 106-121.
- Tunev, S.S., Hastey, C.J., Hodzic, E., Feng, S., Barthold, S.W., dan Baumgarth, N., 2011, Lymphadenopathy During Lime Borreliosis is Caused by Spirochete Migration-Induced Specific B Cell Activation. *PLoS Pathog*, **7**(5), e1002066. Farmaka Vol. 14 No. 1 2016.
- Vaddi, H.K., dkk., 2002, Terpenes in Propylene Glycol as Skin-Penetration Enhancers: Permeation and Partition of Haloperidol, Fourier Transform Infrared Spectroscopy and Differential Scanning Calorimetry, *J. Pharm. Sci.*, **91**, 1639-1651.
- Voigt, R., 1995, *Buku Pelajaran Teknologi Farmasi Edisi V*, diterjemahkan Noerono, S., Yogyakarta : Gajah Mada University Press.
- Walter, F. DO, Keller, 2007, Advances in Skin & Wound Care, **20**, Issue 6:304 doi: 10.1097/01.ASW.0000276417.68880.8d, Departments: Letters.
- Weecharangsan, W., Opanasopit, P., Sukma, M., Ngawhirunpat., T., Sotanaphun, U., dan Siripong, P., 2006, Antioxidative and Neuroprotective Activites of Extracts From The Fruit Hull of Mangosteen (*Garcinia Mangostana* Linn.), *Med. Princ. Pract*, **15**, 281-287.
- Widyanati, P., Jufri, M., Elya B., dan Iskandarsyah, 2014, Formulation and Penetration Study of Liposome Gel Xanthone of Exctract Mangosteen Pericarp (*Garcinia mangostana* L.), *Int. J. Pharm. Sci*, **1**, 1-6.
- Williams, A.C., Barry, B.W., 1991, Terpene and the Lipid-Protein-Partitioning Theory of Skin Penetration Enhancement, *Pharmaceutical Research*, **8**, 17-24.
- Williams, A.C., Barry, B.W., 2004, Penetration Enhancers, *Advanced Drug Delivery Reviews*, **56**, 603 – 618.
- Williams, A.C., Barry, B.W., 2012, Penetration Enhancers, *Advanced Drug Delivery Reviews*, **64**, 128-137.
- Winarsi, H., 2007, *Antioksidan Alami dan Radikal Bebas: Potensi dan Aplikasinya dalam Kesehatan*, Penerbit Kanisius, Yogyakarta.

Xiong, G.L, Quan, D., dan Maibach, H.I., 1996, Effects of Penetration Enhancers on In Vitro Percutaneous Absorption of Low Molecular Weight Heparin Through Human Skin, *J. Control. Release*, **42**, 289–296.