

DAFTAR PUSTAKA

- Aiyegbusi, O. L., Kyte, D., Cockwell, P., Marshall, T., Gheorghe, A., Keeley, T., ... Calvert, M. (2017). Measurement properties of patient-reported outcome measures (PROMs) used in adult patients with chronic kidney disease: A systematic review. *PLoS ONE*, 12(6), 1–27. <https://doi.org/10.1371/journal.pone.0179733>
- Al-Shehhi, M. S. M., & Shahin, F. A. A. E.-S. S. (2016). Factors Affecting Quality of Life in Patients with End Stage of Renal Disease on Hemodialysis , Ras Al Khaimah-United Arab Emirates. *Journal of Health, Medicine and Nursing*, 26(4), 220–238.
- Albert, P. R. (2015). Why is depression more prevalent in women ? *J Psychiatry Neurosci*, 40(4), 219–221. <https://doi.org/10.1503/jpn.150205>
- AlDukhayel, A. (2015). Prevalence of Depressive Symptoms among Hemodialysis and Peritoneal Dialysis Patients. *International Journal of Health Sciences*, 9(1), 9–16.
- Alegria, M., Chatterji, P., Wells, K., Cao, Z., Chen, C., Takeuchi, D., ... Meng, X.-L. (2008). Disparity in Depression Treatment Among Racial and Ethnic Minority Populations in the United States. *Psychiatric Services*, 59(11), 1265.
- American Psychological Association. (2007). Postpartum Depression.
- Ammon, S. von, Cavanaugh, Furlanetto, L. M., Creech, S. D., & Powell, L. H. (2001). Medical Illness, Past Depression, and Present Depression: A Predictive Triad for In-Hospital Mortality. *Am J Psychiatry*, 158, 43–48.
- Anees, M., Barki, H., Masood, M., Ibrahim, M., & Mumtaz, A. (2008). Depression in hemodialysis patients. *Pakistan Journal of Medical Sciences*, 24(4), 560–565. [https://doi.org/10.1016/S0033-3182\(89\)72273-8](https://doi.org/10.1016/S0033-3182(89)72273-8)
- Arici, M. (2014). *Management of chronic kidney disease : a clinician's guide*.
- Armaly, Z., Farah, J., Jabbour, A., Bisharat, B., Qader, A. A.-E., Saba, S., ... Bowirrat, A. (2012). Major depressive disorders in chronic hemodialysis patients in Nazareth: identification and assessment. *Neuropsychiatric Disease and Treatment*, 8, 329–38. <https://doi.org/10.2147/NDT.S31903>
- Astiti, A. (2014). Analisis Faktor-Faktor Yang Berhubungan Dengan Depresi Pada Pasien Gagal Ginjal Kronik Yang Menjalani Hemodialisis Di Rsud Panembahan Senopati Bantul, 1–20.
- Astuti, C. C. (2017). Analisis Korelasi untuk Mengetahui Keeratan Hubungan antara Keaktifan Mahasiswa dengan Hasil Belajar Akhir. *Journal of Information and Computer Technology Education*, 1(April), 1–7.
- Avramovic, M., & Stefanovic, V. (2012). Health-Related Quality of Life in Different Stages of Renal Failure, (October 2011). <https://doi.org/10.1111/j.1525-1594.2011.01429.x>
- Badan Penelitian dan Pengembangan Kesehatan. (2013). Riset Kesehatan Dasar (RISKESDAS) 2013. *Laporan Nasional 2013*, 1–384. <https://doi.org/10.24646/2013>

Desember 2013

- Bayat, A., Kazemi, R., Toghiani, A., Mohebi, B., Tabatabaee, M. N., & Adibi, N. (2012). Psychological evaluation in hemodialysis patients. *JPM. The Journal of the Pakistan Medical Association*, 62(3 Suppl 2), S1-5. Retrieved from <http://www.embase.com/search/results?subaction=viewrecord&from=export&id=L365626732>
- Beck, A. (1996). Beck Depression Inventory. The Psychological Corporation.
- Beck, A. T. (1996). Beck Depression Inventory. *The Psychological Corporation*, 477, 14–15. <https://doi.org/10.1007/s13398-014-0173-7.2>
- Bhayu, I. A., Ratep, N., & Westa, W. (2014). Gambaran Faktor-Faktor Yang Mempengaruhi Tingkat Depresi Pada Lanjut Usia Di Wilayah Kerja Puskesmas Kubu Ii Januari-Februari 2014, 1–14.
- Bhowmik, D., Kumar, S. K. ., Srivastava, S., Paswan, S., & Dutta, A. S. (2012). Depression - Symptoms , Causes , Medications and Therapies. *The Pharma Innovation*, 1(3), 38.
- BPJS Kesehatan. (2014). Info BPJS Kesehatan. *Media Internal Resmi BPJS*, 7.
- Braga, S. F. M., PeixotoI, S. V., Gomes, I. C., Acúrcio, F. de A., AndradeI, E. I. G., & Cherchiglia, M. L. (2011). Factors associated with health- related quality of life in elderly patients on hemodialysis. *Rev Saude Publica*, 45(6).
- Bujang, M. A., Musa, R., Liu, W. J., Chew, T. F., & Lim, C. T. S. (2015). Depression , anxiety and stress among patients with dialysis and the association with quality of life. *Asian Journal of Psychiatry*, 18, 49–52. <https://doi.org/10.1016/j.ajp.2015.10.004>
- Centers for Disease Control and Prevention. (2014). National Chronic Kidney Disease Fact Sheet. *CKD Surveillance Project*, 1–4.
- Chao, S., Yen, M., Lin, T., Sung, J., & Wang, M. (2016a). Psychometric Properties of the Kidney Disease Quality of Life – 36 Questionnaire. *Western Journal of Nursing Research*, 38(8). <https://doi.org/10.1177/0193945916640765>
- Chao, S., Yen, M., Lin, T., Sung, J., & Wang, M. (2016b). Psychometric Properties of the Kidney Disease Quality of Life – 36 Questionnaire. <https://doi.org/10.1177/0193945916640765>
- Chen, C.-K., Tsai, Y.-C., Hsu, H.-J., Wu, I.-W., Sun, C.-Y., Chou, C.-C., ... Wang, L.-J. (2010). Depression and Suicide Risk in Hemodialysis Patients With Chronic Renal Failure. *Psychosomatics*, 51(6), 528–528.e6. <https://doi.org/10.1176/appi.psy.51.6.528>
- Choi, B. S. (2012). Management of Chronic Kidney Disease, 427–431. <https://doi.org/10.1007/978-3-642-54637-2>
- Cobo, G., Hecking, M., Port, F. K., Exner, I., Lindholm, B., Stenvinkel, P., & Jes, J. (2016). Sex and gender differences in chronic kidney disease : progression to end-stage renal disease and haemodialysis. *Portland Press Limited on Behalf of the Biochemical Society.*, 1147–1163. <https://doi.org/10.1042/CS20160047>
- Cohen, S. D., Norris, L., Acquaviva, K., Peterson, R. A., & Kimmel, P. L. (2007). Screening, diagnosis, and treatment of depression in patients with end-stage

- renal disease. *Clinical Journal of the American Society of Nephrology*, 2(6), 1332–1342. <https://doi.org/10.2215/CJN.03951106>
- Curtin, R. B., Bultman, D. C., Thomas-Hawkins, C., Walters, B. A. J., & Schatell, D. (2002). Hemodialysis patients' symptom experiences: effects on physical and mental functioning. *Nephrology Nursing Journal: Journal of the American Nephrology Nurses' Association*, 29(6), 562, 567–74, 598. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/12596605>
- Donia, A. F., Zaki, N. F., Elassy, M., & Elbahaey, W. (2015). Study of depression and quality of life among hemodialysis patients: an Egyptian experience. *International Urology and Nephrology*, 47(11), 1855–1862. <https://doi.org/10.1007/s11255-015-1091-0>
- Dori, S., & Beth, W. (2008). Measuring Dialysis Patients' Health-Related Quality of Life with the Kidney Disease Quality of Life (KDQOL-36™) Survey. *KDQOL Complete*, (608), 1–8. Retrieved from <http://kdqol-complete.org/pdfs/kdqol-36.pdf%5Cnwww.kdqol-complete.org>
- Dziubek, W., Kowalska, J., Kusztal, M., Rogowski, L., Golebiowski, T., Nikifur, M., ... Wozniowski, M. (2016). The Level of Anxiety and Depression in Dialysis Patients Undertaking Regular Physical Exercise Training - a Preliminary Study. *Kidney and Blood Pressure Research*, 41(1), 86–98. <https://doi.org/10.1159/000368548>
- Farinde, A. (2013). The Beck Depression Inventory. *The Pharma Inovation Journal*, 2(1), 56–63.
- Fitriyani, E. N., & Winarti, S. A. (2014). Konsep Diri dengan Kejadian Depresi pada Pasien Gagal Ginjal Kronik yang Menjalani Hemodialisa di RSUD Panembahan Senapati Bantul. *Jurnal Ners Dan Kebidanan Indonesia*, 2(3), 122–127.
- Fukuhara, S., McKeivitt, P., & Wikström, B. (2004). Patterns Study (DOPPS), 44(5), 54–60. <https://doi.org/10.1053/j.ajkd.2004.08.012>
- Guyton, A. C. (2007). *Buku Ajar Fisiologi Kedokteran*. (L. Y. Rachman, Ed.) (11th ed.). Jakarta: EGC.
- Hall, R. K., Luciano, A., Pieper, C., & Colón-emic, C. S. (2018). Association of Kidney Disease Quality of Life (KDQOL-36) with mortality and hospitalization in older adults receiving hemodialysis. *BMC Nephrology*, 1–9. <https://doi.org/10.1186/s12882-017-0801-5>
- Hallab, A., & Wish, J. B. (2018). *Employment among Patients on Dialysis*. *CJASN* (Vol. 13). <https://doi.org/10.2215/CJN.13491217>
- Hamilton, M. (1960). A rating scale for depression. *Journal of Neurology, Neurosurgery, and Psychiatry*, 23, 56–62. <https://doi.org/10.1136/jnnp.23.1.56>
- Hartini, S. (2016). Gambaran Karakteristik Pasien Gagal Ginjal Kronis Yang Menjalani Hemodialisa Di Rumah Sakit Umum Daerah Dr. Moewardi.
- Hays, R. D., Kallich, J. D., Mapes, D. L., Coons, S. J., Amin, N., Carter, W. B., & Kamberg, C. (1997). Kidney Disease Quality of Life Short Form (KDQOL-SF), version 1.3: A Manual for Use and Scoring. *RAND*, 7–10.
- Hays, R. D., Kallich, J. D., Mapes, D. L., Coons, S. J., & Carter, W. B. (1994). Development of the Kidney Disease Quality of Life (KDQOLTM)

- Instrument. *Quality of Life Research*, 3(5), 329–338.
<https://doi.org/10.1007/BF00451725>
- Heidari, B. (2017). A Comparison of Health-related Quality of Life in Patients with Renal Failure under Hemodialysis and Healthy Participants, 28(1), 133–140.
- Hidayati, S. ., Yalamanchi, V., & Finkelstein. (2012). A Practical Approach to the treatment of Depression in Patients With Chronic Kidney Disease and End Stage Renal Disease. *Kidney International*, 8(3), 247–255.
- Hinrichsen, G. A., Lieberman, J. A., Pollack, S., & Steinberg, H. (2010). Depression in Hemodialysis Patients. *Psychosomatics*, 30(3), 284–289.
[https://doi.org/10.1016/S0033-3182\(89\)72273-8](https://doi.org/10.1016/S0033-3182(89)72273-8)
- Hirschfeld, R. M. A., & Weissman, M. M. (2002). Risk Factors For Major Depression And Bipolar Disorder. *American College of Neuropsychopharmacology*, 1017.
- Indra, M. R. (2006). *Fisiologi Ginjal*. Malang: Fakultas Kedokteran Universitas Brawijaya.
- Jameson, J. L., Loscalzo, J., & Harrison, T. R. (2010). *Nephrology and acid-base disorders* (17th ed.). Mc Graw Hill.
- Jhamb, M., Weishbord, S. D., Steel, J. L., & Unruh, M. (2008). Fatigue in patients receiving maintenance dialysis: a review of definitions, measures, and contributing factors. *Am J Kidney Dis*, 52(2), 353–365.
<https://doi.org/10.1053/j.ajkd.2008.05.005>. Fatigue
- Johnson, D. (2012). Diagnosis, classification and staging of chronic kidney disease. *Citeseer*, (July), 1–31. Retrieved from [http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Diagnosis+,+classification+and+staging+of+chronic+kidney+disease#0%5Cnhttp://www.cari.org.au/CKD/CKD early/Diag_Classification_Staging_ECKD.pdf](http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Diagnosis+,+classification+and+staging+of+chronic+kidney+disease#0%5Cnhttp://www.cari.org.au/CKD/CKD%20early/Diag_Classification_Staging_ECKD.pdf)
- Kader, K. A., Unruh, M. L., & Weisbord, S. D. (2009). Symptom burden, depression, and quality of life in chronic and end-stage kidney disease. *Clinical Journal of the American Society of Nephrology*, 4(6), 1057–1064.
<https://doi.org/10.2215/CJN.00430109>
- Kadir, A. (2016). Hubungan Patofisiologi Hipertensi dan Hipertensi Renal. *Jurnal Ilmiah Kedokteran*, 5, 15–25.
- Kalantar-Zadeh, K., & Unruh, M. (2005). Health Related Quality of Life in Patients with Chronic Kidney Disease. *Internation Urology and Nephrology*, 37, 367–378. <https://doi.org/10.1007/s11901-014-0218-6>
- Katon, W., Lin, E. H. B., & Kroenke, K. (2007). The association of depression and anxiety with medical symptom burden in patients with chronic medical illness. *General Hospital Psychiatry*, 29, 147–155.
<https://doi.org/10.1016/j.genhosppsych.2006.11.005>
- Kay, J., Sansone, R. A., Correll, T., Banish, S. S., Sansone, R. A., & Correll, T. (2005). Dysthymic Disorder : The Persistent Depression. *Hospital Physician Board Review Manual*, 9, 1–12.
- Kendler, K. S., Thornton, L. M., & Gardner, C. O. (2000). Stressful Life Events and Previous Episodes in the Etiology of Major Depression in Women : An Evaluation of the “ Kindling ” Hypothesis. *Am J Psychiatry*, 1243–1251.

- Kendler, K. S., Thornton, L. M., & Gardner, C. O. (2001). Genetic Risk , Number of Previous Depressive Episodes , and Stressful Life Events in Predicting Onset of Major Depression. *Am J Psychiatry*, (April), 582–586.
- Kim, J. Y., Kim, B., Park, K. S., Choi, J. Y., Seo, J. J., Park, S. H., ... Kim, Y. L. (2013). Health-related quality of life with KDQOL-36 and its association with self-efficacy and treatment satisfaction in Korean dialysis patients. *Quality of Life Research*, 22(4), 753–758. <https://doi.org/10.1007/s11136-012-0203-x>
- Kimata, N., Tsuchiya, K., Akiba, T., & Nitta, K. (2015). Differences in the Characteristics of Dialysis Patients in Japan Compared. *Department of Blood Purification, Kidney Center, Tokyo Women's Medical University*, 8666, 275–279. <https://doi.org/10.1159/000441573>
- Lewis, R. (2012). *Understanding chronic kidney disease : a guide for the non-specialist*. M and K Update.
- Lozano, R., Naghavi, M., Foreman, K., Lim, S., Shibuya, K., Aboyans, V., ... Murray, C. J. L. (2012). Global and regional mortality from 235 causes of death for 20 age groups in 1990 and 2010: A systematic analysis for the Global Burden of Disease Study 2010. *The Lancet*, 380(9859), 2095–2128. [https://doi.org/10.1016/S0140-6736\(12\)61728-0](https://doi.org/10.1016/S0140-6736(12)61728-0)
- Mailani, F. (2015). Kualitas Hidup Pasien Penyakit Ginjal Kronik Yang Menjalani Hemodialisis: Systematic Review FitriMailani,. *Ners Jurnal Keperawatan*, 11(1), 1–8.
- Masina, T., Chimera, B., Kamponda, M., & Dreyer, G. (2016). Health related quality of life in patients with end stage kidney disease treated with haemodialysis in Malawi: a cross sectional study. *BMC Nephrology*, 17(1), 61. <https://doi.org/10.1186/s12882-016-0292-9>
- Matthews, J. (2012). An Update on Psychotic Depression, Mental Illnesses - Understanding, Prediction and Control, 239–254.
- McAnich, J. W., & Lue, T. F. (2013). *Smith & Tanagho's General Urology* (18th ed.). United States of America: Mc Graw Hill.
- Ministry of Health Singapore. (2012). Depression. *MOH Clinical Practice Guidelines*, 18.
- Mojtabai, R. (2014). Diagnosing Depression in Older Adults in Primary Care. *New England Journal of Medicine*, 13, 1180. <https://doi.org/10.1056/NEJMp1316370>
- Mollaoğlu, M. (2013). Quality of Life in Patients Undergoing Hemodialysis. *Intech*, 37, 604–609. <https://doi.org/10.5772/711>
- Molsted, S., & Heaf, J. (2007). Assessment and Clinical Aspects of Health-Related Quality of Life in Dialysis Patients and Patients with Chronic Kidney Disease. *Nepron Clinical Practice*, 106. <https://doi.org/10.1159/000101481>
- National Association for Mental Health. (2016). Seasonal Affective Disorder (SAD).
- National Institute of Diabetes and Digestive and Kidney Diseases. (2016). Hemodialysis What is hemodialysis and how does it work? United States of America: National Institutes of Health. Retrieved from

<https://www.niddk.nih.gov/health-information/kidney-disease/kidney-failure/hemodialysis>

National Institute of Mental Health. (2008). Bipolar Disorder. *NIMH Publication*.

National Institute of Mental Health. (2015). Bipolar Disorder. *NIH Publication*.

National Institutes of Mental Health. (2015). Depression. *NIH Publication, No. 15-356*.

National Kidney Foundation. (2002). *K/DOQI Clinical Practice Guidelines for Chronic Kidney Disease: Evaluation, Clasification and Stratification. American Journal of Kidney Diseases* (Vol. 39).
<https://doi.org/10.1634/theoncologist.2011-S2-45>

National Kidney Foundation. (2006). 2006 Updates Clinical Practice Guidelines. *KDQOI Guidelines*.

National Kidney Foundation. (2007). A “ New Normal ”: Life on Dialysis - The Fir Thest 90 Days. *National Kidney Foundation*.

National Kidney Foundation. (2015). KDOQI Clinical Praticce Guideline For Hemodialysis Adequcy: 2015 Update Abstract University of Minnesota Department of Medicine. *Am J Kidney Dis*, 66(5), 884–930.
<https://doi.org/10.1053/j.ajkd.2015.07.015>

National Kidney Foundation. (2017). Coping With The Top Five Side Effects of Dialysis. Retrieved October 3, 2017, from
<https://www.kidney.org/news/ekidney/january12/top5>

Nelson, V., Gopalakrishnan, S., Simon, S., Babu, V., Vikraman, V., Abraham, S., ... Medical, T. (2008). Depression Among Dialysis Patients. *National Kidney Foundation*, 40(2), 34–37.

Nugroho, B. A. (2005). *Strategi Jitu Memilih Metode Statistik Penelitian Dengan SPSS*. Yogyakarta: CV Andi Offset.

Onya, O. N., & Stanley, P. C. (2013). Risk Factors For Depressive Illness Among Elderly Gopd Attendees at Upth. *IOSR Journal of Dental and Medical Sciences*, 5(2), 77–86.

Ossareh, S., Tabrizian, S., & Zebanjadi, M. (2014). Prevalence of Depression in Maintenance Hemodialysis Patients and Its Correlation With Adherence to Medications. *Iranian Journal of Kidney Diseases*, 8(6), 467–475. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/25362222>

Özabac, N. (2010). Quality of life as a predictor of depression. *Procedia - Social and Behavioral Sciences*, 2(2), 2458–2463.
<https://doi.org/10.1016/j.sbspro.2010.03.353>

Patel, M. L., Sachan, R., & Nischal, A. (2012). Anxiety and Depression - A Suicidal Risk in Patients with Chronic Renal Failure on Maintenance Hemodialysis. *International Journal of Scientific and Research Publications*, 2(3), 1–6.

PERNEFRI. (2013). *Naskah Lengkap Peningkatan Pelayanan Penyakit Ginjal Kronik Masa Kini*. (M. Sja'bani, Dharmeizar, Lestariningsih, & B. Purwanto, Eds.). Yogyakarta: PERNEFRI Wilayah Yogyakarta.

PERNEFRI. (2014). 7 th Report Of Indonesian Renal Registry 2014 7 th Report Of Indonesian Renal Registry 2014.

PERNEFRI. (2015). 8 th Report Of Indonesian Renal Registry 2015. *PERNEFRI*.

- Petrovic, D. G., Mesaro Devcie, I., Lesac, A., Mandic, M., Soldatic, M., Vezmar, D., ... Racki, S. (2011). Health-related Quality of Life in the Patients on Maintenance Hemodialysis: The Analysis of Demographic and Clinical Factors. *Original Scientific Paper*, 35, 687–693.
- Phillips, R. L. E. E. (2017). Quality Of Life Among Hemodialysis Patients: Evaluating The Kdqol-36 And Its Utility In Clinical Practice. *The University of Georgia*.
- Pladys, A., Bayat, S., Kolko, A., Béchade, C., Couchoud, C., & Vigneau, C. (2016). French patients on daily hemodialysis: clinical characteristics and treatment trajectories. *BMC Nephrology*, 1–10. <https://doi.org/10.1186/s12882-016-0306-7>
- Prastya, K. (2010). Pengaruh Depresi terhadap Kualitas Hidup Pasien Penyakit Ginjal Kronik yang Menjalani Hemodialisis. *Repository USU*.
- Rafie, S., Jafari, M., Azizi, M., Bahadoram, M., & Jafari, S. (2016). Restless Legs Syndrome in Hemodialysis Patients. *Saudi Journal of Kidney Diseases and Transplantation*, 27(2), 326–330.
- Ritsher, J. E. B., Warner, V., Johnson, J. G., & Dohrenwend, B. P. (1999). Inter-generational longitudinal study of social class and depression: a test of social causation and social selection models. *British Journal Of Psychiatri*, 8, 4–11.
- Rustina, Putrini, J., & Fitriangga, A. (2012). Gambaran Tingkat Depresi Pada Pasie Gagal Ginjal Kronik yang menjalani Hemodialisis di RSUD Soedarso Pontianak. *Fakultas Kedokteran Universitas Tanjungpura*.
- Saraha, S. h M., Ne, E. K., & Ng, F. nand W. (2013). Hubungan Dukungan Keluarga Dengan Depresi Pada Pasien Penyakit Ginjal Kronik Di Ruang Hemodialisa Blu Rsup Prof. Dr. R D. Kandou Manado. *Ejournal Keperawatan*, 1.
- Shirazian, S., Grant, C. D., Aina, O., Mattana, J., & Khorassani, F. (2017). Depression in Chronic Kidney Disease and End-Stage Renal Disease: Similarities and Differences in Diagnosis, Epidemiology, and Management. *Kidney International Reports*, 2(1), 94–107. <https://doi.org/10.1016/j.ekir.2016.09.005>
- Simanjuntak, V. O., Lamtiar, R. R., & Sitepu, J. N. (2017). Korelasi Lama Menjalani Hemodialisis Dengan Skor Depresi Pada Pasien Gagal Ginjal Kronik Yang Menjalani Hemodialisis Di Instalasi Dialisis RSUD Dr . Pirngadi Medan Periode Januari-Maret Tahun 2017. *Nommensen Journal of Medicine*, 3(September).
- Suarsedewi, D. W. (2012). Hubungan Dosis Hemodialisis Dalam Perspektif Keperawatan Terhadap Adekuasi Pasien Penyakit Ginjal Kronis Di RSUP Fatmawati. *Tesis Program Magister Ilmu Keperawatan Fakultas Ilmu Keperawatan Universitas Indonesia*.
- Swartz, C. M., & Shorter, E. (2007). Psychotic depression. *Cambridge University Press*.
- Takaki, J., Wang, D., Takigawa, T., & Ogino, K. (2007). Gender, Marital Status, and Compliance in Maintenance Hemodialysis Patients. *Dialysis & Transplantation*, (June), 1–3.
- Tanagho, E. A., & McAninch, J. W. (2008). *Smith's General Urology* (17th ed.).

- United States of America: Mc Graw Hill.
- Tavallaii, S. A., Nemati, E., Reza, H., Vishteh, K., Farahani, M. A., Lankarani, M. M., & Assari, S. (2009). Marital Adjustment in Patients on Long-Term Hemodialysis. *IJKD Dialysis*, 3(3), 156–161.
- Teles, F., de Azevedo, V., Miranda, C., Miranda, M., Teixeira, M., & Elias, R. (2014). Depression in hemodialysis patients: the role of dialysis shift. *Clinical Science*, 69(3), 198–202. [https://doi.org/10.6061/clinics/2014\(03\)10](https://doi.org/10.6061/clinics/2014(03)10)
- Theofilou, P. (2013). Quality of Life: Definition and Measurement. *Europe's Journal of Psychology*, 9, 150–162. <https://doi.org/10.5964/ejop.v9i1.337>
- Tonelli, M., Manns, B., Culleton, B., Klarenbach, S., Hemmelgarn, B., Wiebe, N., & Gill, J. S. (2007). Association between proximity to the attending nephrologist and mortality among patients receiving hemodialysis. *Canadian Medical Association or Its Licensors*, 177(9).
- Tsutsui, H., Nomura, K., Ishiguro, A., Tsuruta, Y., Kato, S., & Yasuda, Y. (2017). Factors associated with employment in patients undergoing hemodialysis : a mixed methods study. *Bio Med Central*, 1–11. <https://doi.org/10.1186/s41100-017-0105-z>
- Ulu, M. S., & Ahsen, A. (2014). Muscle Cramps During Hemodialysis What can we Do? New Approachs for Treatment and Preventing. *European Journal of General Medicine*, 12(3), 277–281. <https://doi.org/10.15197/ejgm.01391>
- Umayah, U. (2016). Hubungan Tingkat Pendidikan, Penget Ahuan, Dan Dukungan Keluarga Dengan Kepatuhan Dalam Pembatasan Asupan Cairan Pada Pasien Gagal Ginjal Kronik (Ggk) Yang Menjalani Hemodialisa (Hd) Rawat Jalan Di Rsud Kabupaten Sukoharjo.
- Utami, M. S. P., Rosa, E. M., & Khoiriyati, A. (2016). Gambaran Komorbid Pasien Hemodialisa, 18–23.
- Wang, L., & Chen, C. (2012). The Psychological Impact of Hemodialysis on Patients with Chronic Renal Failure. *Intech*, 217–236.
- Weisbord, S. D., Fried, L. F., Arnold, R. M., Fine, M. J., Levenson, D. J., Peterson, R. A., & Switzer, G. E. (2005). Prevalence, Severity, and Importance of Physical and Emotional Symptoms in Chronic Hemodialysis Patients. *Journal of the American Society of Nephrology*, 16, 2487–2494. <https://doi.org/10.1681/asn.2005020157>
- WHO. (2012). Depression, a global public health concern. *WHO Department of Mental Health and Substance Abuse*, 1–8. https://doi.org/10.1007/978-3-642-11688-9_20
- World Health Organization. (n.d.). Measuring Quality Of Life : The World Health Organization Quality Og Life Instruments. *Division Of Mental Health And Prevention Of Substance Abuse World Health Organization*.
- World Kidney Day. (2015). Chronic Kidney Disease - World Kidney Day. Retrieved February 24, 2017, from <http://www.worldkidneyday.org/faqs/chronic-kidney-disease/>
- Yuliahana, P., Maramis, M. M., & Triyono, E. A. (2012). Personality Affects Depression Occurrence In Hiv/Aids Patient. *Folia Medica Indonesia*, 48, 81–83.
- Zhang, L., Wang, F., Wang, L., Wang, W., Liu, B., Liu, J., ... Wang, H. (2012).

Prevalence of chronic kidney disease in China: A cross-sectional survey. *The Lancet*, 379(9818), 815–822. [https://doi.org/10.1016/S0140-6736\(12\)60033-6](https://doi.org/10.1016/S0140-6736(12)60033-6)

Zhang, M., Kim, J. C., Li, Y., Shapiro, B. B., Porszasz, J., Bross, R., ... Kopple, J. D. (2014). Relation between anxiety, depression, and physical activity and performance in maintenance hemodialysis patients. *Journal of Renal Nutrition: The Official Journal of the Council on Renal Nutrition of the National Kidney Foundation*, 24(4), 252–260. <https://doi.org/10.1053/j.jrn.2014.03.002>

Zimbudzi, E., Lo, C., Ranasinha, S., Gallagher, M., Fulcher, G., Kerr, P. G., ... Zoungas, S. (2016). Predictors of Health-Related Quality of Life in Patients with Co-Morbid Diabetes and Chronic Kidney Disease. *PLoS ONE*, 9, 1–12. <https://doi.org/10.1371/journal.pone.0168491>

Zyga, S., Alikari, V., Sachlas, A., Fradelos, E., Stathoulis, J., Panoutsopoulos, G., ...Lavdaniti, M. (2015). Assessment of Fatigue in End Stage Renal Disease Patients Undergoing Hemodialysis: Prevalence and Associated Factors. *Medical Archives*, 69(6), 376. <https://doi.org/10.5455/medarh.2015.69.376-380>