

DAFTAR PUSTAKA

- Agnihotri, S. A., Mallikarjuna, N. N., & Aminbhavi, T. M. (2004). Recent advances on chitosan-based micro- and nanoparticles in drug delivery. *Journal of Controlled Release*, 100, 5-28.
- Avadi, M. R., Sadeghi, A. M. M., Mohammadpour, N., Abedin, S., Atyabi, F., Dinarvand, R., & Rafiee-Tehrani, M. (2010). Preparation and characterization of insulin nanoparticles using chitosan and Arabic gum with ionic gelation method. *Nanomedicine: Nanotechnology, Biology, and Medicine*, 6(1), 58-63.
- Berger, J., Reist, M., Mayer, J. M., Felt, O., Peppas, N. A., & Gurny, R. (2004). Structure and interactions in covalently and ionically crosslinked chitosan hydrogels for biomedical applications. *European Journal of Pharmaceutics and Biopharmaceutics*, 57, 19-34.
- Bhardwaj, T. R., Kanwar, M., Lal, R., & Gupta, A. (2000). Natural gums and modified natural gums as sustained-release carriers. *Drug Development and Industrial Pharmacy*, 26(10), 1025-1038.
- Bhattarai, N., Gunn, J., & Zhang, M. (2010). Chitosan-based hydrogels for controlled, localized drug delivery. *Advanced Drug Delivery Reviews*, 62, 83-99.
- Budhijanto, B., Nugraheni, P. S., & Budhijanto, W. (2015). Inhibition of Microbial Growth by Nano-chitosan for Fresh Tilapia (*Oreochromis*) Preservation. *Procedia Chemistry*, 16, 663-672.
- Burgess, D. J., & Singh, O. N. (1993). Spontaneous Formation of Small Sized Albumin/acacia Coacervate Particles. *Journal of Pharmacy and Pharmacology*, 45(7), 586-591.
- Calvo, P., & Remunan-Lopez, C. (1997). Novel hydrophilic chitosan-polyethylene oxide nanoparticles as protein carriers. *Journal of Applied Polymer Science*, 63, 125-132.
- Carvalho, E. L. S., Grenha, A., Remuñán-López, C., Alonso, M. J., & Seijo, B. (2009). Chapter 15 Mucosal Delivery of Liposome-Chitosan Nanoparticle Complexes. *Methods in Enzymology*, 465, 289-312.
- Chaiyakosa, S., Charernjiratragul, W., Umsakul, K., & Vuddhakul, V. (2007). Comparing the efficiency of chitosan with chlorine for reducing *Vibrio parahaemolyticus* in shrimp. *Food Control*, 18, 1031-1035.
- Chen, Y., Liu, J., Yang, X., Zhao, X., & Xu, H. (2005). Oleanolic acid nanosuspensions: preparation, in-vitro characterization and enhanced hepatoprotective effect. *Journal of Pharmacy and Pharmacology*, 57, 259-264.
- Chung, Y. C., Su, Y. P., Chen, C. C., Jia, G., Wang, H. I., Wu, J. C. G., & Lin, J. G. (2004). Relationship between antibacterial activity of chitosan and surface characteristics of cell wall. *Acta Pharmacologica Sinica*, 25(7), 932-936.
- Coelho, S., Moreno-Flores, S., Toca-Herrera, J. L., Coelho, M. A. N., Carmo Pereira, M., & Rocha, S. (2011). Nanostructure of polysaccharide complexes. *Journal of Colloid and Interface Science*, 363(2), 450-455.

- Cooper, C. L., Dubin, P. L., Kayitmazer, A. B., & Turksen, S. (2005). Polyelectrolyte-protein complexes. *Current Opinion in Colloid and Interface Science*, 10, 52-78.
- Dakhara, S., & Anajwala, C. (2010). Polyelectrolyte complex: A pharmaceutical review. *Systematic Reviews in Pharmacy*, 1(2), 121-127.
- de Pinho Neves, A. L., Milioli, C. C., Müller, L., Riella, H. G., Kuhnen, N. C., & Stulzer, H. K. (2014). Factorial design as tool in chitosan nanoparticles development by ionic gelation technique. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 445, 34-39.
- Dickinson, E. (2009). Hydrocolloids as emulsifiers and emulsion stabilizers. *Food Hydrocolloids*, 23(6), 1473-1482.
- Du, J., Dai, J., Liu, J. L., & Dankovich, T. (2006). Novel pH-sensitive polyelectrolyte carboxymethyl Konjac glucomannan-chitosan beads as drug carriers. *Reactive and Functional Polymers*, 66(10), 1055-1061.
- Espinosa-Andrews, H., Báez-González, J. G., Cruz-Sosa, F., & Vernon-Carter, E. J. (2007). Gum arabic-chitosan complex coacervation. *Biomacromolecules*, 8(4), 1313-1318.
- Espinosa-Andrews, H., Sandoval-Castilla, O., & Vázquez-Torres. (2010). Determination of the gum Arabic-chitosan interactions by Fourier Transform Infrared Spectroscopy and characterization of the microstructure and rheological features of their coacervates. *Carbohydrate Polymers*, 79, 541-546.
- Fardiaz, S., 1989, Mikrobiologi Pangan, Bogor: PAU Pangan dan Gizi IPB.
- Farooq, M., Sagbas, S., Sahiner, M., Siddiq, M., Turk, M., Aktas, N., & Sahiner, N. (2017). Synthesis, characterization and modification of Gum Arabic microgels for hemocompatibility and antimicrobial studies. *Carbohydrate Polymers*, 1-35.
- Grenha, A. (2012). Chitosan nanoparticles: a survey of preparation methods. *Journal of Drug Targeting*, 20(4), 291-300.
- Hartlig, S. M., Carlesso, G., Davidson, J. M., & Prokop, A. (2007). Development of improve nanoparticle polyelectrolyte complex physicochemistry by nonstoichiometric mixing of polyions with similar molecular weights. *Biomacromolecules*, 8(1), 265-272.
- Hu, Q., Wang, T., Zhou, M., Xue, J., & Luo, Y. (2016). Formation of redispersible polyelectrolyte complex nanoparticles from gallic acid-chitosan conjugate and gum arabic. *International Journal of Biological Macromolecules*, 92, 812-819.
- Hu, Y., Jiang, X., Ding, Y., Ge, H., Yuan, Y., & Yang, C. (2002). Synthesis and characterization of Chitosan-poly(acrylic acid) nanoparticles. *Biomaterials*, 23(15), 3193-3201.
- Idris, O. H. M., Williams, P. A., & Phillips, G. O. (1998). Characterisation of gum from Acacia senegal trees of different age and location using multidetection gel permeation chromatography. *Food Hydrocolloids*, 12(4), 379-388.
- Il'ina, A. V., & Varlamov, V. P. (2005). Chitosan-based polyelectrolyte complexes: A review. *Applied Biochemistry and Microbiology*, 41(1), 9-16.
- Irianto, Hari Eko., Muljanah, I. (2011). Proses dan Aplikasi Nanopartikel Kitosan Sebagai Penghantar Obat. *Squalen*, 6(1), 1-8.

- Jayanudin, Rochmadi, Wiratni, Yulvianti, M., Barleany, D.R., & Ernayati, W. (2015). Encapsulation Red Ginger Oleoresin (*Zingiber officinale* var. Rubrum) With Chitosan-alginate as Wall Material Using Spray Drying. *Research Journal of Applied Sciences, Engineering, and Technology*, 10(12), 1370-1378.
- Jiang, J., Oberdörster, G., & Biswas, P. (2009). Characterization of size, surface charge, and agglomeration state of nanoparticle dispersions for toxicological studies. *Journal of Nanoparticle Research*, 11, 77-89.
- Jonassen, H., Kjóniksen, A. L., & Hiorth, M. (2012). Stability of chitosan nanoparticles cross-linked with tripolyphosphate. *Biomacromolecules*, 13(11), 3747-3756.
- Kaban, J. 2009. *Modifikasi Kimia dari Kitosan dan Aplikasi Produk yang Dihasilkan*. Pidato Pengukuhan Guru Besar. Kimia FMIPA USU Medan.
- Kong, M., Chen, X. G., Xing, K., & Park, H. J. (2010). Antimicrobial properties of chitosan and mode of action: A state of the art review. *International Journal of Food Microbiology*, 144, 51-63.
- Kurniasih, M., Kartini, I., & Aprilita, N.H. (2011). Sintesis dan karakterisasi crosslink kitosan dengan tripolifosfat pH 3. *Molekul*, 6(1), 19-24.
- López-León, T., Carvalho, E. L. S., Seijo, B., Ortega-Vinuesa, J. L., & Bastos-González, D. (2005). Physicochemical characterization of chitosan nanoparticles: Electrokinetic and stability behavior. *Journal of Colloid and Interface Science*, 283(2), 344-351.
- Luo, Y., & Wang, Q. (2013). Recent development of chitosan-based polyelectrolyte complexes with natural polysaccharides for drug delivery. *International Journal of Biological Macromolecules*.
- Mardiyati, E., Sjaikhurrizal, E., & Ria, D. (2012). Sintesis Nanopartikel Kitosan-Tripolyphosphate dengan Metode Gelasi Ionik: Pengaruh Konsentrasi dan Rasio Volume terhadap Karakteristik Partikel. *Prosiding Pertemuan Ilmiah Ilmu Pengetahuan Dan Teknologi Bahan*, 90-93.
- Mihai, M., Ghiorgă, C. A., Stoica, I., Niță, L., Popescu, I., & Fundeanu, G. (2011). New polyelectrolyte complex particles as colloidal dispersions based on weak synthetic and/or natural polyelectrolytes. *Express Polymer Letters*, 5(6), 506-515.
- Moschakis, T., Murray, B. S., & Biliaderis, C. G. (2010). Modifications in stability and structure of whey protein-coated o/w emulsions by interacting chitosan and gum arabic mixed dispersions. *Food Hydrocolloids*, 24(1), 8-17.
- Nasti, A., Zaki, N.M., Leonardis, P., Ungphaiboon, S., Sansongsak, P., Rimoli, M.G., & Tirelli, N. (2009). Chitosan/TPP and Chitosan/TPP-hyaluronic Acid Nanoparticles: Systematic Optimisation of the Preparative Process and Preliminary Biological Evaluation. *Pharmaceutical Research*, 26(8), 1918-1930.
- Patil, S., Sandberg, A., Heckert, E., Self, W., & Seal, S. (2007). Protein adsorption and cellular uptake of cerium oxide nanoparticles as a function of zeta potential. *Biomaterials*, 28, 4600-4607.
- Patil, J. S., Kamalapur, M. V., Marapur, S. C., & Kadam, D. V. (2010). Ionotropic gelation and polyelectrolyte complexation: The novel techniques to design

- hydrogel particulate sustained, modulated drug delivery system: A review. *Digest Journal of Nanomaterials and Biostructures*, 5(1), 241-248.
- Phillips, G. O., & Williams, P. A. (2009). *Handbook of Hydrocolloids (2nd Edition)*. Woodhead Publishing.
- Primaningtyas, A., Budhijanto, W., Fahrurrozi, M., & Kusumastuti, Y. (2017). The effects of surfactant and electrolyte concentrations on the size of nanochitosan during storage. In *AIP Conference Proceedings* (Vol. 1840).
- Qi, L., & Xu, Z. (2004). Lead sorption from aqueous solutions on chitosan nanoparticles. *Colloids and Surfaces A: Physicochem. Eng. Aspects*, 251, 183-190.
- Qi, L., Xu, Z., Jiang, X., Hu, C., & Zou, X. (2004). Preparation and antibacterial activity of chitosan nanoparticles. *Carbohydrate Research*, 339(16), 2693-2700.
- Raafat, D., & Sahl, H.-G. (2009). Chitosan and its antimicrobial potential - A critical literature survey. *Microbial Biotechnology*, 2(2), 186-201.
- Ramezani, Z., Zarei, M., & Raminnejad, N. (2015). Comparing the effectiveness of chitosan and nanochitosan coatings on the quality of refrigerated silver carp fillets. *Food Control*, 51, 43-48.
- Rampino, A., Borgogna, M., Blasi, P., Bellich, B., & Cesàro, A. (2013). Chitosan nanoparticles: Preparation, size evolution and stability. *International Journal of Pharmaceutics*, 455(1-2), 219-228.
- Sanchez, C., Mekhloufi, G., & Renard, D. (2006). Complex coacervation between β -lactoglobulin and Acacia gum: A nucleation and growth mechanism. *Journal of Colloid and Interface Science*, 299, 867-873.
- Sashiwa, H., & Aiba, S. I. (2004). Chemically modified chitin and chitosan as biomaterials. *Progress in Polymer Science (Oxford)*, 29, 887-908.
- Sedjati, S., Winarni Agustini, T., & Surti, T. (2007). Studi penggunaan khitosan sebagai anti bakteri pada ikan teri (*Stolephorus heterolobus*) asin kering selama penyimpanan suhu kamar. *Pasir Laut*, 2(2), 54-66.
- Shofiyati, D. A., Nugraheni, P. S., Murwantoko, Puspita, I. D., & Budhijanto, W. (2017). Optimasi proses produksi nanokitosan dengan metode gelasi ionik sebagai agen antimikrobia. *Semnaskan*.
- Smith, B.L. 1990. *Codex Alimentarius: Abridged Version*. Food and Agriculture Organization of the United Nations.
- Solval, K. M., Espinoza Rodezno, L. A., Moncada, M., Bankston, J. D., & Sathivel, S. (2014). Evaluation of chitosan nanoparticles as a glazing material for cryogenically frozen shrimp. *LWT - Food Science and Technology*, 57(1), 172-180.
- Sun, D., Kang, S., Liu, C., Lu, Q., Cui, L., & Hu, B. (2016). Effect of zeta potential and particle size on the stability of SiO₂ nanospheres as carrier for ultrasound imaging contrast agents. *Int. J. Electrochem. Sci*, 11, 8520-8529.
- Talu'mu, M.D. (2011). Kitosan Nanopartikel dengan Metode Sonokimia, Gelasi Ionotropik, dan Kompleks Polielektrolit. *J.Prog.Kim.Si*, 1(2), 130-137.
- Tan, C., Xie, J., Zhang, X., Cai, J., & Xia, S. (2016). Polysaccharide-based nanoparticles by chitosan and gum arabic polyelectrolyte complexation as carriers for curcumin. *Food Hydrocolloids*, 57, 236-245.

- Tapilatu, Y., Nugraheni, P. S., Ginzel, T., Latumahina, M., Limmon, G. V., & Budhijanto, W. (2016). Nano-chitosan Utilization for Fresh Yellowfin Tuna Preservation. *Aquatic Procedia*, 7, 285-295.
- Tiyaboonchai, W. (2003). Chitosan Nanoparticles : A Promising System for Drug Delivery. *Naresuan University Journal*, 11(3), 51-66.
- Tsai, R. Y., Chen, P. W., Kuo, T. Y., Lin, C. M., Wang, D. M., Hsien, T. Y., & Hsieh, H. J. (2014). Chitosan/pectin/gum Arabic polyelectrolyte complex: Process-dependent appearance, microstructure analysis and its application. *Carbohydrate Polymers*, 101(1), 752-759.
- Wang, X., Chi, N., & Tang, X. (2008). Preparation of estradiol chitosan nanoparticles for improving nasal absorption and brain targeting. *European Journal of Pharmaceutics and Biopharmaceutics*, 70, 735-740.
- Wojciechowski, K., & Klodzinska, E. (2015). Zeta potential study of biodegradable antimicrobial polymers. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 1-14.
- Xu, Y., & Du, Y. (2003). Effect of molecular structure of chitosan on protein delivery properties of chitosan nanoparticles. *International Journal of Pharmaceutics*, 250(1), 215-226.
- Zuhannisa, Nugraheni, P. S., Budhijanto, W., & Kusumastuti, Y. (2017). Preparation and characterization modified chitosan by polyelectrolyte complexation, 020128, 020128.
- Zetasizer Nano User Manual. 2013. Malvern Instruments Ltd.