

## DAFTAR PUSTAKA

- Aprilyanto, V. dan Sembiring, L. *Filogenetika Molekular Teori dan Aplikasi*. Innosain. Yogyakarta. Hal : 71.
- Alaydrus, Y. 2008. *Pemuliaan dan Pewarisan Sifat Ketahanan terhadap Kyuri Green Mottle Mosaic Virus (KGMMV) pada Melon (Cucumis melo L.)*. Tesis S2. Fakultas Biologi Universitas Gadjah Mada. Yogyakarta. P: 67-69.
- Bio-Rad. 2006. *Real-Time PCR Application Guide*. Bio-Rad Laboratories, Inc.
- Boissot, N., Schoeny, A., and Vanlerberghe-Masutti, F. 2016. Vat, an Amazing Gene Conferring Resistance to Aphids and Viruses They Carry: From Molecular Structure to Field Effects. *Frontiers in Plant Science*. 7(1420):1-18.
- Boualem, A., Fergany, M., Fernandez, R., Troadec, C., Martin, A., Morin, H., Sari, M.A., Collin, F., Flowers, J.M., Pitrat, M., Purugganan, M.D., Dogimont, C., Bendahmane, A. 2008. A conserved mutation in an ethylene biosynthesis enzyme leads to andromonoecy in melons. *Science*. 321:836–838.
- Boualem, A., Troadec, C., Kovalski, I., Sari, M.A., Perl-Treves, R., and Bendahmane, A. 2009. A conserved ethylene biosynthesis enzyme leads to andromonoecy in two *Cucumis* species. *PLoS One*.4:e6144.
- Boualem, A., Troadec, C., Camps, C., Lemhemdi, A., Morin, H., Sari, M.A., Fraenkel-Zagouri, R., Kovalski, I., Dogimont, C., Perl-Treves, R., and Bendahmane, A. 2015. A cucurbit androecy gene reveals how unisexual flowers develop and dioecy emerges. *Science*.350:688–691.
- Boualem, A., Lemhemdi, A., Sari, M.A., Pignoly, S., Troadec, C., Abou Choucha, F., Solmaz, I., Sari, N., Dogimont, D., and Bendahmane, A. 2016. The andromonoecious sex determination gene predates the separation of *Cucumis* and *Citrullus* genera. *PLoS One*. 11:e0155444.
- Bouwkamp, J.C., Angell, F.F., Schales, F.D. 1978. Effects of weather conditions on soluble solids of muskmelon. *Scientia Horticulturae* 8: 265–271.
- Burger, Y., Paris, H., Cohen, R., Katzir, N., Tadmor, Y., Lewinsohn, E. and Schaffer, A.A. (2009) Genetic diversity of *Cucumis melo*. *Hortic. Rev. (Am. Soc. Hortic. Sci.)*, 36, 165–198.
- Chang, E., Zhao, Y., Wei, Q., Shi, S., Jiang, Z. 2016. Isolation of high-quality RNA from *Platycladus orientalis* and other Cupressaceae plants. *Electron. J. Biotechnol.* 19(5):1-7.

- Clayberg, C. 1992. Interaction and linkage test of flesh color genes in *Cucumis melo* L. *Cucurbit Genet Coop Rep*, 15, 53.
- Daryono, B.S., Joko, T., dan Purnomo. 2017. Produksi Benih dan Buah Melon Unggul (*Cucumis melo* L.) Kultivar Meloni sebagai Produk Hortikultura Industri dalam Negeri untuk Kemandirian Benih Melon Nasional. Proposal Riset : Program Pengembangan Teknologi Industri (PPTI).
- Daryono, B.S. dan Maryanto, S.D. 2017. Keanekaragaman dan Potensi Sumber Daya Genetik Melon. UGM Press. Yogyakarta. Hal : 39.
- Delahaut, K.A. and Newenhouse. 1998. *Growing pumpkins and other vine crops in Wisconsin a Guide for Fresh-Market Grower. Extension Publishing. University of Wisconsin-Extension.*
- Dogimont, C. 2011. Gene List for Melon. *Cucurbit Genetics Cooperative Report* 33-34: 104-133.
- Fuentes, M.M., Lizarzaburu, J.A., Aguayo, E., Martínez, C, and Jamilena, M. 2017. Pleiotropic effects of *CmACS7* on fruit growth and quality parameters in melon (*Cucumis melo*). *ISHS Acta Horticulturae* 1151:V International Symposium on Cucurbits. 115-120.
- Girek, Z., Prodavonic, S., Zdravkovic, J., Zivanovic, T., Ugrinovic, M., and Zdravkovic, M. 2013. The effect of growth regulators on sex expression in melon (*Cucumis melo* L.). *Crop Breed. Appl. Biotechnol.*13(3):165-171.
- Hughes, M. 1948. The inheritance of two characters of *Cucumis melo* and their interrelationship. *Proc. Am. Soc. Hortic. Sci.*, 59, 399–402.
- IPGRI. 2003. *Descriptors for Melon (Cucumis melo L.)*. International Plant Genetic Resources Institute. Rome. Italy. pp : 25, 33.
- Jenks, M.A. and Bebeli, P.I.2011. *Breeding for Fruit Quality*. Wiley-Blackwell. USA.
- Johnson, P.R., and Ecker, J.R. (1998). The ethylene gas signal transduction pathway: A molecular perspective. *Annu. Rev. Genet.* 32, 227–254.
- Ji, G., Zhang, J., Gong, G., Shi, J., Zhang, H., Ren, Y., Guo, S., Gao, J., Shen, H., and Xu, Y. 2015. Inheritance of sex forms in watermelon (*Citrullus lanatus*). *Sci. Hortic.* 193:367–73.
- Kementerian Pertanian. 2015. *Statistik Produksi Hortikultura Tahun 2014*. Direktorat Jenderal Hortikultura. Jakarta. Hal : 104.

- Kramers J.H., Wiet, G. 1964. Kitab Surat al-Ard, Ibn al-Qasim ibn Hawqal al-Nasibi. Jouniya: Matba'a, 288–289, 314, 365 [in Arabic]. Ibn Hauqal, Configuration de la Terre, Vol. 2. Beirut: Commission Internationale pour la Traduction des Chefs-d'œuvre, 328, 360, 422 [in French].
- Kroen, W.K., Pharr, D.M., and Huber, S.C. 1991. Root flooding of muskmelon (*Cucumis melo* L.) affects fruit sugar concentration but not leaf carbon exchange rate. *Plant and Cell Physiology*. 32: 467–473.
- Kumar, S., Stecher, G., and Tamura, K. 2016. MEGA7: Molecular Evolutionary Genetic Analysis Version 7.0 for Bigger Datasets. *Molecular Biology and Evolution*. 33(7): 1870-1874.
- Leong, D.T., A. Gupta, H.F. Bai, G. Wan, L.F. Yoong, H. Too, F. T. Chew, and D.W. Hutmacher. 2007. Absolut quantification of gene expression in biomaterials research using real time PCR. *Biomaterials*. 28: 203-210.
- Li, Z., Wang, S., Tao, Q., Pan, J., Si, L., and Gong, Z. 2012. A putative positive feedback regulation mechanism in *CsACS2* expression suggests a modified model for sex determination in cucumber (*Cucumis sativus* L.). *J. Exp. Bot.* 63, 4475–4484.
- Livak, K. J. and T.D. Schmittgen. 2001. Analysis of Relative Gene Expression Data Using RealTime Quantitative PCR and the 2- $\Delta\Delta$ CT Method. *METHODS*. 25: 402–408.
- Manzano, S., Aguado, E., Martínez, C., Megías, Z., García, A., and Jamilena, M. 2016. The Ethylene Biosynthesis Gene *CitACS4* Regulates Monoecy/Andromonoecy in Watermelon (*Citrullus lanatus*). *PLoS One*. 11:e0154362.
- Martin, A., Troadec, C., Boualem, A., Rajab, M., Fernandez, R., Morin, H., Pitrat, M., Dogimont, C., and Bendahmane, A. 2009. A transposon-induced epigenetic change leads to sex determination in melon. *Nature*. 461:1135–1138.
- Martínez, C., Manzano, S., Megías, Z., Barrera, A., Boualem, A., Garrido, D., Bendahmane, A., and Jamilena, M. Molecular and functional characterization of *CpACS27A* gene reveals its involvement in monoecy instability and other associated traits in squash (*Cucurbita pepo* L.). 2014. *Planta*. 239:1201–15.
- Ming R, Bendahmane A, and Renner SS. 2011. Sex chromosomes in land plants. *Annu Rev Plant Biol*. 62:485–514.

- Nuñez-Palenius, H.G., Gomez-Lim, M., Ochoa-Alejo, N., Grumet, R., Lester, G. and Cantliffe, D.J. 2008. Melon fruits: genetic diversity, physiology, and biotechnology features. *Crit. Rev. Biotechnol.*, 28, 13–55.
- Prajnanta, F. 2004. *Pemeliharaan secara Intensif dan Kiat Sukses Beragrobisnis Melon*. PT Penebar Swadaya. Jakarta. p: 1-5.
- Prohens, J., and Nuez, F. 2008. *Vegetables I : Asteraceae, Brassicaceae, Chenopodiaceae, and Cucurbitaceae*. Handbook of Plant Breeding. Sringer, New York.
- Purseglove, J.W. 1968. *Tropical Crops :Dicotyledons I*. John Wiley and Sons, New York.
- Pitrat, M. 2013. Phenotypic diversity in *wild* and cultivated melons (*Cucumis melo*). *Plant Biotechnology*.30:273–278.
- Rio, D.C. 2014. Reverse Transcription–Polymerase Chain Reaction. *Cold Spring Harbor Protocols*. 1207-1216.
- Robinson and Decker-Walker. 1999. *Cucurbits*. Cab International 198 Madison Ave. New York. USA. pp. 80-90.
- Rodriguez, N.Y., Lemhemdi, A., Choucha, F.A., Latrase, D., Benhamed, M., Bualet, A., and Bendahmane, A. 2017. Sex Determination in *Cucumis*. *Genetics and Genomics of Cucurbitaceae*. Springer. pp : 1-13.
- Sah, K.S., Kaur, G., and Kaur, A. 2014. Rapid and Reliable Method of High-Quality RNA Extraction from Diverse Plants. *American Journal of Plant Sciences*. 5:3129-3139.
- Sambrook, J. and Russel, D.W. 2001. *Molecular Cloning: A Laboratory Manual*. 3rd Ed. Volume 3. New York: Cold Spring Harbour.
- Savira, F.F. and Hardiany, N.S. 2016. Effect of Temperature Towards RNA Concentration: Quantitative Investigation with Spectrophotometer. *eJournal Kedokteran Indonesia*. 4(1):44-48.
- Schaffer, A.A., Burger, Y., and Zhang, G. 2000. Biochemistry of sugar accumulation in melons as related to the genetic improvement of fruit quality. In: Katzir N, Paris HS. eds. *Proceedings of Cucurbitaceae 2000, the 7th Eucarpia Meeting on Cucurbit Genetics and Breeding*. *Acta Horticulturae*.510: 449–453.
- Sobir dan Siregar, F. 2014. *Berkebun Melon Unggul (Edisi Revisi)*. Penebar Swadaya. Jakarta. Hal : 9.

- Stangegaard, M., Dufva, I.H., and Dufva, M. 2006. Reverse transcription using random pentadecamer primers increases yield and quality of resulting cDNA. *BioTechniques*. 40:649-657.
- Taft, J.A. 2013. *The effect of carpel and stamen primordia-targeted ethylene production and perception on sex expression in melon (Cucumis melo L)*. Thesis. Michigan State University. pp : 13.
- Takashi, H.. and Jaffe, M.J. 1984. Further studies of auxin and ACC induced ferminization in the cucumber plant using ethylene inhibitors. *Phyton*. 44:81-86.
- Tjitrosoepomo, G. 1989. *Taksonomi Tumbuhan (Spermatophyta)*. Gadjah Mada University Press. Yogyakarta. p : 379-380.
- Tjitrosoepomo, G. 1991. *Taksonomi Tumbuhan*. Gadjah Mada University Press. Yogyakarta.
- Tjitrosoepomo, G. 2005. *Morfologi Tumbuhan*. Gadjah Mada University Press. Yogyakarta.
- Wang KL, Li H, and Ecker JR. 2002. Ethylene biosynthesis and signaling networks. *Plant Cell*.14:131–152.
- Wells, J.A. and Nugent, P.E. 1980. Effect of high soil moisture on quality of muskmelon. *HortScience*.15: 258–259.
- Wong, M.L. and Medrano, F. 2005. Real-time PCR for mRNA quantitation. *BioTechniques*. 39(1): 75-85.
- Yamasaki, S., Fujii, N., and Takahashi, H. 2005. Hormonal regulation of sex expression in plants. *Vitam. Horm.* 72 : 79–110.
- Yawalkar, K.S. 1980. *Vegetable crops of India*. Nagpur: Agri-Horticultural Publishing, 141–148.
- Zhang, J., Boualem, A., Bendahmane, A., and Ming, R. 2014. Genomics of Sex Determination. *Science direct*. 18:110-116