

DAFTAR PUSTAKA

- Agoes, G., 2008, *Sistem Penghantaran Obat Pelepasan Terkendali*, Seri Farmasi Industri 3, 231-239, ITB Press, Bandung.
- Akbar, H.F., Sugiyartono, & Setiawan, D., 2012, Pengaruh Penambahan Manitol terhadap Pelepasan Ranitidin HCl dari Tablet Floating dengan HPMC K100M sebagai Matriks, *PharmaScientia*, **1** (1), 30-45.
- Allen, L.V. & Ansel H.C., 2014, *Ansel's Pharmaceutical Dosage Forms and Drug Delivery Systems*, Tenth Edition, 263-294, 299-311, Lippincott Williams & Wilkins, Philadelphia.
- Allen, L.V. & Luner, P.E., 2009, Magnesium Stearate, dalam Rowe, R.C., Sheskey, P.J., & Quinn, M.E., (Eds.), *Handbook of Pharmaceutical Excipients*, 6th Edition, 404-407, Pharmaceutical Press, London.
- AOAC, 2016, *Appendix F: Guidelines for Standard Method Performance Requirements*, 9, Association of Official Analytical Chemist Inc., Washington Dc.
- Asane, G.S., Aher, K.B., Jain, D.K., & Bidkar, S.G., 2007, Mucoadhesive Gastro Intestinal Drug Delivery System : An Overview, *Pharmaceutical Reviews*, **5** (6), 1-3.
- Bandelin, F.J., 1989, Compressed Tablet by Wet Granulation, dalam Lieberman, H.A., Lachman, L., & Joseph, B.S., (Eds.), *Pharmaceutical Dosage Forms: Tablets*, 2nd Edition, 131-179, Marcel Dekker, Inc., New York.
- Banker, G.S. & Anderson, N.R., 1986, Tablet, dalam Lachman, L., Lieberman, H. A., & Kanig, J. L., (Eds.), *The Theory and Practice of Industrial Pharmacy*, Third Edition., 293-345, Lea and Febiger, Philadelphia.
- Bolton, S. & Bon, C., 2004, *Pharmaceutical Statistics Practical and Clinical Applications*, 4th Edition, Revised and Expanded, 523-526, Marcel Dekker, Inc., New York.
- CDER, 1997, *Guidance for Industry : Dissolution Testing of Immediate Release Solid Oral Dosage Forms*, 8-9, Food and Drug Administration, Rockville.
- CDER, 2002, *Waiver of In Vivo Bioavailability and Bioequivalence Studies for Immediate Release Solid Oral Dosage Forms Based on a Biopharmaceutics Classification System*, 13-17, Food and Drug Administration, Maryland.
- Chan, C.C., Lee, H.L.Y.C., & Zhang, X., 2004, Linieritas, dalam Riyanto, *Validasi & Verifikasi Metode Uji*, 53-56, Deepublish, Yogyakarta.

- Chowdary, K.R.P. & Sundari, G.B., 2003, Design and Evaluation of Mucoadhesive Controlled Release Oral Tablets of Glipizide, *Indian Journal of Pharmaceutical Science*, **65** (6), 591-594.
- Collett, J. & Moreton, C., 2002, Modified-Release Peroral Dosage Form, dalam Aulton, M.E., (Ed.), *Pharmaceutics : The Science Of Dosage Form Design*, 2nd Edition, 289-305, Churchill Livingstone, Edinburg.
- Dahl, T.C., 2009, Ethylcellulose, dalam Rowe, R.C., Sheskey, P.J., & Quinn, M. E., (Eds.), *Handbook of Pharmaceutical Excipients*, 6th Ed., 262-267, Pharmaceuticals Press, London.
- Departemen Kesehatan RI, 2007, *Pharmaceutical Care Untuk Penyakit Asma*, 1-2, Departemen Kesehatan Republik Indonesia, Jakarta.
- Departemen Kesehatan RI, 2013, *Infodatin*, 3, Pusat Data dan Informasi Kementerian Kesehatan RI, Departemen Kesehatan Republik Indonesia, Jakarta.
- Departemen Kesehatan RI, 2014, *Farmakope Indonesia*, Edisi V, 1122-1123, 1526-1530, Departemen Kesehatan Republik Indonesia, Jakarta.
- Dharmesh, S., Sandip, M.B., Agham, S.A., & Aghera, N., 2012, Gastro Retentive Drug Delivery System Based on Natural Mucoadhesive Polymers. *Pharmtech Medica*, **1** (1), 1-10.
- Enayatifard, R., Saeedi M., Akbari, J., & Tabatabaee Y.H., 2009, Effect of Hydroxypropyl Methylcellulose and Ethyl Cellulose Content on Release Profile and Kinetics of Diltiazem HCl from Matrices, *Tropical Journal of Pharmaceutical Research*, **8** (5), 425-432.
- Fassihi A.R. & Kanfer I., 1986, Effect of Compressibility and Powder Flow Properties on Tablet Weight Variation, *Drug Development and Industrial Pharmacy*, **12**, 1947-1966.
- Fiese, E.F. & Hagen, T.A., 1986, Preformulation, dalam Lachman, L., Lieberman, H.A., & Kanig, J.L., (Eds.), *The Theory and Practice of Industrial Pharmacy*, Third Edition., 171-198, Lea and Febiger, Philadelphia.
- Fudholi, A., 1983, Metodologi Formulasi Dalam Kompresi Direk, *Majalah Medika*, **7** (9), 586-593.
- Fudholi, A., 2013, *Disolusi dan Pelepasan Obat in vitro*, 45-50, 142, Pustaka Pelajar, Yogyakarta.
- Gandjar, I.G. & Rohman, A., 2007, *Kimia Farmasi Analisis*, 323-346, 469, Pustaka Pelajar, Yogyakarta.

- Guy, A., 2009, Cellulose, Microcrystalline, dalam Rowe, R.C., Sheskey, P.J., & Quinn, M.E., (Eds.), *Handbook of Pharmaceutical Excipients*, 6th Edition, 129-133, Pharmaceutical Press, London.
- Hausler, O., 2009, Starch, dalam Rowe, R.C., Sheskey, P.J., & Quinn, M.E., (Eds.), *Handbook of Pharmaceutical Excipients*, 6th Edition, 685-691, Pharmaceutical Press, London.
- Hayati, D., Iskandarsyah, & Sutrio, 2010, Pengaruh Kombinasi Hidroksipropil Metilselulosa-Xanthan Gum sebagai Matriks pada Profil Pelepasan Tablet Teofilin Lepas Terkendali, *Majalah Ilmu Kefarmasian*, **7** (3), 58-70.
- Hegyesi, D., Süvegh, K., Kelemen, A., Pintye-Hódi, K., & Regdon, G., 2014, Characterization of Ethylcellulose Free Films by Positron Annihilation Spectroscopy and Mechanical Testing, *Microchemical Journal*, **115**, 47-50.
- Kartikasari, S.D., Murti, Y.B., & Mufrod, 2015, Effervescent Tablets Formulation of Ginger Rhizome (*Zingiber officinale* Rose.) with Variation of Citric Acid and Tartaric Acid Level, *Traditional Medicine Journal*, **20** (2), 124-132.
- Kibbe, AH, 2009, Talc, dalam Rowe, R.C., Sheskey, P.J., & Quinn, M.E., (Eds.), *Handbook of Pharmaceutical Excipients*, 6th Edition, 728-731, Pharmaceutical Press, London.
- Lee, B., 2008, Pharmaceutical Preformulation: Physicochemical Properties Of Excipients And Powders And Tablet Characterization, dalam Gad, S.C., (Ed.), *Pharmaceutical Manufacturing Handbook : Production and Processes*, 922-927, John Wiley & Sons, Inc., New Jersey.
- Lee, S., Raw, A., & Yu, L., 2008. Dissolution Testing, dalam Krishna, R. & Yu, L., (Eds.), *Biopharmaceutics Applications in Drug Development*, 47-74, Springer, Boston, MA.
- Lieberman, H.A., Lachman, L., & Schwartz, J.B., 1989, *Pharmaceutical Dosage Form : Tablets Volume 1*, 2nd Edition, Revised and Expanded, 198, Marcel Dekker Inc., New York.
- Lordi, N. G., 1986, Sustained Release Dosage Form, dalam Lachman, L., Lieberman, H. A., & Kanig, J. L., (Eds.), *The Theory and Practice of Industrial Pharmacy*, Third Edition., 430-456, Lea and Febiger, Philadelphia.
- Majithiya, R.J., Raval, A.J., Umrethia, M.L., Ghosh, P.K., & Murthy, R.S.R., 2008, Enhancement of Mucoadhesion by Blending Anionic, Cationic and Nonionic Polymers. *Drug Delivery Technology*, **8**, 40-45.
- Martin, A., Swarbrick, J., & Cammarata, A., 1993, *Farmasi Fisik*, diterjemahkan oleh Yoshita, Edisi Ketiga, 845-853, UI-Press, Jakarta.

- Moffat, A.C., Osselton, M.D., Widdop, B., 2011, *Clarke's Analysis of Drugs and Poison*, Fourth Edition, 2038-2039, Pharmaceutical Press, London.
- Mortazavi, S.A. & Moghimi, H.R., 2003, Effect of Surfactant Type and Concentration on the Duration of Mucoadhesion of Carbopol 934 And HPMC Solid Compacts. *Iranian Journal of Pharmaceutical Research*, **2** (4), 191-199.
- Murtini, G., 2016, *Farmasetika Dasar*, 54, Kementerian Kesehatan Republik Indonesia, Jakarta.
- Patil, P., Kulkarni, S.V., Rao B, S., Ammanage, A., Surpur, C., & Basavaraj, 2010, Formulation and In Vitro Evaluation of Mucoadhesive Tablets of Ofloxacin Using Natural Gums, *International Journal of Current Pharmaceutical Research*, **3** (2), 93-98.
- Putri, A.N., Saifullah, T.N., & Murukmihadi, M., 2016, Pengaruh Carbopol 934P, Hydroxy Propyl Methyl Cellulose dan Polietilen Glikol Terhadap Swelling Indexs Pada Sediaan Tablet Bukal Bilayer Simvastatin, *Jurnal Pharmascience*, **3** (2), 9-13.
- Rajput, G.C., Majmudar, F.D., Patel, J.K., Patel, K.N., Thakor, R.S., Patel, B.P., & Rajgor, N.B., 2010, Stomach Spesific Mucoadhesive Tablets As Controlled Drug Delivery System – A Review Work, *International Journal on Pharmaceutical and Biological Research*, **1** (1), 30-41.
- Riyanto, 2014, *Validasi & Verifikasi Metode Uji*, 9-20, 65-78, Deepublish, Yogyakarta.
- Rogers, TL., 2009, Hypromellose, dalam Rowe, R. C., Sheskey, P.J., & Quinn, M.E., (Eds.), *Handbook of Pharmaceutical Exipients*, 6th Edition, 299-311, 326-329, Pharmaceutical Press, London.
- Rowe, R.C., Sheskey, P.J., & Quinn, M.E., 2009, *Handbook of Pharmaceutical Exipients*, 6th Edition, 128-133, 326-329, Pharmaceutical Press, London.
- Saraswathi, B., Balaji, A., & Umashankar, M.S., 2013, Polymers In Mucoadhesive Drug Delivery System-Latest Updates, *International Journal of Pharmacy and Pharmaceutical Sciences*, **5** (3), 423-430.
- Sari, S.P., 2017, Optimasi Formula Tablet Floating Famotidin Menggunakan Kombinasi Matriks Gum Xanthan dan Hidroksi Propil Metil Selulosa K100M, *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Shah, V., Patel, M., & Naresh, R., 2010, Formulation and Evaluation of Pulsatile Drug Delivery of Salbutamol Sulphate, *International Journal of Pharmaceutical Sciences Review and Research*, **4** (3), 59-63.

- Shaikh, N.A., Abidi, S.E., & Block, L.H., 2008, Evaluation of Ethylcellulose as Matrix for Prolonged Release Formulation. I. Water Soluble Drugs : Acetaminophen and Theophylline, *Journal Drug Development and Industrial Pharmacy*, **13** (8), 1345-1369.
- Shair, S., Rafa, N.N., Sufian, M.A., Hasan, A.H.M.N., & Asaduzzaman, M., 2017, Formulation Development of Mucoadhesive Bilayer Tablet with Metformin Hydrochloride, *International Journal of Advanced Research*, **5** (3), 8-14.
- Shinde, S.N., Magdum, S.S., Waikar, S.B., Mishra, M.S., & Chandak, K.K., 2010, Development and Evaluation of Floating Tablets of Salbutamol Sulphate, *International Journal of Pharma Research and Development*, **2**, 1-7.
- Sulaiman, T.N.S., 2007, *Teknologi & Formulasi Sediaan Tablet*, 155, Pustaka Laboratorium Teknologi Farmasi, Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta.
- Sweetman, S.C., 2009, *Martindale: The Complete Drugs Reference*, 1131-1135, Pharmaceutical Press, London.
- USP, 2017, The Dissolution Procedure: Development and Validation, dalam *United Stated Pharmacopoeia 40-National Formulary 35*, 1292-1316, 2608-2609, The United States Pharmacopeial Convention, Rockville, Maryland, USA.
- USP, 2018, Tablet Friability, dalam *United Stated Pharmacopoeia 41-National Formulary 36*, 7634-7635, The United States Pharmacopeial Convention, Rockville, Maryland, USA.
- Wadher, K.J., Kakde, R.B., & Umekar, M.J., 2011, Effect of Hydroxypropyl Methylcellulose and ethyl Cellulose Polymer on Release Profile and Kinetics of Metformin HCl from Matrix Tablets, *International Journal of PharmTech Research*, **3** (3), 1850-1859.
- Wadke, D.A., Abu, T.M., Serajuddin, & Jacobson, H., 1989, Preformulation Testing, dalam Lieberman, H.A., Lachman, L., & Joseph, B.S., (Eds.), *Pharmaceutical Dosage Forms: Tablets*, 2nd Edition, 55, Marcel Dekker, Inc., New York.
- Ways, T.M.M., Lau, W.M., & Khutoryanskiy, V.V., 2018, Review Chitosan and Its Derivatives for Application in Mucoadhesive Drug Delivery Systems, *Polymers*, **10** (267), 1-37.
- Wells, J., 2002, Pharmaceutical Preformulation, dalam Aulton, M.E., (Ed.), *Pharmaceutics : The Science Of Dosage Form Design*, 2nd Edition, 133-134, Churchill Livingstone, Edinburg.
- Wibowo, D.A., Siswanto, A., & Mahardian K.A., 2011, Formulasi Sediaan Tablet Lepas Lambat Aspirin dengan Etil Selulosa Aqualon T10 Sebagai Matrik, *Pharmacy*, **8** (1), 92-101.

Yadav, V.D., Gaikwad, V.D., & Gaikwad, P.V., 2013, Development and In Vitro Evaluation of Mucoadhesive Gastroretentive Matrix Tablets of Cephalexin, *IOSR Journal of Pharmacy and Biological Sciences*, **7** (4), 25-31.

Zulaikha, Y.U., 2016, Optimasi Tablet Mukoadhesif Propanolol HCl dengan HPMC dan Etil Selulosa Sebagai Bahan Matriks Menggunakan Metode Simplex Lattice Design (SLD), *Skripsi*, Fakultas Farmasi Universitas Muhammadiyah Purwokerto.