

Daftar Pustaka

- Abdullah, B. 2001. The use of isoenzyme as biochemical markers in rice research. *Buletin Agrobio* 4(2):39-44.
- Adisewojo, R. S. 1964. Bertjotjok Tanam Teh (*Camellia theifera*). Penerbitan Sumur, Bandung.
- Allard, R. W. 1989. Pemuliaan Tanaman Jilid 2. Bina Akasara, Jakarta.
- Anonim. 2008. Keadaan Umum Perkebunan Teh PT Pagilaran. Kiprah PT Pagilaran Pengembangan Klon-Klon Unggul Teh dan Kakao. PT Pagilaran, Pekalongan.
- Anonim. 2013. Kandungan Senyawa Kimia pada Daun Teh (*Camellia sinensis*). *Warta Penelitian dan Pengembangan Tanaman Industri* 19(3):12-16.
- Anonim. 2018. Ekspor Teh RI di 2017 Capai Rp 1,5 Triliun, Hanya Naik 1%. < <https://m.kumparan.com/@kumparanbisnis/ekspor-teh-ri-di-2017-capai-rp-1-5-triliun-hanya-naik-1> >. Diakses pada tanggal 31 Agustus 2018.
- Arifin, S. 1978. Laporan pendahuluan atas usaha-usaha pencarian pohon induk di perkebunan Kayu Aro. *Warta BPTK* 4:265-272.
- Ariyaratna, C. dan K. Gunasekare. 2006. Genetic base of tea (*Camellia sinensis* L.) cultivars in Sri Lanka as revealed by pedigree analysis. *J Appl Genet* 48(2):125-128.
- Bakoume, C. 2006. Genetic diversity of natural oil palm (*Elaeis guineensis* Jacq.) population using microsatellite markers. PhD thesis. University Kebangsaan Malaysia, Selangor.
- Banerjee, B. 1992. Botanical classification of tea. In: Willson, K. C. and Clifford, M. N. (eds). *Tea Cultivation to consumption*. Chapman and Hall, London.
- Burna, G. W. 1976. *The Science of Genetics: An Introduction to Heredity*. 3rd edition. Macmillan Publ. Co., New York.
- Chahal, G. S. and S. S. Gosal. 2002. *Principles and Procedures of Plant Breeding: Biotechnological and Conventional Approaches*. Alpha Science International Ltd., United Kingdom
- Crowder, L. V. 2010. *Genetika Tumbuhan*. Gadjah Mada University Press, Yogyakarta.
- De Costa, W. A. J. M., A. J. Mohotti, and M. A. Wijeratne. 2007. Ecophysiology of tea. *Braz. J. Plant Physiol.* 19(4):299-332.
- Doyle, J. J. and J. L. Doyle. 1990. Isolation of plant DNA from fresh tissue. *Focus* 12:13-15.
- Fan, F. Y., D. H. Yan, D. Borthakur, Y. R. Liang, X. Y. Luo, J. Wei, S. C. Liu, and J. L. Lu. 2011. Application of molecular tools in parentage identification and gene diversity study in tea (*Camellia sinensis*) germplasm of Guizhou province, China. *Two and a Bud* 58:39-43.
- Freeman, S., J. West, C. James, V. Lea, and S. Mayes. 2004. Isolation and characterization of highly polymorphic microsatellites in tea (*Camellia sinensis*). *Molecular Ecology Notes* 4:324-326.
- Gardner, B. R., B. L. Blad, D. P. Garritty, and D. G. Wattss. 1981. Relationships between crop temperature, grain yield, evapotranspiration and phenological development in two hybrids of moisture stressed sorghum. *Irrigation. Science* (2): 213-224.
- Harler, C. R. 1966. *Tea Growing*. Oxford University Press, London.
- IPGRI. 1997. *Descriptor for Tea (*Camellia sinensis*)*. International Plant Genetic Resources Institute, Rome, Italy.

- Jaccard, P. 1908. Nouvelles recherches sur la distribution florale. *Bulletin de la Societe Vaudoise des Sciences Naturalles* 44:223-270.
- Jones, A. G., C. M. Small, K. A. Paczolt, and N. L. Ratterman. 2010. A practical guide to methods of parentage analysis. *Molecular Ecology Resources* 10:6-30.
- Kasim, M. H., Taryono, S. Waluyo, and H. Kartiko. 2013. The dynamic of nitrate reductase in tea leaves. *Ilmu Pertanian* 16(2):90-98.
- Kusandryani, Y., Luthfy, dan Gunawan. 2005. Karakterisasi dan deskripsi plasma nutfah tomat. *Buletin Plasma Nutfah* 11(2):55-59.
- Mangoendidjojo, W. 2003. *Dasar-Dasar Pemuliaan Tanaman*. Penerbit Kanisius, Yogyakarta.
- Mangoendidjojo, W. 2006. *Varietas dan Potensi Hasil Tanaman Teh*. Fakultas Pertanian, Universitas Gadjah Mada, Yogyakarta.
- Martono, B. 2013. Karakteristik Morfologi dan Kegiatan Plasma Nutfah Tanaman Kakao. Balai Penelitian Tanaman Industri dan Penyegar, Sukabumi.
- Martono, B. dan R. T. Setiyono. 2014. Skrining fitokimia enam genotipe teh. *J. TIDP* 1(2): 63-68.
- Martono, B. dan L. Udarno. 2014. Keragaman genetik beberapa genotype the berdasarkan penanda RAPD (Random Amplified Polymorphic DNA). *J. TIDP* 1(1): 1-6.
- Martono, B. dan L. Udarno. 2015. Kandungan kafein dan karakteristik morfologi pucuk enam genotipe teh. *J. TIDP* 2(2): 69-76.
- Mookerjee, S., J. Guerin, G. Collins, C. Ford, and M. Sedgley. 2005. Paternity analysis using microsatellite markers to identify pollen donors in an olive grove. *Theoretical and Applied Genetics* 111: 1174-1182.
- Mondal, T. K., A. Bhattacharya, M. Laxmikumaran, and P. S. Ahuja. 2004. Recent advances of tea (*Camellia sinensis*) biotechnology. *Plant Cell, Tissue and Organ Culture* 76: 195-254
- Nazaruddin dan F. B. Paimin. 1993. *Teh: Pembudidayaan, dan Pengolahan*. Penebar Swadaya, Jakarta.
- Nei, M. 1973. Analysis of gene diversity in subdivided populations. *Proc. Natl. Acad. Sci, USA* 70 : 21-23.
- NRCS. 2018. Classification for Kingdom Plantae Down to Species *Camellia sinensis* (L.) Kuntze. <
[https://plants.usda.gov/java/ClassificationServlet?source=profile&symbol=CAS116& display=31](https://plants.usda.gov/java/ClassificationServlet?source=profile&symbol=CAS116&display=31)>. Diakses pada tanggal 1 September 2018.
- Peakall, R. and P.E. Smouse. 2005. *GenAlEx : Genetik Analysis in Excel*. Population genetics software for teaching and research. Australian Antional University, Canberra, Australia.
- Ramakrishnan, M., L. Rajanna, N. Papanna, and L. Simon. 2009. Assessment of genetic relationship and hybrid evaluation studies in tea (*Camellia* sp.) by RAPD. *International Journal of Plant Breeding* 3(2):144-148.
- Rohlf, F. J. 1998. *NTSYS-pc: Numerical Taxonomy and Multivariate Analysis System*. Version 2.02i, Exeter Software, New York.
- Sarikamis, G. R. Yanmaz, S. Ermis, M. Bakir, and C. Yuksel. 2010. Genetic characterization of pea (*Pisum sativum*) germplasm from Turkey using morphological and SSR markers. *Genet. Mol. Res.* 9(1):591-600.

- Setyorini, T. 2009. Studi Keragaman Genetik dan Pendugaan Tetua Jantan Perdu F1 Teh (*Camellia sinensis*) dengan Analisis Isozim. Tesis. Program Pascasarjana, Fakultas Pertanian, Universitas Gadjah Mada, Yogyakarta.
- Sokal, R. R. and Michener, C. D. 1958. A statistical method for evaluating systematic relationships. *University of Kansas Scientific Bulletin* 38: 1409-1438.
- Sukasman. 1996. Pengujian pohon lamtoro sebagai sarana pengendalian hayati *Helopeltis antonii* pada teh sekaligus meningkatkan keuntungan 400 kali lebih bagi perkebunan. Prosiding Seminar Alternatif Pengendalian Hama Teh secara Hayati. Pusat Penelitian Teh dan Kina Gambung, Bandung.
- Syakhala, A. R., D. Puspitaningrum, dan E. P. Purwandari. 2015. Perbandingan metode *Principle Component Analysis* (PCA) dengan metode *Hidden Markov Model* (HMM) dalam pengenalan identitas seseorang melalui wajah. *Jurnal Rekursif* 3(2): 68-80.
- Tabroni, M. dan Suwardi. 1983. Pemetikan pada Tanaman Teh. Balai Penelitian The dan Kina, Gambung, Bandung.
- Taryono. 2014. Pengantar Bioteknologi untuk Pemuliaan Tanaman. Gadjah Mada University Press, Yogyakarta.
- Vasugi, C. M. R. Dinesh, K. V. Ravishankar, and B. Padmakar. 2013. Morphological and molecular characterization - Nomenclature ambiguity in Indian Mangoes. *Acta. Hort.* 992: 331-340.
- Van Emden, J. H. dan W. B. Deijis. 1949. Teheculture Der Ondernemingen dalam Van Hall en C. Van De Koppel. *De Landbouw in de Indische Arhipel*. IIB. Gravenhage hal. 120-245. (Diterjemahkan oleh Harjono Semangun Perkebunan Teh. 1968). PN Pagilaran UGM, Yogyakarta.
- Venkatesan, S. 2004. Impact of genotype and micronutrient applications on nitrate reductase activity of tea leaves. *Journal of the Science of Food and Agriculture* 85(3):513-516.
- Visser, T. 1969. *Outlines of Perrenial Crop Breeding in the Tropics*. Institute of Plant Breeding, Landbouwhogeschool, Wageningen.
- Vo, T. D. 2006. Assessing genetic diversity in Vietnam tea *Camellia sinensis* (L.) O. Kuntze using morphology, inter-simple sequence repeat (ISSR) and microsatellite (SSR) markers. Dissertation. Faculty of Agricultural Science, Georg-August University Gottingen, Germany.
- Wambulwa, M. C., M. K. Meegahakumbura, R. Chalo, S. Kamunya, A. Muchugi, and J. Xu. 2016. Nuclear microsatellites reveal the genetic architecture and breeding history of tea germplasm of East Africa. *Tree Genet. Genomes* 12:11.
- Wei, K., L. Wang, J. Zhou, W. He, J. Zeng, Y. Jiang, and H. Cheng. 2011. Catechins contents in tea (*Camellia sinensis*) as affected by cultivar and environment and their relation to chlorophyll contents. *Food Chem.* 125: 44-48.
- Wickremasinghe, R. L., V. Femando, and A. Ekanayake. 1980. Nitrate reductase of tea as an indicator of yield and effect of mulching material. *Plant and Soil* 55(1): 3-7.
- Widayat, W., D. J. Rayati, dan M. Martosupomo. 1996. Penggunaan jamur *Paecilomyces funioso* Roseus sebagai teknologi alternative pengendalian hama non kimiawi pada tanaman teh. Prosiding Seminar Alternatif Pengendalian Hama Teh secara Hayati. Pusat Penelitian Teh dan Kina Gambung, Bandung.

- Wijayanto, A., D. Indradewa, dan E. T. S. Putra. 2015. Kuantitas dan kualitas hasil pucuk enam klon the sinensis (*Camellia sinensis* (L.) O. Kuntze vas Sinensis) di bagian kebun Kayulandak, PT Pagilaran. *Vegetalika* 4(3): 42-56.
- Xiong, L. J. Li, Y. Li, S. Liu, J. Huang, and Z. Liu. 2013. Dynamic changes in catechin levels and catechin biosynthesis-related gene expression in albino tea plants (*Camellia sinensis* L.). *Plant Physiology and Biochemistry* 71:132-143.
- Zhonghua, L., Huang J., Shi Z. & Wang Z. 1995. Studies on some factors affecting the quality of tea catechins. *Proceeding of '95 International Tea Quality Human Health Symposium*. Shanghai, China.