

## DAFTAR PUSTAKA

- Benjamin L. Shneider et al. 2016. *Total Serum Bilirubin within 3 Months of Hepatportoenterostomy Predicts Short-Term Outcomes in Biliary Atresia*. J Pediatr Surg, 6(170), pp.211-217.
- Bezerra JA, Spino C, Magee JC, et al. 2014. *Use of corticosteroids after hepatportoenterostomy for bile drainage in infants with biliary atresia:the START randomized clinical trial*. JAMA ;311:1750–9.
- Chusilp Sinobol, et al. 2016. *Prognostic Value of Serum Bilirubin at 7th Day Post Kasai for Survival with Native Liver in Patients with Biliary Atresia*. Pediatric Surgery International, 32, pp.927-931.
- Garcia-Barcelo MM, Yeung MY, Miao XP, et al. 2010. *Genome-wide association study identifies a susceptibility locus for biliary atresia on 10q24.2*. Hum Mol Genet ;19:2917–25.
- Goel, M. K., Khanna, P., & Kishore, J. (2010). Understanding survival analysis: Kaplan-Meier estimate. International journal of Ayurveda research, 1(4), 274-8.
- Gunadi, Gunawan TA, Widiyanto G, Yuanita A, Mulyani NS, Makhmudi A. 2018. *Liver transplant score for prediction of biliary atresia patients' survival following Kasai procedure*. BMC Res Notes 11:381
- Hartley JL, Davenport M, Kelly DA. 2009. *Biliary Atresia*. Lancet, 374(9702), pp.1704–1713.
- Jensen MK, Biank VF, Moe DC, Simpson PM, Li SH, Telega GW. 2012. *HIDA,percutaneous transhepatic cholecysto-cholangiography and liver biopsy in infants withpersistent jaundice: Can a combination of PTCC and liver biopsy reduce unnecessary laparotomy?*. Pediatr Radiol;42(1):32-9.
- Kasper S. Wang MD. 2015. *Newborn Screening for Biliary Atresia*. American Academy of Pediatric, 136, pp.1663-1669.
- Lien, T. H., et al. 2011. *Effects of the Infant Stool Color Card Screening Program on 5-Year Outcome of Biliary Atresia in Taiwan*. Hepatology 53.1: 202-8
- Mark Davenport. 2006. *Biliary Atresia: Outcome and Management*. Indian Journal Pediatric Symposium on Hepatology and Gastroenterology, pp.3.
- McPherson RA, Picus Mr. 2011. *Henry's Clinical Diagnosis and Management by Laboratory Methods: Expert Consult*. 22nd ed. Saunders
- Moyer V. Freese DK. Whittington PF. Olson AD. Brewer F. Colletti RB. Heyman MB. 2004. *North American Society for Pediatric Gastroenterology, Hepatology and Nutrition.Guideline for the evaluation of cholestatic jaundice in infants: Recommendations of the North American society for pediatric gastroenterology, hepatology and nutrition*. J Pediatr Gastroenterol Nutr 39(2):115-28.
- Rhu J, Jung SM, Choe YH, Seo J, Lee SK. 2012. *PELD score and age as a prognostic index of biliary atresia patients undergoing Kasai portoenterostomy*. Pediatric Surg Int 28:385-391
- Sanghai SR, Shah I, Bhatnagar S, Murthy A. 2009. *Incidence and Prognostic Factors Associated with Biliary Atresia in Western India*. Annal of Hepatology 8(2): 120-122.

- Sasaki H., et al. 2016. *Analysis of the prognostic factors of long-term native liver survival in survivors of biliary atresia*. *Pediatr Surg Int* 32:839.
- Scott Nightingale et al. 2017. *Early Posthepatopertoenterostomy Predictors of Native Liver Survival in Biliary Atresia*. *JPGN* 64: 203–209
- Yang Chen, Jianghua Zhan. 2016. *Physical development and cognitive performance in a monozygotic twins for biliary atresia: Report of a case and literature reviewing*. *Journal of Pediatric Surgery Case Reports Volume 11*, Pages 9-13.
- Patrick Ho Yu Chung, Kenneth Kak Yuen Wong, Paul Kwong Hang Tam. 2014. *Predictors for Failure after Kasai Operation*. Elsevier: *Journal of Pediatric Surgery*. <https://doi.org/10/1016/j.pedsurg.11.015>
- Purnomo, Budi, Badariul Hegar. 2011. *Biliary Atresia in Infants with Cholestasis*. *The Indonesian Journal of Gastroenterology, Hepatology, and Digestive Endoscopy*, 12(3), pp.160-163.
- Rodeck B., Becker A. C., Gratz K. F., Petersen C. *Early Predictors of Success of Kasai Operation in Children with Biliary Atresia*. *Eur J Pediatr Surg* 17: 308–312
- Redkar, et al., 2017. *Outcome of Biliary Atresia after Kasai's Portoenterostomy: A 15-year Experience*. *Indian Pediatric*, 54, pp.291-292.
- Schwarz KB, Haber BH, Rosenthal P, et al. 2013. *Extrahepatic anomalies in infants with biliary atresia: results of a large prospective North American multicenter study*. *Hepatology* 58: 1724–31.
- Schwarz, Steven M. *Pediatric Biliary Atresia*. Medcape Reference. (updated: Sep 24, 2017)
- Shinkai, Masato, et al. 2009. *Long-term Outcome of Children With Biliary Atresia Who Were Not Transplanted After the Kasai Operation: > 20-year Experience at a Children's Hospital* *Journal of Pediatric Gastroenterology and Nutrition*, 48, pp.443–450.
- Sokol RJ, Mack CL. 2010. *Biliary atresia and the ductal plate*. In: Murray KF, Larson AM, eds. *Fibrocystic Diseases of the Liver*. New York: Humana Press:179–99.
- T De Maayer et al. 2017. *Outcomes of Kasai hepatopertoenterostomy in children with biliary atresia in Johannesburg, South Africa*. *S Afr Med J* 107(11 Suppl 1):S7-S11
- Tsai EA, Grochowski CM, Loomes KM, et al. 2014. *Replication of a GWAS signal in a Caucasian population implicates ADD3 in susceptibility to biliary atresia*. *Hum Genet*;133:235–43.
- Waiman, Elina, Hanifah Oswari. 2010. *Peran Operasi Kasai pada Pasien Atresia Bilier yang Datang Terlambat*. *Sari Pediatri*, 11(6), pp.463-470.
- Wehbi, Mohammad. *Bilirubin*. Medscape Reference. (updated: Jan 14, 2015).
- Witt M, van Wessel DBE, de Kleine RHJ, Bruggink JLM, Hulscher JBF, and Verkade HJ. 2018. *Prognosis of Biliary Atresia After 2-year Survival With Native Liver: A Nationwide Cohort Analysis*. *JPGN* 67: 689–694.

Xu B; Yu HB; Hui W; He JL; Wei LL; Wang Z; Guo XH. 2012. *Clinical features and risk factors of acute hepatitis E with severe jaundice*. World J Gastroenterol.18(48):7279-84.