

## DAFTAR PUSTAKA

- Abunna, F., Asfaw, L., Megersa, B., and Regassa, A. 2010. Bovine fasciolosis: coprological, abattoir survey and its economic impact due to liver condemnation at Soddo municipal abattoir, Southern Ethiopia. *Trop. Anim. Health. Prod.*, 2010;42:289–292.
- Abdisa, T. 2010. Review on ovine fasciolosis in Ethiopian review on ovine fasciolosis in Ethiopia. *J. Vet. Sci. Res.*, 2(2): 000132.
- Adama, J. L., Ajanusi, J., Chiezey and Lawal, A. 2001. Biochemical responses of yankasa sheep to experimental *fasciola gigantica* infection in Zaria, Nigeria. *Int. J. Anim. Veter. Adv.*, 3(6): 409-415.
- Adedokun, O. A., and Fagbemi, B. O. 2001. The assessment of *fasciola gigantica* infection in the rabbit (*oryctolagus cuniculus*) as a laboratory model parasite development - clinical symptoms and liver pathology. *Afr. J. Biomed. Res.*, 14: 161— 163.
- Adrien, M. L., Schild, A. L., Marcolongo-Pereira, C., Fiss, L., Ruas, J. L., Grecco, F. B., and Raffi, M. B. 2013. Fasciolose aguda em bovinos no sul do Brasil. *Pesq. Vet. Bras.*, 33(6): 23.
- Adriyati, G. A. P., Winaya, I. B. O., dan I Ketut Berata, I. K. 2015. Studi histopatologi mukosa saluran empedu sapi bali yang terinfeksi cacing hati (*fasciola gigantica*). *Indones. Med. Veterinus.*, 4(1) : 54-65.
- Affroze, S., Begum, N., Islam, M. S., Rony, S. A., Islam, M. A., Mondal, M. H. 2013. Risk factors and gross pathology of bovine liver fluke infection at Netrokona. *J. Anim. Sci. Adv.*, 3(2): 83-90.
- Afolabi, O. J., and Olususi, F. C. 2016. The prevalence of fascioliasis among slaughtered cattle in Akure, Nigeria. *Mol. Pathog.*, 7(1) : 1-5.
- Agustina, K. K., Dharmayudha, A. A. G. O., dan Wirata, I. W. 2013. Prevalensi *toxocara vitilorum* pada induk dan anak sapi bali di wilayah Bali Timur. *Bul. Vet. Udayana.*, 5(1): 1-6.
- Ahmed, M. I., Ambali, A. G., and Baba, S. S. 2006. Haematological and biochemical responses of balami sheep to experimental *Fasciola gigantica* infection. *J. Food, Agric. Environ.*, 4 (2) : 71-74.
- Alvares Rojas, C., Ansell, B. R. E., Gasser, R. B., Young, N. D., Jex, A. R. and Scheerlinck, J. P. Y. 2015. Transcriptional analysis identifies key genes involved in metabolism, fibrosis/tissue repair and the immune response against *fasciola hepatica* in sheep liver. *Parasites & Vectors.*, 8: 1-14.
- Amornrat, G., Bulowb, J., Beitzb, E., Gramsc, S. V., Viyananta, V., and Grams, R. 2011. Functional analysis of novel aquaporins from *fasciola gigantica*. *Mol. Biochem. Parasitol.*, 175 : 144e153.
- Arsani, N. M., Mastra, I. K., Saraswati, Yunanto, dan Sutawijaya, I. G. M. 2015. Epidemiologi helminthiasis pada ternak sapi di Provinsi Bali. *Buletin Veteriner*, 27 (87) : 1-11.

- Aregahagn, S., and Asrat, M. 2018. Prevalence of zoonotic fasciolosis in and around Kemissie Amhara, Ethiopia. *Int. J. Biotech & Bioeng.*, 4: (3) : 57- 61.
- Aryandrie, D. F., Santosa, P. E., dan Suharyati, S. 2015. Tingkat infestasi cacing hati pada Sapi Bali di Kecamatan Sukoharjo Kabupaten Pringsewu Provinsi Lampung. *J. Ilm. Peternak. Terpadu*, 3(3): 134–139.
- Ashrafi, K., Bargues, M. D., O'Neill, S., and Mas-Coma, S. 2014. Fascioliasis: a worldwide parasitic disease of importance in travel medicine. *Travel. Med. Infect. Dis.*, 12 (6), : 636–649.
- Assefa, A., Zerihun, A., Beyene, D., and Fanta, D. 2015. Prevalence of bovine fasciolosis in and around Inchini Town, West Showa Zone, Ada'a Berga Woreda, Central Ethiopia. *J. Vet. Med. Anim. Health.*, 7: 241-248.
- Avcioglu, H., Guven, E., Balkaya, I., Kaynar, O., and Hayirli, A. 2014. Evaluation of coprological and serological techniques for diagnosis of bovine fasciolosis. *Int J. Biotech. Bioeng.*, 69(4):203-210.
- Badruzzaman, A. T. M., Siddiqui, Md. S. I., Faruk, Md. O., Lucky, N. S., Zinnah, M. A., Mohd, F., Hossain, A., and Rahman, Md. M. 2015. Prevalence of infectious and non-infectious diseases in cattle population in Chittagong District of Bangladesh. *Int. J. Biol. Res.*, 3 (1) ; 1- 4.
- Balqis, U., Darmawi, Aisyah, S., and Hambal, M. 2013. Perubahan patologi anatomi hati dan saluran empedu sapi aceh yang terinfeksi *fasciola gigantica*. *Agripet*, 13 (1) : 53-58.
- Bayu, A., and Derso, S. 2015. Prevalence of ovine fasciolosis and its associated risk factorin and around Debre Elias District, East Gojam, North West of Ethiopia. *Acta Parasitologica Globalis*, 6 (2): 98-102.
- Betebo, T. 2017. Prevalence of fasciolosis in cattle slathered at hosanna municipal abattoir, Southern Ethiopia. *Int. J. Adv. Res. Biol. Sci.*, 4(3): 70-76.
- Bitakaramire, P.K. 1973. The incidence of fasciolosis in different breeds of cattle in Kenya. *Bull.Epi .Dis.Africa* 21 : 145-15
- Boyce, W. M., Courtney, C. H., and Loggins, P. E. 1987. Resistance to experimental infection with *fasciola hepatica* in exotic and domestic breeds of sheep. *Int. J. Parasitol.*, 17(7):1233-1237.
- Boray, J. C. 1969. Experimental fascioliasis in Australia. *Adv. Parasitol.*, 7: 95-2 10.
- Budiono, N. G., Satrija, F., Ridwan, Y., Nur, D., dan Hasmawati. Trematodosis pada sapi dan kerbau di wilayah endemik schistosomiasis di provinsi Sulawesi Tengah Indonesia. *J. Ilmu Pertan. Indones.*, 23 (2) : 112-126.
- Caron, Y., Martens, K., Lempereur, L., Saegerman, K., and Losson, B. 2014. New insight in lymnaeid snails (mollusca, gastropoda) as intermediate hosts of *fasciola hepatica* (trematoda, digenea) in Belgium And Luxembourg. *Parasites & Vectors*, 2014 : 7:66.
- Daksa, G., Abdisa, M., Desalegn, J., Negasa, F., Indalema and Tsegay, A. K. 2017. Abattoir survey on prevalence of bovine fasciolosis in Guduru and Abay Chomaan Districts. *World J. Agric. Sci.*, 12 (2): 111-118.

- Davoudi, S. M. 2013. Study of hepatic problems in livestock. *Euro. J. Zool. Res.*, 2(4): 124-132.
- Degefu, H., Abera, C., Yohannes, M., and Tolosa, T. 2011. Gastrointestinal helminth infections in small-scale dairy cattle farms of Jimma Town, Ethiopia. *Ethiop. J. Appl. Sci. Technol.*, 2(1) : 31-37.
- Demssie, A., Birku, F., Biadgign, A., Misganaw, M., Besir, M., and Addis, M. 2012. An abattoir survey on the prevalence and monetary loss of fasciolosis in cattle in Jimma Town. *Glob. Vet.*, 8 : 381-385.
- Dewi, A. P., Eni, F., dan Sumarwanta, E. 2011. Kejadian infeksi cacing hati (*fasciola spp*) pada sapi potong di kabupaten kebumen. Balai besar veteriner Wates Jogja. Yogyakarta.
- Dixon, K. F. 1964. The relative suitability of sheep and cattle as host for liver fluke *Fasciola hepatica*. *J. Helmint*, 38:203-212.
- Dharmayudha, A. A. G. A., Kusumadarma, I. B. D., Ardana, I. B. K., Anthara, M. S., Gunawan, I. W. N. F., Sudimartini, L. M., dan Agustina, K. K. 2018. Aktivitas alanin aminotransferase dan aspartat aminotransferase sapi bali terinfeksi *fasciola gigantica*. *Buletin Veteriner*, 10 (1): 87-92
- El-Bahy, N. M. 1998. *Strategic control of fascioliasis in Egypt*. review article. continual scientific committee of pathology, Microbiology and Parasitology, Egypt.
- El-Samani, F., Mahmoud, O. M., Fawi, M. T., Gameel, A. A. and Haroun, M. M. 1985. Serum enzymes activity and bilirubin concentration in sheep experimentally infected with *F. gigantica*. *J. Comp. Pathol.*, 95: 500-503.
- El-Tahawy, A. S., Bazh, E. K., and Khalafalla, R. E. 2017. Epidemiology of bovine fascioliasis in the Nile Delta region of Egypt: Its prevalence, evaluation of risk factors, and its economic significance. *Vet. World*, 10(10): 1241–1249.
- Elazab, M. F. A. 2015. Evaluation of serum enzyme activities and protein fractions in brucella-infected cows. *Turk. J. Vet. Anim. Sci.*, 39: 480-484.
- Estuningsih, S. E., and Copeman, D. B. 1996. Trematode larvae in *lymnaea rubiginosa* and their definitive host in irrigated rice fields in West Java. *J. Ilmu Ternak Vet.*, 1(3): 200-205.
- Estuningsih, S. E., G. Adiwinata, S. Widjajanti dan D. Piedrafita. 2004. Pengembangan teknik diagnosa Fasciolosis pada sapi dengan antibodi monoklonal dalam capture ELISA untuk deteksi antigen. *Prosiding Seminar Nasional Parasitologi dan Toksikologi Veteriner*. Bogor. 20–21 April 2004: Balai Besar Penelitian Veteriner Bogor.
- Fagbemi, B. O., and Oberisiagban, I. O. 1990. Comparative evaluation of the enzyme linked immunosorbent assay in the diagnosis of natural *fasciola gigantica* infection in cattle. *Vet. J.*, 12: 35-38.
- Fauziah, Cut, D. M., dan Rosnizar. 2017. Prevalensi parasit gastrointestinal ternak sapi berdasarkan pola pemeliharaan di Kecamatan Indrapuri Kabupaten Aceh Besar. *BioLeuser.*, 1(1):7-12.

- Ferre, I., Lopez, P., Gonzalo-Orden, M., Julian, M.D., Rojo-Vazquez, F.A., Gonzalez-Gallego, J. 1995. The effects of subclinical fascioliosis on hepatic secretory function in sheep. *Parasitol. Res.*, 81 : 127–131.
- Filian, B. V., Santoso, S. A. B., Harjanti, D. W., dan Prastiwi, W. D. 2016. Hubungan paritas, lingkaran dada dan umur kebuntingan dengan produksi susu sapi friesian holstein di BBPTU-HPT Baturraden. *Agripet.*, (16) 2 : 83-89.
- Fraser, A., Longnecker, M., and Lawlor, D. 2007. Prevalence of elevated alanine aminotransferase among US adolescents and associated factors: NHANES 1999–2004. *Gastroenterology*, 133: 1814–1820.
- Gargili, A., Tuzer, E., and Gulamber, A. 1999. Prevalence of liver fluke infections in slaughtered animals in Trakya (Thrace), Turkey. *J. Vet. Ani. Sci.*, 23: 115-116.
- Gebrie, M., and Engdaw, T. A. 2015. Prevalence of bovine fasciolosis in and around Gondar, Northwestern Ethiopia. *Acta Parasitol. Glob.*, 6 (3): 231-237.
- Gul, N., Tak, H., Fazilli, K. M., Abdullah. I., and Sofi, T. A. 2016. Prevalence of fasciola infection in slaughtered animals in Kashmir. *Glob. J. Med. Res. G Vet. Sci. Vet. Med.*, 16(3) : 1-11.
- Gonzalo-Orden, M., Millán., Álvarez, M., Sánchez-Campos, S., Jiménez, R., GonzálezGallego, J., and Tuñón, M. J. 2003. Diagnostic imaging in sheep hepatic fascioliasis: ultrasound, computer tomography and magnetic resonance findings. *Parasitol Res.*, 81: 127- 131.
- Gowda, S, Desai, P. B., Hull, V. V., Math, A. A. K., Vernekar, S. N., and Kulkarni, S. S. 2009. A review on laboratory liver function tests. *Pan. Afr. Med. J.*, 3(17): 1-11.
- Hambal, M., Sayuti, A., dan Dermawan, A. 2013. Tingkat kerentanan *fasciola gigantica* pada sapi dan kerbau di Kecamatan Lhoong Kabupaten Aceh Besar. *J. Med. Vet.*, 7 (1) : 49-53.
- Hamid, P. H., Kristianingrum, Y. P., Prastowo, J., and Silva, L. M. Rd. 2017. Gastrointestinal parasites of cattle in Central Java. *Am. J. Anim. Vet. Sci.*, 11 (3): 119.124.
- Hammond, J.A., 1973. Experimental chronic *F. gigantica* infection in sheep. *Trop. Anita. Health Prod.*, 5: 12-21.
- Hammond, A., and Sewell, M. 1974. Flotation on to sell tape (demonstration). *Trans. R. Soc. Trop. Med. Hyg.*, 66: 547.
- Hawkins, C. D. 1984. The use of haemoglobin, packed-cell volume and serum sorbitol dehydrogenase as indicators of the development of fascioliasis in sheep. *Vet. Parasitol.*, 15:125-133.
- Hussain, K. L, and Zghair, Z. R. 2017. Prevalence of fasciolosis in ruminant in Karbala City Khetam. *J. Entomol. Zool. Stud.*, 5(5): 364-369.
- Hussein, A. N., Hassan, I. M., dan Khalifa, R. M. 2010. Development and hatching mechanism of *Fasciola* eggs, light and scanning electron microscopic studies. *Saudi J. Biol. Sci.*, 17 : 247–251.
- Husen, S., Girma, S., Guye, J., Geleta, M., Habebie, T., Hussen, M., and Abdurahaman, M. 2017. Prevalence of bovine fasciolosis in Gechi District,

- Buno Bedelle Zone, South West Ethiopia. *Int. J. Res. Stud. Biosci.*, 5 (12) : 28-33.
- Hodzic, A., Zuko, A., Avdic, R., Alic, A., Omeragic, J., and Jazic, A. 2013. Influence of *fasciola hepatica* on serum biochemical parameters and vascular and biliary system of sheep liver. *Ira. J. Parasitol.*, 8(1): 92-98.
- Howell, A., Mugisha, L., Davies, J., LaCourse, E. J., Claridge, J., Williams, D. J.L., Kelly-Hope, L., Betson, M., Kabatereine, N. B., and Stothard, J. R. 2012. Bovine fasciolosis at increasing altitudes: parasitological and malacological sampling on the slopes of Mount Elgon, Uganda. *Parasites & Vectors*, 5:196.
- Ibrahim, N. 2017. Fascioliasis: systematic review. *Adv. Biol. Res.*, 11(5): 278–285.
- Ingale, S. L., Singh, P., Verma, A. K., and Mehra, U. R. 2010. Effect of *fasciola gigantica* infection on nutrient utilization and cytokine gene expression during prepatent period in growing crossbred (*bos taurus x bos indicus*) cattle. *Adv. Biol. Res.* 10 : 177-185.
- Islam, K. M., Islam, Md. S., Rauf, S. Md. A., Khan, A., Hossain, M. K., Adhikary, G. N., Sarkar, S., and Rahman, M. 2014. Effects of climatic factors on prevalence of developmental stages of *fasciola gigantica* infection in *lymnaea* snails (*lymnaea auricularia* var *rufescens*) in Bangladesh. *J. Chem. Bio. Phy. Sci. Sec. B.*, 5 (1) : 301-310.
- Ismail, E., Suhermiyati, S., and Roesdjianto. 2013. Penambahan tepung kunyit (*Curcuma domestica* Val) dan sambiloto (*Adrographis paniculata* Ness) dalam pakan terhadap bobot hati, pancreas dan empedu broiler. *J. Ilmiah. Peternakan*, 1(3): 750-758.
- Jaja, I. F., Mushonga, B., Greenc, E., and Muchenje. V. 2017. Seasonal prevalence, body condition score and risk factors of bovine fasciolosis in South Africa. *Vet. Anim. Sci.*, 4 : 1–7.
- Jean-Richard, Vreni., Crump, L., Abicho, A. A., Naré, N. B., Greter, H., Hattendorf, J., Schelling, E., and Zinsstag, J. 2014. Prevalence of *fasciola gigantica* infection in slaughtered animals in south-eastern lake chad area in relation to husbandry practices and seasonal water levels. *BMC Vet. Res.*, 10:81.
- Kabir, M. H. B., Elias, M., Hashem, M. A., Mohiuddin and Miazi, O. F. 2010. Prevalence of zoonotic parasitic diseases of domestic animals in different abattoir of Comilla and Brahman Bariaregion in Bangladesh. *Univ.J.Zool.Rajshahu univ.*, 28: 21-25.
- Karim, M. R., Mahmud, M. S., Giasuddin, M. 2015. Epidemiological study of bovine fasciolosis: prevalence and risk factor assessment at Shahjadpur Upazila Of Bangladesh. *Immunol. Infect. Dis.*, 3(3): 25–29.
- Kato, M., Murakami, Y., Shimizu, M., Yamamoto, H., Yonenemoto, Y., Ishii, K. and Kira, S. 2005. Survey of cattle fascioliasis in Tsuyama Abattoir. *Environ. Health Prev. Med.*, 10 : 162–165.



- Koesdarto, S., 2001. Model pengendalian siklus infeksi toxocariasis sapi dengan fraksinasi minyak atsiri rimpang temuireng (*curcuma aeruginosa* roxb) di pulau Madura. *J. PME*, 2 : 114-122.
- Khedri, J., Radfar, M. H., Borji, H., and Mirzaei, M. 2015. Prevalence and intensity of *paramphistomum spp.* In cattle from South-Eastern Iran. *Iran. J. Parasitol.*, 10(2): 268-272.
- Kendran, A. S., Damriyasa, I. Md., Dharmawan, Nym. S., Ardana, I. B. K., Anggreni, D. A. 2012. Profil kimia klinik darah sapi bali. *J. Vet.*, 13 (4) : 410-415.
- Khan, U. J., and Maqbool, A. 2012. Prevalence of paramphistomosis in relation to meteorological factors. *Pak. J. Zool.*, 44: 823–828.
- Kheider, Z. A. 2014. Prevalence and risk factors of bovine fasciolosis in North Kordofan State, Sudan. [Tesis]. Khartoum (SU): College of Veterinary Medicine, University of Khartoum.
- Liu, P., He, B. X., Yang, X. L., Hou, X. L., Zhao, H. Y., Han, Y. H., Nie, P., Deng, H. F., and Cheng, L. 2012. Activities of aspartate aminotransferase, alanine aminotransferase, gammaglutamyltransferase, alkaline phosphatase in plasma of postpartum holstein cows. *J. Anim. Vet. Adv.*, 11(8) : 1270-1274.
- Liu, Z., Que, S., Xu, J., and Peng, T. 2014. Alanine aminotransferase-old biomarker and new concept: a review. *Int. J. Med. Sci.*, 11(9): 925-935.
- Malonea, J. B., Gommers, R., Hansen, J., Yilmac, J. M., Slingenberg, J., Snijders, J., Nachtergaele, F., and Ataman, E. 1998. Geographic information system on the potential distribution and abundance of *Fasciola hepatica* and *fasciola gigantica* in east Africa based on food and agriculture organization databases. *Vet. Parasitol.*, 78 : 87–101.
- Marskole, P., Verma, Y., Dixit, A. K., and Swamy, M. 2016. Prevalence and burden of gastrointestinal parasites in cattle and buffaloes in Jabalpur, India. *Vet. World*, 9(11): 1214-1217.
- Martindah, E., Widjajanti, S., Estuningsih, S. E, dan Suhardono. 2005. Meningkatkan kesadaran dan kepedulian masyarakat terhadap fasciolosis sebagai penyakit zoonosis. *Wartazoa*, 15 (3) : 143-154.
- Mehmood, K., Zhang, H., Sabir, A. J., Abbas, R. Z., Ijaz, M., Durrani, A. Z., Saleem, M. H., Rehman, M. Ur., Iqbal, M. K., Wang, Y., Ahmad, H. I., Abbas, T., Hussain, R., Muhammad, Gh, T., Ali, S., Khan, A. U., and Li, J. 2017. A review on epidemiology, global prevalence and economical losses of fasciolosis in ruminants. *Microb. Pathog.*, 109 : 253-262.
- Mehra, U. R., Dass, R. S., Verma, A. K., Sharma, R. L., and Yadav, S. C. 1999. Effect of *Fasciola gigantica* infection on growth and nutrient utilization in buffalo calves. *Veterinary Rec.*, 145: 699-702.
- Melaku, S., and Addis, M. 2012. Prevalence and intensity of *paramphistomum* in ruminants slaughtered at debre zeit industrial abattoir, Ethiopia. *Glob. Vet.*, 8(3):315-319.

- Mekroud, A., Chauvin, A., and Rondelaud, D. 2007. Variations of biological indicators as highly presumptive markers for fasciolosis in experimentally-infected sheep. *Revue Méd. Vét.*, 158 (8-9) : 437-441.
- Mitchell, G.B.B. 2007. Liver fluke. In *Disease of Sheep*. Aitken, I.D. (ed). 4th ed. Blackwell, London.
- Matanović, K., Severin, K., Martinković, F., Šimpraga, M., Janicki, Z., and Barišić, J. 2007. Hematological and biochemical changes in organically farmed sheep naturally infected with *Fasciola hepatica*. *Parasitol. Res.*, 101: 1657-1661.
- Mudani. 2011. Tingkat infeksi cacing hati kaitannya dengan kerugian ekonomi sapi potong yang disembelih di rumah potong hewan wilayah Eks-Kresidenan Banyumas. *Agripet.*, 11 (1) : 45-50.
- Mungube, E. O., Sila, D. M., Kariuki, C.W., Bauni, S. M., Tenhagen, B.A., Wamae, L., Nginyi, J., and Omondi, G. A. 2012. A crosssectional survey on fasciolosis in selected settlements of Taveta Division, Coast Province, Kenya. *Livest. Res. Rural Dev.*, 24 (4): 1-8.
- Murthy, C. M. K., and Souza, P. E. D. 2013. An enzyme-linked immunosorbent assay for diagnosis of *Fasciola gigantica* infection in cattle and buffaloes. *J. Parasit. Dis.*, (39) 4 : 1-3.
- Nega, M., Bogale, B., Chanie, M., Melaku, A., and Fentahun, T. (2012). Comparison of coprological and postmortem examinations techniques for the determination of prevalence and economic significance of bovine fasciolosis. *J. Adv. Vet. Res.*, 2: 18-23.
- Nugraheni, Y. R., Priyowidodo, D., Prastowo, J., Rohayati, E. S., Sahara, A., and Awaludi, A. 2018. Parasit gastrointestinal pada sapi di daerah aliran sungai progo Yogyakarta. *J. Imu Peternak. Ter.*, 1(2):46-50
- Njoku-Tony, R. F., and Okoli, G. C. 2011. Prevalence of fascioliasis among slaughter sheep in selected abattoirs in Imo State, Nigeria. *J. Am. Sci.*, 7(2) 361-366.
- Nyindo, M., and Lukambagire, A. H. 2015. Fascioliasis: an ongoing zoonotic trematode infection. *Biomed Res. Int.*, 786195: 1-8.
- Ogunrinade, A. F., and Anosa, V. O. 1981. Red blood cell survival and faecal clearance in sheep infected with *Fasciola gigantica*. *J. Comp. Pathol.*, 91:381-385.
- Olsen, A., Frankena, K., Toft, N., Thamsborg, S.M., Enemark, H. L., and Halasa, T. 2015. Prevalence, risk factors and spatial analysis of liver fluke infections in danish cattle herds. *Parasites & Vectors*, 8(1) : 160.
- Phalee, A., and Wongsawad, C. 2014. Prevalence of infection and molecular confirmation by using ITS-2 region of *Fasciola gigantica* found in domestic cattle from Chiang Mai Province, Thailand. *Asian Pac. J. Trop. Med.*, 207-211.
- Phalee, A., Chalobol, W., Amnat, and R., Jong-Yil, C. 2015. Experimental life history and biological characteristics of *fasciola gigantica* (digenea: fasciolidae). *Korean. J. Parasitol.*, 53 (1): 59-64.

- Phiri, A. M., Phiri, I. K., and Monrad, J. 2006. Prevalence of amphistomiasis and its association with *Fasciola gigantica* infection in Zambian cattle from communal grazing areas. *J. Helmentol.*, 80: 65–68.
- Putra, D. R., Nyoman, A. S., dan Ida, B., M., O. 2014. Prevalensi trematoda pada sapi bali yang dipelihara peternak di Desa Sobangan, Kecamatan Mengwi, Kabupaten Badung. *Indones. Med. Veterinus.*, 3(5) : 394-402.
- Ponder, W. F. 1975. The occurrence of *lymnaea (pseudosuccinea) columella*, an intermediate host of *fasciola hepatica* in Australia *Australian. Vet. J.*, 51 :294-295.
- Prasad, P. K., Tandon, V., Biswal, D. K., Goswami, L. M., and Chatterjee, A. (2008) Molecular identification of the Indian liverfluke, *Fasciola* (Trematoda: Fasciolidae) based on the ribosomal internal transcribed spacer regions. *Parasitol. Res.*, 103: 1247-1255.
- Rabia, I., Sabry, H., and Nagy, F. 2010. Comparison between different immunological techniques for detection of circulating fasciola antigen in sheep. *New York Sci. J.*, 3(7) ; 34-39.
- Rafiullah, A., Turi, A., Sajid, A., Shah, S. R., Ahmad, S., and Shahid, M. 2011. Prevalence of gastrointestinal tract parasites in cattle of Khyber Pakhtunkhwa. *J. Agric. Biol. Sci.*, 6 : 9-15.
- Raunelli, F., and Gonzales, S. 2009. Strategic control and prevalence of fasciola hepatica in Peru: a pilot study. *Int. J. App. Res. Vet. Med.*, 7(4):145-152.
- Ressang, A. A. 1984. Patologi Khusus Veteriner. Departemen Resit Nasional Republik Indonesia, Jakarta.
- Roberts, J. A., Estuningsih, E., Widjayanti, S., Wiedosari, E., Partoutomo, S., and Spithill, T. W. 1997. Resistance of Indonesian thin tail sheep against *Fasciola gigantica* and *Fasciola hepatica*. *Vet. Parasitol.*, 68(1-2):69-78.
- Rozi, F., Handoko, J., and Febriyanti, R. 2015. Infestasi cacing hati (*Fasciola* sp.) dan cacing lambung (*Paramphistomum* sp.) pada sapi bali dewasa di Kecamatan Tenayan Raya Kota Pekanbaru. *JSV.*, 33 (1): 8-15.
- Salam, M. M., Maqbool, M., Naureen, A., and Lateef, M. 2009. Comparison of different diagnostic techniques against *fasciolosis* in buffaloes. *Vet. World*, 2(4):129-132.
- Sanabria, R., Mouzet, R., Courtioux, B., Vignoles, P., Rondelaud, D., Dreyfuss, G., Cabaret, J., and Romero, J. 2012. Intermediate snail hosts of french *fasciola hepatica*: *lymnaea neotropica* and *lymnaea viatrix* are better hosts than local *galba truncatula*. *Parasitol. Res.*, 111:2011–2016.
- Sevinc, M., Basoglu, A., Birdane, F. M., and Boydak, M. 2001. Liver function in dairy cows with fatty liver. *Revue. Med. Vet.*, 152 (4): 297-300.
- Shalaby, I. M., Hassan, M. G., Soliman, M. F. M., and Sherif, N. E. 2004. Factors affecting dynamics of metacercarial productivity of *fasciola gigantica* from its snail host. *Pakistan J Biol Sci.*, 7 (3):393–398.



- Solomon, L., Ibrahim, N., and Temesgen, M. 2016. Prevalence of gastrointestinal helminthes parasite of cattle in Ejere District, West Shoa, Oromiya Region, Ethiopia. *World J. Agric. Sci.*, 12(5): 364-371.
- Spithill, T. W., Smooker, P. M., and Copeman, D. B. 1999. *Fasciola gigantica*: epidemiology, control, immunology and molecular biology. in: Dalton JP (Ed.). Oxon: CABI Publishing, 465-525-398.
- Suhardono. 1997. Epidemiology and control of fasciolosis by *Fasciola gigantica* in ongole cattle in West Java. Ph.D Thesis. James Cook University of North Queensland, Australia.
- Suhardono. 1998. Pengendalian infeksi cacing hati pada ternak : kontrol biologi fasciola gigantica dengan trematoda lain pada siput *lymnaea rubiginosa*. *Wartazoa*, 7(1) : 15-21.
- Suhardono, S., Widjajanti, and Partoutomo, S. 1988. Freshwater snail of medical and veterinary importance in indonesia. *Proceedings of the Asian-Plant Technical Meeting on Snail and Slugs of Economic Importance*, 22-24 June 1988, Bangkok, Thailand.
- Suhardono, Roberts, J. A., and Copeman, D. B. 2006a. Distribution of metacercariae of *Fasciola gigantica* on rice straw. *Trop. Anim. Health. Prod.*, 38: 117-119.
- Sunderman, F.W. Jr. 1975. Current concepts of normal values, reference values and discrimination values in clinical chemistry, *Clin. Chem.*, (21) 13 : 1873-1877.
- Suratma, N. A., Dwinata, I. M., Oka, I. B. M., Mubarok, F., and Alamsyah, A. N. 2016. Prevalence of gastrointestinal tract worms in bali cattle at bali cattle breeding center, Sobangan, Badung. *Proc. Intsem. LPVT.*, 153-155.
- Suweta, I. G. P. 1982. Kerugian ekonomi oleh cacing hati pada sapi bali sebagai implikasi interaksi dalam lingkungan hidup pada ekosistem pertanian di Bali. Disertasi. Universitas Padjadjaran Bandung.
- Stockham, S. L., and Scott. M. A. 2002. Fundamentals of veterinary clinical pathology. Ed. Ke-1, Blackwell publishing Co., Iowa state Press. pp: 433-486.
- Stojevic, Z., Piršljin, J., Milinković-Tur, S., Zdelar-Tuk, M., and Ljubić, B. B. 2005. Activities of ast, alt and ggt in clinically healthy dairy cows during lactation and in the dry period. *Vet. Arhiv.*, 75: 67-73.
- Swarnakar, G., and Sanger, B. 2014. Epidemiologicaly study of liver fluke (trematoda : digenea) in domestic ruminants of Udaipur District. *Int J Curr Microbiol. App. Sci.*, 3(4):632-640.
- Talukder, S., Bhuiyan M. J., Hossain, M. M., Uddin, M. M., Paul, S., and Howlader, M. M. R. 2010. Pathological investigation of liverfluke infection of slaughtered black bengal goat ina selected area of Bangladesh. *Bangladesh J. Vet. Med.*, 8(1): 35-40.
- Tantri, N., Setyawati, T. R., and Khotimah, S. 2013. Prevalensi dan intensitas telur cacing parasit pada feses sapi (*bos sp.*) Rumah potong hewan (rph) Kota Pontianak Kalimantan Barat. *Protobiont*, 2(2):102-106.

- Tennant, C. B. 1997. Hepatic function. In: Kaneko, J.J., Harvey, J.W., Bruss, L.M. (Eds.), *clinical biochemistry of domestic animals*, 5th ed. Academic Press, San Diego, pp. 327–352.
- Teklu, H., Abebe, N., and Kumar, N. 2015. Abattoir prevalence of bovine fasciolosis in the municipal abattoir of Wukro, Northern Ethiopia. *J. Int. Acad. Res. Multidiscip.*, 2(12): 430-438
- Tolistiawaty, I., Junus Widjaja, J., Lobo, T., L., dan Rina Isnawati, R. 2016. Parasit gastrointestinal pada hewan ternak di tempat pemotongan hewan Kabupaten Sigi, Sulawesi Tengah. *BALABA*, 12(2): 71-78.
- Torgerson, P., and Claxton, J. 1998. Epidemiology and control. Di dalam: Dalton JP, editor. *Fasciolosis*. UK: CABI Publishing. hlm 113-149.
- Tsega, M., Dereso, S., and Getu, A. 2015. A review on ruminant fasciolosis. *Open Access Libr. J.*, 2: e1655.
- Usip, L.P., Ibanga, E. S., Edoho, H. J., Amadi, E. C., and Utah, E. 2014. Prevalence of fascioliasis and the economic loss of condemned liver due to *Fasciola* infection in cattle slaughtered at three abattoirs in Eket Urban, Akwa Ibom State of Nigeria. *Glob. Adv. Res. J. Food Sci. Technol.*, 3(2) : 54-75.
- Wiedosari, E., and Copeman, D. B. 1990. High resistance to experimental infection with *fasciola gigantica* in javanese thin-tailed sheep. *Vet. Parasitol.*, 37 : 101-111.
- Widjajanti, S. 1998. Estimasi populasi siput *lymnaea rubiginosa* dan siput air tawar lainnya di sawah dan kolam di Bogor, Jawa Barat. *J. Ilmu Ternak Vet.*, 3 (2) : 124-128.
- Yakhchali, M., and Brahmanejad. 2015. Morphologic and morphometric variations of the adult and the eggs of frequent *fasciola* species from domestic ruminants of north west of Iran. *Iran. J. Vet. Sci. Technol.*, 7 (2) : 75-83.
- Yakhchali, M., and Bahrarnnejad, K. 2016. Inhibition effect of ph on the hatchability of *fasciola miracidia* under laboratory conditions. *Iran. J. Parasitol.*, 11 (1) : 30-34.
- Young, N. D., Aaron, R. J., Cinzia, C., Ross, S. H., Bronwyn, E. C., Terence, W., Spithill, Sirikachorn, T., Prasarn, T., Thewarach, L., Robin, B., and Gasser, A. 2011. Portrait of the Transcriptome of the Neglected Trematode, *Fasciola gigantica*—Biological and Biotechnological Implications. *PLoS. Negl. Trop. Dis.*, 5(2): e1004.