

DAFTAR PUSTAKA

- Andreasson, U., Perret-Liaudet, A., van Waalwijk van Doorn, L.J.C., Blennow, K., Chiasserini, D., Engelborghs, S., Fladby, T., Genc, S., Kruse, N., Kuiperij, H.B., Kulic, L., Lewczuk, P., Mollenhauer, B., Mroczko, B., Parnetti, L., Vanmechelen, E., Verbeek, M.M., Winblad, B., Zetterberg, H., Koel-Simmelink, M. & Teunissen, C.E. 2015. A practical guide to immunoassay method validation. *Front Neurol*, 6(Aug): 1–8.
- Araujo, O.R. De, Salomão, R., Brunialti, M.K.C., Silva, D.C.B. Da, Senerchia, A.A., Moraes Costa Carlesse, F.A. De & Petrilli, A.S. 2017. Cytokine Kinetics in Febrile Neutropenic Children: Insights on the Usefulness as Sepsis Markers, Influence of Filgrastim, and Behavior of the IL-23/IL-17 Pathway. *Mediators Inflamm*, 2017(ID 8291316): 1–10.
- Assicot, M., Bohuon, C., Gendrel, D., Raymond, J., Carsin, H. & Guilbaud, J. 2017. High serum procalcitonin concentrations in patients with sepsis and infection. *Lancet*, 341(8844): 515–518.
- Barone, A. 2011. Antibacterial prophylaxis in neutropenic children with cancer. *Pediatric Reports*, 3e3: 9–10.
- Becker, K.L., Snider, R. & Nylen, E.S. 2010. Procalcitonin in sepsis and systemic inflammation: A harmful marker and a therapeutic target. *Br J Pharmacol*, 159(2): 253–264.
- Bereciartua, E. 2011. TRACE Technology for assays of novel markers. *eJIFCC*, Jan(21 (4)): 118–121.
- Boyle, P., Robertson, C. & Kerr, D.J. 2004. Anemia and neutropenia in cancer patients receiving chemotherapy. *J Clin Oncol*, 22(14_suppl): 9706–9706.
- Bruegel, M., Nagel, D., Funk, M., Fuhrmann, P., Zander, J. & Teupser, D. 2015. Comparison of five automated hematology analyzers in a university hospital setting: Abbott Cell-Dyn Sapphire, Beckman Coulter DxH 800, Siemens Advia 2120i, Sysmex XE-5000, and Sysmex XN-2000. *Clin Chem Lab Med*, 53(7): 1057–1071.
- Calbiotech. 2016. Chemiluminescence Immunoassays (CLIA). : 1.
- Christ-Crain, M., Schuetz, P., Huber, A.R. & Müller, B. 2008. Procalcitonin: Importance for the diagnosis of bacterial infections. *J. Lab Med*, 32(6): 425–433.
- Clayton, J. 2013. Procalcitonin. : 1–6. http://www.acb.org.uk/Nat_Lab_Med_Hbk/Procalcitonin.pdf.
- Eshratkhah, B., Bigham, M.M., Mirzaei, A. & Beheshti, R. 2011. Correlation of Chemiluminescence and Electrochemiluminescence Methods for Determination of Serum Free Triiodothyronine Level in Cow. *Int J Anim Vet Adv*, 3(4): 245–248.
- Fleischhack, G., Kambeck, I., Cipic, D., Hasan, C. & Bode, U. 2000. Procalcitonin in paediatric cancer patients: Its diagnostic relevance is superior to that of C-reactive protein, interleukin 6, interleukin 8, soluble interleukin 2 receptor and soluble tumour necrosis factor receptor II. *Brit J Haematol*, 111(4): 1093–

1102.

- Giamarellos-Bourboulis, E.J., Grecka, P., Poulakou, G., Anargyrou, K., Katsilambros, N. & Giamarellou, H. 2001. Assessment of Procalcitonin as a Diagnostic Marker of Underlying Infection in Patients with Febrile Neutropenia. *Clin Infect Dis*, 32(12): 1718–1725.
- González, A.G., Herrador, M.A. & Asuero, A.G. 1999. Intra-laboratory testing of method accuracy from recovery assays. *Talanta*, 48(3): 729–736.
- Haeusler, G.M., Thursky, K.A., Mechinaud, F., Babl, F.E., De Abreu Lourenco, R., Slavin, M.A. & Phillips, R. 2017. Predicting Infectious Complications in Children with Cancer: An external validation study. *Br J Cancer*, 117(2): 171–178.
- Hall, C.H.T., Campbell, E.L. & Colgan, S.P. 2017. Neutrophils as Components of Mucosal Homeostasis. *Cell Mol Gastroenterol Hepatol*, 4(3): 329–337.
- Hamid, S., Widjajanto, P.H. & Laksono, I.S. 2013. Evaluasi Sensitivitas Antibiotik dengan Demam Neutropenia. *Sari Pediatri*, 15(4): 220–224.
- Hann, I., Viscoli, C., Paesmans, M., Gaya, H. & Glauser, M. 1997. A comparison of outcome from febrile neutropenic episodes in children compared with adults: results from four EORTC studies. International Antimicrobial Therapy Cooperative Group (IATCG) of the European Organization for Research and Treatment of Cancer (E. *Br J Haematol*, 99(3): 580–588.
- Harmita. 2004. Petunjuk Pelaksanaan Validasi Metode Dan Cara Perhitungannya. *Majalah Ilmu Kefarmasian*, 1(3): 117–135.
- Hemming, V., Jakes, A.D., Shenton, G. & Phillips, B. 2017. Prospective cohort study of procalcitonin levels in children with cancer presenting with febrile neutropenia. *BMC Pediatrics*, 17(1): 1–6.
- Hughes, W.T., Armstrong, D., Bodey, G.P., Bow, E.J., Brown, A.E., Calandra, T., Feld, R., Pizzo, P.A., Rolston, K.V.I., Shenep, J.L. & Young, L.S. 2002. 2002 Guidelines for the Use of Antimicrobial Agents in Neutropenic Patients with Cancer. *Clin Infect Dis*, 34(6): 730–751.
- Inaba, H., Gaur, A.H., Cao, X., Flynn, P.M., Pounds, S.B., Avutu, V., Marszal, L.N., Howard, S.C., Pui, C.-H., Ribeiro, R.C., Hayden, R.T. & Rubnitz, J.E. 2015. Feasibility, efficacy, and adverse effects of outpatient antibacterial prophylaxis in children with acute myeloid leukemia. *Cancer*, 25(8): 713–724.
- Jimeno, A., García-Velasco, A., Del Val, O., González-Billalabeitia, E., Hernando, S., Hernández, R., Sánchez-Muñoz, A., López-Martín, A., Durán, I., Robles, L., Cortés-Funes, H. & Paz-Ares, L. 2004. Assessment of procalcitonin as a diagnostic and prognostic marker in patients with solid tumors and febrile neutropenia. *Cancer*, 100(11): 2462–2469.
- Jones, G. 2014. Setting of Quality Standards (October): 56. <https://www.aacb.asn.au/documents/item/3076> 10 December 2018.
- Kholisa, I.L., Haryanti, F. & Lusmilasari, L. 2006. Status Gizi dan Kejadian Infeksi pada Pasien Leukemia Limfoblastik Akut (LLA) Selama Pengobatan Fase Induksi. *JIK*, Vol.01(January): 5–9.
- Kim, D.Y., Lee, Y.S., Ahn, S., Chun, Y.H. & Lim, K.S. 2011. The usefulness of procalcitonin and C-reactive protein as early diagnostic markers of bacteremia in cancer patients with febrile neutropenia. *Cancer Res Treat*, 43(3): 176–180.

- Koenn, M., Kirby, B., Cook, L., Hare, J., Hall, S., Barry, P., Hissam, C. & Wojcicki, S. 2001. Comparison of four automated hematology analyzers. *Clin Lab Sci*, 14(4): 238–42.
- Kuter, D.J. 2015. Managing Thrombocytopenia Associated With Cancer Chemotherapy Clinical Approach to Thrombocytopenia in Patients With Cancer. *Oncology*, 29(4): 0–1.
- L.P. van Reeuwijk & Houba, V.J.G. 1998. Guidelines for Quality Management in Soil and Plant Laboratories. *Food and Agriculture Organization of the United Nations*: 1–35.
<http://www.fao.org/docrep/w7295e/w7295e00.htm#Contents> 12 October 2018.
- Lehrnbecher, T., Phillips, R., Alexander, S., Alvaro, F., Carlesse, F., Fisher, B., Hakim, H., Santolaya, M., Castagnola, E., Davis, B.L., Lee Dupuis, L., Gibson, F., Groll, A.H., Gaur, A., Gupta, A., Kebudi, R., Petrilli, S., Steinbach, W.J., Villarroel, M., Zaoutis, T. & Sung, L. 2012. Guideline for the management of fever and neutropenia in children with cancer and/or undergoing hematopoietic stem-cell transplantation. *J Clin Oncol*, 30(35): 4427–4438.
- Lewis, M.A., Hendrickson, A.W. & Moynihan, T.J. 2011. Oncologic emergencies: Pathophysiology, presentation, diagnosis, and treatment. *CA Cancer J Clin*, 61(5): 286–314.
- Linscheid, P., Seboek, D., Schaer, D.J., Zulewski, H., Keller, U. & Müller, B. 2004. Expression and secretion of procalcitonin and calcitonin gene-related peptide by adherent monocytes and by macrophage-activated adipocytes. *Crit Care Med*, 32(8): 1715–1721.
- Luo, X., Yang, X., Li, J., Zou, G., Lin, Y., Qing, G., Yang, R., Yao, W. & Ye, X. 2018. The procalcitonin/albumin ratio as an early diagnostic predictor in discriminating urosepsis from patients with febrile urinary tract infection. *Medicine*, 97(28): e11078.
- Lyman, G.H., Lyman, C.H. & Agboola, O. 2009. Risk Models for Predicting Chemotherapy-Induced Neutropenia. *Oncologist*, 10: 1003–1012.
- Magrini, L., Gagliano, G., Travaglino, F., Vetrone, F., Marino, R., Cardelli, P., Salerno, G. & Di Somma, S. 2014. Comparison between white blood cell count, procalcitonin and C reactive protein as diagnostic and prognostic markers of infection or sepsis in patients presenting to emergency department. *Clin Chem Lab Med*, 52(10): 1465–1472.
- Maruna, P., Nedělníková, K. & Gürlich, R. 2000. Physiology and genetics of procalcitonin. *Physiol Res*, 49(Suppl 1): S57–S61.
- Meintker, L., Ringwald, J., Rauh, M. & Krause, S.W. 2013. Comparison of automated differential blood cell counts from abbott sapphire, siemens advia 120, beckman coulter DxH 800, and sysmex XE-2100 in normal and pathologic samples. *Am J Clin Pathol*, 139(5): 641–650.
- Merritt, R.J., Kalsch, M., Roux, L.D., Ashley-Mills, J. & Siegel, S.S. 1985. Significance of hypoalbuminemia in pediatric oncology patients - Malnutrition or infection? *J Parenter Enteral Nutr*, 9(3): 303–306.
- Nakamura, M., Kono, R., Nomura, S. & Utsunomiya, H. 2013. Procalcitonin :

- Mysterious Protein in Sepsis. *J Basic Clin Medicine*, 2(15): 3–7.
- de Naurois, J., Novitzky-Basso, I., Gill, M.J., Marti, F.M., Cullen, M.H. & Roila, F. 2010. Management of febrile neutropenia: ESMO Clinical Practice Guidelines. *Ann Oncol*, 21(SUPPL. 5): 252–256.
- Navalkele, P., Belgrave, K., Altinok, D., Taub, J.W. & Wang, Z.J. 2016. Hypoalbuminemia Associated with Neuroblastoma: A Single Institution Experience. *Ann Pediatr Child Health*, 4(1): 1–5.
- Nielsen, K., Lin, M., Gall, D. & Jolley, M. 2000. Fluorescence Polarization Immunoassay: Detection of Antibody to *Brucella abortus*. *Methods*, 22: 71–76.
- Ortega, M., Rovira, M., Filella, X., Almela, M., De La Bellacasa, J.P., Carreras, E. & Mensa, J. 2004. Prospective evaluation of procalcitonin in adults with febrile neutropenia after haematopoietic stem cell transplantation. *Brit J Haematol*, 126(3): 372–376.
- Persson, L., Engervall, P., Magnuson, A., Vikerfors, T., Söderquist, B., Hansson, L.O. & Tidefelt, U. 2004. Use of inflammatory markers for early detection of bacteraemia in patients with febrile neutropenia. *Scand J Infect Dis Suppl*, 36(5): 365–371.
- Pratama, A.P., Sunartini & Supriyadi, E. 2014. Hubungan Antara Parameter Hematologi Saat Perawatan Fase Induksi Dengan Kejadian Demam Netropenia Pada Anak Leukemia Limfoblastik Akut. *Sari Pediatri*, 16(3): 183–188.
- Robinson, J.O., Lamothe, F., Bally, F., Knaup, M., Calandra, T. & Marchetti, O. 2011. Monitoring procalcitonin in febrile neutropenia: What is its utility for initial diagnosis of infection and reassessment in persistent fever? *PLoS ONE*, 6(4).
- Rodrigues, G. 2007. Defining accuracy and precision. *Med Lab Obs*, 39(8): 20, 22. <http://www.ncbi.nlm.nih.gov/pubmed/17867416>.
- RSUP dr. Sardjito Yogyakarta. 2018. Data Rekam Medis Demam Netropenia pada 2016, 2017, 2018 di RSUP dr. Sardjito Yogyakarta.
- RSUP dr Sardjito Yogyakarta. 2017. *Standar Operasional Prosedur (SOP) : Pemeriksaan Hitung Jenis Lekosit Manual*.
- Ruokonen, E., Nousiainen, T., Pulkki, K. & Takala, J. 1999. Procalcitonin concentrations in patients with neutropenic fever. *Eur J Clin Microbiol Infect Dis*, 18(4): 283–285.
- Sampson, M.M., Nanjappa, S. & Greene, J.N. 2017. Mucositis and oral infections secondary to gram negative rods in patients with prolonged neutropenia. *IDCases*, 9(June): 101–103.
- Sastroasmoro, S. & Ismael, S. 2014. *Dasar-dasar Metodologi Penelitian Klinis*. 5th ed. Jakarta: Sagung Seto: 352–387.
- Schwartzberg, L.S. 2006. Neutropenia: Etiology and Pathogenesis. *Clinical Cornerstone*, 8(Suppl 5): S5–S11.
- Segel, G.B. & Halterman, J.S. 2008. Neutropenia in Pediatric Practice. *Pediatrics in Review*, 29(1): 12–24.
- Setiawan, M.D.P. & Suega, K. 2014. Gambaran karakteristik pasien demam neutropenia di RSUP Sanglah periode Januari–Oktober 2014. *E-Jurnal Medika*



Udayana.

<http://ojs.unud.ac.id/index.php/eum/article/download/12687/8672>.

Soker, M., Çolpan, L., Ece, A., Devocioğlu, C. & Haspolat, K. 2001. Serum levels of IL-1 beta, sIL-2r, IL-6, IL-8, and TNF-alpha in febrile children with cancer and neutropenia. *Med Oncol*, 18(1): 51–57.

Stocker, M., Hop, W.C.J. & van Rossum, A.M.C. 2010. Neonatal Procalcitonin Intervention Study (NeoPInS): Effect of Procalcitonin-guided decision making on Duration of antibiotic Therapy in suspected neonatal early-onset Sepsis: A multi-centre randomized superiority and non-inferiority Intervention Study. *BMC Pediatrics*, 10: 6–13.

Thermo Fisher Scientific. 2012. Insert Kit : VIDAS BRAHMS Procalcitonin. : 2.

Van der Velden, W.J.F.M., Herbers, A.H.E., Netea, M.G. & Blijlevens, N.M.A. 2014. Mucosal barrier injury, fever and infection in neutropenic patients with cancer: Introducing the paradigm febrile mucositis. *Brit J Haematol*, 167(4): 441–452.