

DAFTAR PUSTAKA

- Abdallah, Dima., Jadnan, Mutaz., McCabe, John. 2013. Body mass index and risk of surgical infection following surgery: a meta analysis. *Eur Spine J* 22:2800-2809.
- Abt, N.B., Sethi, R.K., Puram, S. V. & Varvares, M.A. 2018. Preoperative laboratory data are associated with complications and surgical site infection in composite head and neck surgical resections. *American Journal of Otolaryngology - Head and Neck Medicine and Surgery*, 39(3): 261–265. <https://doi.org/10.1016/j.amjoto.2018.01.017>.
- AlHilli, M., Langstraat, C., Tran, C., Martin, J., Weaver, A., McGree, M., Mariani, A., Cliby, W. & Bakkum-Gamez, J. 2015. Risk factors and indications for 30-day readmission after primary surgery for epithelial ovarian cancer. *International journal of gynecological cancer: official journal of the International Gynecological Cancer Society*, 25(2): 193–202.
- Al-Niaimi, A.N., Ahmed, M., Burish, N., Chackmakchy, S.A., Seo, S., Rose, S., Hartenbach, E., Kushner, D.M., Safdar, N., Rice, L. & Connor, J. 2015. Intensive postoperative glucose control reduces the surgical site infection rates in gynecologic oncology patients. *Gynecologic Oncology*, 136(1): 71–76.
- Ashrafganjoei T, Mohamadianamiri M, Farzaneh F, Hosseini MS, Arab M. 2016. Investigating preoperative hematologic markers for prediction of ovarian cancer surgical outcome. *Asian Pac J Cancer Prev*;17(3):1445–8.
- Bakacak M, Serin S, Ercan O, Kostu B, Bostanci MS, Bakacak Z, et al. 2016. Utility of preoperative neutrophil-to-lymphocyte and platelet-to-lymphocyte ratios to distinguish malignant from benign ovarian masses. *J Turk Ger Gynecol Assoc.* ;17(1):21–5. doi:10.5152/jtgga.2015.0152.
- Bekdas M, Goksugur SB, Sarac EG, Erkocoglu M, Demircioglu F. 2014. Neutrophil/lymphocyte and C-reactive protein/mean platelet volume ratios in differentiating between viral and bacterial pneumonias and diagnosing early complications in children. *Saudi Med J*;35:442-7.
- Berek, Jonathan S, editors. 2003. *Novak's Gynecology* 13th Ed. Philadelphia: Lippincott Williams & Wilkins.
- Busmar, Boy. 2004. *Kanker Ovarium*. M Farid Aziz, Andrijono, Abdul Bari Saifuddin. *Onkologi Ginekologi: buku acuan nasional*. Ed. 1. Jakarta: Yayasan Bina Pustaka Sarwono Prawirohardjo.

Canturk Z, Canturk NZ, Cetinarslan B, Utkan NZ, Tarkun I. Nosocomial infections and obesity in surgical patients. *Obes Res* 2003; 11: 769–75

Carvalho, R.L.R. de, Campos, C.C., Franco, L.M. de C., Rocha, A.D.M. & Ercole, F.F. 2017. Incidence and risk factors for surgical site infection in general surgeries. *Revista Latino-Americana de Enfermagem*, 25(0). http://www.scielo.br/scielo.php?script=sci_arttext&pid=S0104-11692017000100390&lng=en&tlng=en.

Casqueiro J, Casqueiro J, Alves C. 2012. Infections in patients with Diabetes Mellitus: A review of pathogenesis. *Indian Journal of Endocrinology and Metabolism*.;16(Suppl1):S27-S36. doi:10.4103/2230-8210.94253.

Center for Disease Control and Prevention. 2002. Healthcare-associated Infection. Atlanta, USA. Didapat dari https://www.cdc.gov/hai/pdfs/hai/infections_deaths.pdf diakses tanggal 26 November 2017.

Center for Disease Control and Prevention (CDC). 2017. Healthy Weight. Atlanta, USA. Didapat dari <https://www.cdc.gov/healthyweight/index.html> diakses tanggal 10 November 2017.

Center for Disease Control and Prevention (CDC). 2017. Procedure-associated Module SSI. Atlanta, USA. Didapat dari <https://www.cdc.gov/nhsn/pdfs/pscmanual/9pscscssicurrent.pdf> diakses tanggal 10 Oktober 2017.

Center for Disease Control and Prevention (CDC). 2017. U.S. United States Cancer Statistics: 1999–2014 Incidence and Mortality Web-based Report. Atlanta (GA): Department of Health and Human Services, Centers for Disease Control and Prevention, and National Cancer Institute. Didapat dari <https://nccd.cdc.gov/uscs/> diakses tanggal 26 Desember 2017.

Cheng, K., Li, J., Kong, Q., Wang, C., Ye, N., & Xia, G. 2015. Risk factors for surgical site infection in a teaching hospital: a prospective study of 1,138 patients. *Patient Preference and Adherence*, 9, 1171–1177. <http://doi.org/10.2147/PPA.S86153>

Chu, Christina S., Hoskins, William J., Rubin, Stephen C. 2011. Primary Surgery for Ovarian Carcinoma. *Gynecology and Obstetrics* : Lippincott Williams & Wilkins vol. 4(35).

Collen Rivard, MD. Rebi Nahum. Elizabeth Stagle, MD. Megan Duininck. Rachel Isaksson Vogel. Deanna Teoh, Md. 2016. Evaluation of the performance of the ACS NSQIP surgical risk calculator in gynecologic oncology patients undergoing laparotomy. *Gynecol Oncol* ; 141(2): 281-286.

De Jonge, S. W., Gans, S. L., Atema, J. J., Solomkin, J. S., Dellinger, P. E., &

- Boermeester, M. A. 2017. Timing of preoperative antibiotic prophylaxis in 54,552 patients and the risk of surgical site infection: A systematic review and meta-analysis. *Medicine*, 96(29), e6903.
- De Lissovoy G, Fraeman K, Hutchins V, et al. 2009. Surgical site infection: incidence and impact on hospital utilization and treatment costs. *Am J Infect Control* ;37:387–97.
- Departemen Kesehatan RI. 2003. Petunjuk Teknis Pemantauan Status Gizi Orang Dewasa Dengan Indeks Masa Tubuh. Jakarta. Didapat dari <http://gizi.depkes.go.id/wp-content/uploads/2011/10/ped-praktis-stat-gizi-dewasa.doc> diakses tanggal 20 November 2017.
- Departemen Kesehatan RI. 2013. Riset Kesehatan Dasar. Jakarta. Didapat dari www.depkes.go.id/resources/download/general/Hasil%20Rikesdas%202013.pdf diakses tanggal 12 November 2017.
- Doubeni, Chyke., Doubeni, Anna., Myers, Allison. 2016. Diagnosis and Management of Ovarian Cancer. *Am Fam Physician* 1;93(11):937-944.
- Duk, J., Kauer, F., Fleuren, G., & de Bruijn, H. 1989. Serum CA 125 Levels in Patients with a Provisional Diagnosis of Pelvic Inflammatory Disease: Clinical and Theoretical Implications. *Acta Obstetricia Et Gynecologica Scandinavica*, 68(7), 637-641. doi: 10.3109/00016348909013284
- Ehdaivand, Shahrzad. 2016. WHO Classification of Ovarian Neoplasm. *PathologyOutlines.com*. Didapat dari <http://www.pathologyoutlines.com/topic/ovarytumorwhoclassif.html> diakses tanggal 14 Oktober 2017.
- El-Mahallawy, H.A., Hassan, S.S., Khalifa, H.I., El-Sayed Safa, M.M. & Khafagy, M.M. 2013. Comparing a combination of penicillin G and gentamicin to a combination of clindamycin and amikacin as prophylactic antibiotic regimens in prevention of clean contaminated wound infections in cancer surgery. *Journal of the Egyptian National Cancer Institute*, 25(1): 31–35. <http://dx.doi.org/10.1016/j.jnci.2012.12.001>.
- Epiney, M., Bertossa, C., Weil, A., Campana, A., & Bischof, P. 2000. CA125 production by the peritoneum: in-vitro and in-vivo studies. *Human Reproduction*, 15(6), 1261-1265. doi: 10.1093/humrep/15.6.1261
- European Society of Gynaecological Oncology. 2017. Ovarian Cancer Surgery Guidelines. Didapat dari <https://guidelines.esgo.org/> diakses tanggal 1 November 2017.
- Forget, P., Khalifa, C., Defour, J.-P., Latinne, D., Van Pel, M.-C., & De Kock, M. 2017. What is the normal value of the neutrophil-to-lymphocyte ratio? *BMC Research Notes*, 10, 12. <http://doi.org/10.1186/s13104-016-2335-5>

- Fleischmann E, Kurz A, Niedermayr M, et al. Tissue oxygenation in obese and non-obese patients during laparoscopy. *Obes Surg* 2005; 15: 813–19
- Fridlender ZG, Sun J, Kim S, Kapoor V, Cheng G, Ling L, et al. Polarization of tumor-associated neutrophil phenotype by TGF-beta: “N1” versus “N2” TAN. *Cancer Cell*. 2009;16:183–194.
- Friedman ND, Sexton DJ, Conelly SM, Kaye KS. 2007. Risk factor for surgical site infection complicating laminectomy. *Infect Control Hosp Epidemiol* 28(9):1060-1065.
- Garcia, Saks, Duska. 2017. Risk factors for surgical site infection after ovarian cancer debulking: An ACS NSQIP analysis. *Gynecology Oncology* 145 (2017) 2-220.
- Gerestein CG, Damhuis RA, de Vries M, Reedijk A, Burger CQ, Kooi GS. Causes of postoperative mortality after surgery for ovarian cancer. *Eur J Cancer Nov* 2009; 45(16):2799-803.
- Giri, S., Kandel, Bishnu P., Lakhey, P.J., Singh, Yogendra P., Vaidya, P. 2013. Risk Factors for Surgical Site Infections in Abdominal Surgery: A Study in Nepal. *Surgical Infections* 14(3): 313-318.
- Gökmen F, Akbal A, Reşorlu H, Gökmen E, Güven M, Aras AB, et al. 2015. Neutrophil-Lymphocyte Ratio Connected to Treatment Options and Inflammation Markers of Ankylosing Spondylitis. *J Clin Lab Anal*: 29:294-8.
- Golge, U., Kilinc, S., Kaymaz, B., Pazarc, O., Oztemur, Z., & Bulut, O. 2018. Neutrophil to Lymphocyte Ratio May Be a Diagnostic Marker for Prosthetic Joint Infection. *J Clin Anal Med* 2016;7(2): 218-21
- Gordis, Leon. 2014. *Epidemiology* 5th Ed. Philadelphia, PA: Elsevier Saunders.
- Gurol, G., Ciftci, Ihsan H., Terzi, Huseyin A., Atasoy, Ali R., Ozbek A., Koroglu, M. 2014. Are There Standardized Cutoff Values for Neutrophil-Lymphocyte Ratios in Bacteremia or Sepsis? *J. Microbiol. Biotechnol*: 25(4), 521–525
- Habibzadeh, F., Habibzadeh, P., & Yadollahie, M. 2016. On determining the most appropriate test cut-off value: the case of tests with continuous results. *Biochemia Medica*, 26(3), 297–307. <http://doi.org/10.11613/BM.2016.034>
- Jahromi, M.K., Sobhanian, S., Hojat, M. & Taheri, L. 2015. Correlation between hemoglobin levels with wound infections in orthopedic patients : a case-control study. *Jokull Journal* 65(6): 187–195.

- Jones, Howard W., Rock, John A., editor. 2015. Te Linde's operative gynecology 11th edition. Philadelphia: Lippincott Williams & Wilkins.
- Jonks PK, Laurent M, McQuarry S, Watkins R. 2014. Clinical and economic burden of surgical site infection (SSI) and predicted financial consequences of elimination of SSI from an English hospital. *Journal of Hospital Infection.*; 86:2433.
- Kaczmarek, K., Lemiński, A., Bańcarz, A., Zakrzewska, A. & Słojewski, M. 2018. Post-Operative Infections among Patients Undergoing Radical Cystectomy at a Tertiary Center. *Surgical Infections*, 19(4): 451–458.
- Kahramanoğlu, İ., İlhan, O., Kahramanoğlu, Ö. & Verit, F.F. 2018. Complete blood count and neutrophil to lymphocyte ratio as predictors of surgical site infection after hysterectomy. *Medeniyet medical journal*, 33(1): 1–4.
- Kementerian Kesehatan RI. 2011. Pedoman Interpretasi Data Klinik. Jakarta. Didapat dari https://www.researchgate.net/profile/Fauna_Herawati/publication/303523819_Pedoman_Interpretasi_Data_Klinik/links/5746c1db08ae298602fa0bb4/Pedoman-Interpretasi-Data-Klinik.pdf diakses tanggal 10 November 2017.
- Kementerian Kesehatan RI. 2015. Pusat Data dan Informasi. Jakarta. Didapat dari <http://www.depkes.go.id/resources/download/pusdatin/profil-kesehatan-indonesia/profil-kesehatan-Indonesia-2015.pdf>. diakses tanggal 19 November 2017.
- Khan M, Rooh-ul-Muqim, Zarin M, Khalil J, Salman M. 2010. *J Coll Physicians Surg Pak*. Aug;20(8):506-9. doi: 08.2010/JCPSP.506509.
- Khan, A., Riaz, M., Kelly, M., Khan, W., Waldron, R., Barry, K., & Khan, I. 2017. Prospective validation of neutrophil-to-lymphocyte ratio as a diagnostic and management adjunct in acute appendicitis. *Irish Journal Of Medical Science* (1971 -), 187(2), 379-384. doi: 10.1007/s11845-017-1667-z
- King, Gentry George T. 2015. CA-125. Didapat dari <https://emedicine.medscape.com/article/2087557-overview> diakses tanggal 2 Desember 2017.
- Konar, Hiralal, editor. 2013. *DC Dutta's Textbook of Gynecology* 6th Ed. Hons: Gold Medallist.
- Korol, Ellen., Johnston, Karissa., Sifakis, F., Jafri, Hasan., Lo, Mathew., et al., 2013. A Systematic Review of Risk Factors Associated with Surgical Site Infections among Surgical Patients. *PLoS ONE*8(12): e83743.
- Ljungqvist, O. 2010. Insulin resistance and outcomes in surgery. *Journal of Clinical*

- Lofgren M, Poromaa IS, Stjern Dahl JH, Renstrom B. Postoperative infections and antibiotic prophylaxis for hysterectomy in Sweden: a study by the Swedish National Register for Gynecologic Surgery. *Acta Obstet Gynecol Scand* 2004; 83: 1202–07
- Martin, E. T., Kaye, K. S., Knott, C., Nguyen, H., Santarossa, M., Evans, R., Jaber, L. 2016. Diabetes and Risk of Surgical Site Infection: A systematic review and meta-analysis. *Infection Control and Hospital Epidemiology*, 37(1), 88–99. <http://doi.org/10.1017/ice.2015.249>
- Maruyama, Inoue, Mori, Gorai, Shimamoto, Onitsuka *et al.* Neutrophil-lymphocyte ratio and platelet-lymphocyte ratio as predictors of wound healing failure in head and neck reconstruction. 2016. *Acta Oto-Laryngologica* vol. 137.
- Matsuno, R. K., Sherman, M. E., Visvanathan, K., Goodman, M. T., Hernandez, B Y., Lynch, C. F., Anderson, W. F. 2013. Agreement for tumor grade o ovarian carcinoma: analysis of archival tissues from the surveillance epidemiology and end results residual tissue repository. *Cancer Causes & Control : CCC*, 24(4), 749–757. <http://doi.org/10.1007/s10552-013-0157-5>.
- Miao Y, Yan Q, Li S, Li B, Feng Y. 2016. Neutrophil to lymphocyte ratio and platelet to lymphocyte ratio are predictive of chemo- therapeutic response and prognosis in epithelial ovarian cancer patients treated with platinum-based chemotherapy. *Cancer Bio- mark* ;17(1):33–40.
- Munstedt, Karsten., Franke, Folker E., 2004. Role of Primary Surgery in Advanced Ovarian Cancer. *World Journal of Surgical Oncology* 2:32.
- National Comprehensive Care Network (NCCN) Clinical Practice Guidelines in Oncology. 2016. Ovarian Cancer Including Fallopian Tube Cancer and Primary Peritoneal Cancer. Didapat dari <https://www.nccn.org/patients/guidelines/ovarian> diakses tanggal 20 Desember 2017.
- Ozmen, T., Javadov, M. & Yegen, C.S. 2016. Factors affecting surgical site infection rate after elective gastric cancer surgery. *Turkish Journal of Surgery*, 32(3): 178–184. <http://www.ulusalcerahidergisi.org/eng/abstract/1233/eng>.
- Öztürk ZA, Yesil Y, Kuyumcu ME, Bilici M, Öztürk N, Yeşil NK, et al. 2013. Inverse relationship between neutrophil lymphocyte ratio (NLR) and bone mineral density (BMD) in elderly people. *Arch Gerontol Geriatr* : 57:81-5.
- Pathak, A., Mahadik, K., Swami, M. B., Roy, P. K., Sharma, M., Mahadik, V. K., & Lundborg, C. S. 2017. Incidence and risk factors for surgical site

infections in obstetric and gynecological surgeries from a teaching hospital in rural India. *Antimicrobial Resistance and Infection Control*, 6, 66. <http://doi.org/10.1186/s13756-017-0223-y>

- Perisanidis, C., Kornek, G., Pöschl, P., Holzinger, D., Pirklbauer, K., Schopper, C., & Ewers, R. 2013. High neutrophil-to-lymphocyte ratio is an independent marker of poor disease-specific survival in patients with oral cancer. *Medical Oncology*: 30(1). doi: 10.1007/s12032-012-0334-5
- Póvoa P, Coelho L, Almeida E, Fernandes A, Mealha R, Moreira P, Sabino H. 2006. Early identification of intensive care unit-acquired infections with daily monitoring of C- reactive protein: a prospective observational study. *Crit. Care*. 10: R63.
- Prat, Jalme. 2015. FIGO's staging classification for cancer of the ovary, fallopian tube, and peritoneum: abridged republication. *J Gynecol Oncol* Vol. 26, No: 2:87-89.
- Prescott, Lauren S., Aloia, Thomas A., Brown, Alaina J., Taylor, Jolyn S., Munsell Mark F., Sun C., Schmeler, K., *et al.* 2015. Perioperative blood transfusion in gynecologic oncology surgery: Analysis of the National Surgical Quality Improvement Program Database. *Gynecologic Oncology* 136(1):65-70
- Pull ter Gunne AF, Cohen DB. 2009. Incidence, prevalence, and analysis of risk factor for surgical site infection following adult spinal surgery. *Spine (Phila Pa 1976)* 34(13):1422-1428.
- Richards, T., Musallam, K. M., Nassif, J., Ghazeeri, G., Seoud, M., Gurusamy, K. S., & Jamali, F. R. (2015). Impact of Preoperative Anaemia and Blood Transfusion on Postoperative Outcomes in Gynaecological Surgery. *PLoS ONE*, 10(7), e0130861.
- Rivai, F., Koentjoro, Tjahjono., Utarini, Adi. 2013. Determinan Infeksi Luka Operasi Pascabedah Sesar. *Jurnal Kesehatan Masyarakat Nasional* Vol.8 No.5.
- Robert E. Bristow, Beth Y. Karlan, Dennis S. Chi. 2016. *Surgery for Ovarian cancer* Third Edition.
- Robert J. Kurman, M.D., Ie-Ming Shih, M.D., Ph.D. 2010. The Origin and Pathogenesis of epithelial Ovarian Cancer- a Proposed Unifying Theory. *Am J Surg Pathol.*; 34(3): 433–443.
- Sagi, H.C., Dziadosz, D., Mir, H., Virani, N. & Olson, C. 2013. Obesity, leukocytosis, embolization, and injury severity increase the risk for deep postoperative wound infection after pelvic and acetabular surgery. *Journal*

of Orthopaedic Trauma, 27(1): 6–10.

Sastroasmoro, Sudigdo., Ismael, Sofyan. 2014. *Dasar-dasar Metodologi Penelitian Klinis* Edisi ke-5. Jakarta: Sagung Seto.

Scheuenstuhl, H., West, J., Hopf, H.W., Hunt, T.K. & Glasg, F.R.C.S. 1991. Relation to Wound Healing in Surgical Patients Tissue. *Ann Surg* : 605–613.

Sharma, S., Sharma, P., Tyler, Lisa N. 2011. Transfusion of blood and blood products: Indications and complication. *Am Fam Physician*. 2011 Mar 15;83(6):719-724

Shen J, Zhu Y, Wu W, Zhang L, Ju H, Fan Y, et al. 2017. Prognostic role of Neutrophil-to-Lymphocyte ratio in locally advanced rec- tal cancer treated with neoadjuvant chemoradiotherapy. *Med Sci Monit* ;23:315–24.

Shimizu Y, Kamoi S, Amada S, Hasumi K, Akiyama F, Silverberg SG. 1998. Towards the development of a universal grading system for ovarian epithelial carcinoma. I. Prognostic significance if histopathologic features— problems involved in the architectural grading system. *Gynecol Oncol*. Jul; 70(1):2-12.

Singer, M., Deutschman, C. S., Seymour, C. W., Shankar-Hari, M., Annane, D., Bauer, M., Angus, D. C., et al. (2016). The Third International Consensus Definitions for Sepsis and Septic Shock (Sepsis-3). *JAMA*, 315(8), 801–810.

Society of Gynecologic Oncology. 2014. FIGO Ovarian Cancer Staging. Didapat dari https://www.sgo.org/wp-content/uploads/2012/09/FIGO-Ovarian-Cancer-Staging_1.10.14.pdf diakses tanggal 29 November 2017.

Son HJ, Roh JL, Choi SH, Nam SY, Kim SY. 2017. Nutritional and hematologic markers as predictors of risk of surgical site infection in patients with head and neck cancer undergoing major oncologic surgery. *Head Neck*. Doi:10.1002/hed.25031.

Steiner HL, Strand EA. 2017. Surgical-site infection in gynecologic surgery pathophysiology and prevention. *Am J Obstet Gynecol*. 217(2):121-128.

Sun, Y., Wang, H., Tang, Y., Zhao, H., Qin, S., Xu, L., Xia, Z. & Zhang, F. 2018. Incidence and risk factors for surgical site infection after open reduction and internal fixation of ankle fracture. *Medicine*, 97(7): e9901. <http://insights.ovid.com/crossref?an=00005792-201802160-00036>.

Tran, Christine W., Mc.Gree, Michaela E., Weaver, Amy.L., Martin, Janice R., Lemens, Maureen A., Cliby, William A., et al. 2014. Surgical site infection after primary surgery for epithelial ovarian cancer: Predictors and impact on survival. *Gynecologic Oncology* Volume 136 , Issue 2 , 278 – 284.

- Tuomi, T., Pasanen, A., Leminen, A., Bützow, R. & Loukovaara, M. 2016. Incidence of and risk factors for surgical site infections in women undergoing hysterectomy for endometrial carcinoma. *Acta Obstetrica et Gynecologica Scandinavica*, 95(4): 480–485.
- Union for International Cancer Control (UICC). 2016. TNM Classification of Malignant Tumours- 8th edition. Didapat dari https://www.uicc.org/sites/main/files/atoms/files/TNM_Classification_of_Malignant_%20Tumours_8th_edition_NEW_updated_0.pptx diakses tanggal 25 Desember 2017
- Siegel, R. L., Miller, K. D. and Jemal, A. 2017. Cancer statistics. CA: *A Cancer Journal for Clinicians*, 67: 7–30. doi:10.3322/caac.21387.
- Valecha, Shalini M., Saswade, Manisha N. 2017. An original research paper on incidence and risk factor for surgical site infections following major abdominal surgeries in obstetrics and gynaecology. *International Journal of Reproduction, Contraception, Obstetrics and Gynecology* 6(5):1863
- Vinotha, Thomas., Anitha, Thomas., Ajit, Sebastian., Rachel, Chandy., Abraham, P., 2015. The Role of Completion Surgery in Ovarian Cancer. *The Journal of Obstetrics and Gynecology of India* 66(S1):5435-S440.
- Waisbren E, Rosen AM, Bader, Lipsitz SR, Rogers SO Jr, Eriksson E. 2010. Percent body fat and prediction of surgical site infection. *J Am Coll Surg* 210(4):381-389.
- Webb, Penelope M., Jordan, Susan J. 2017. Epidemiology of epithelial Ovarian Cancer. *Best Practice & Research Clinical Obstetrics & Gynecology* Volume 41:3-14.
- Wilson, C.J., Georgiou, K.R., Oburu, E., Theodoulou, A., Deakin, A.H. & Krishnan, J. 2018. Surgical site infection in overweight and obese Total Knee Arthroplasty patients. *Journal of Orthopaedics*, 15(2): 328–332. <https://doi.org/10.1016/j.jor.2018.02.009>.
- World Health Organization (WHO). 2018. WHO Global Database on Body Mass Index. Didapat dari http://apps.who.int/bmi/index.jsp?introPage=intro_3.html diakses tanggal 5 Juni 2018.
- World Health Organization (WHO). 2016. WHO Global Guidelines for The Prevention of Surgical Site Infection. Didapat dari <http://www.who.int/gpsc/ssi-guidelines/en/> diakses tanggal 20 Desember 2017.
- World Health Organization (WHO). 2004. Appropriate body mass index for Asian population and its implications for policy and intervention. Didapat dari

www.who.int/nutrition/publications/bmi_asia_strategies.pdf diakses
tanggal 28 Desember 2017.

Xiao GQ, Liu C, Liu DL, Yang JY, Yan LN. 2013. Neutrophil- lymphocyte ratio predicts the prognosis of patients with hepatocellular carcinoma after liver transplantation. *World J. Gastroenterol.* 19: 8398-8407.

Yildirim, M., Demir Cendek, B., & Filiz Avsar, A. 2015. Differentiation between benign and malignant ovarian masses in the preoperative period using neutrophil-to-lymphocyte and platelet-to-lymphocyte ratios. *Molecular and Clinical Oncology*, 3(2), 317–321. <http://doi.org/10.3892/mco.2014.481>

Yilmaz, B., & Ayhan ACAR, Y. 2017. Investigation of the Diagnostic Value of Neutrophil to Lymphocyte Ratio in Pediatric Appendicitis Cases. *Iranian Journal Of Pediatrics*, 27(3). doi: 10.5812/ijp.9593

Zahorec R. 2001. Ratio of neutrophil to lymphocyte counts–rapid and simple parameter of systemic inflammation and stress in critically ill. *Bratisl Lek Listy* 102: 5-14.

Zeimet, A.G., Offner, F.A., Marth, C. et al. (1997) Modulation of CA125 release by inflammatory cytokines in human peritoneal mesothelial and ovarian cancer cells. *Anticancer Res.*, 17, 3129–3132

Zelenitsky, S.A., Ariano, R.E., Harding, G.K.M. & Silverman, R.E. 2002. Antibiotic pharmacodynamics in surgical prophylaxis: An association between intraoperative antibiotic concentrations and efficacy. *Antimicrobial Agents and Chemotherapy*, 46(9): 3026–3030.