



DAFTAR PUSTAKA

- Alberti, R.E., Emmons, M.L. (2001). *Your Perfect Right : Assertiveness and Equality in Your Life and Relationships*. Oakland : Impact Publishers
- Amanatullah, E. T., & Morris, M. W., (2010). 'Negotiating gender roles: Gender differences in assertive negotiating are mediated by women's fear of backlash and attenuated when negotiating on behalf of others'. *Journal of Personality and Social Psychology*, 98(2), 256-267, doi: 10.1037/a0017094 [Diakses pada 29 05 2018]
- Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan Republik Indonesia., (2013). Riset Kesehatan Dasar (RISKESDAS) 2013. *Laporan Nasional 2013*, 132–138.
- Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan Republik Indonesia., (2018). Riset Kesehatan Dasar (RISKESDAS) 2018. [*Powerpoint slides*], Tersedia di: http://www.depkes.go.id/resources/download/info-terkini/materi_rakorpop_2018/Hasil%20Riskesdas%202018.pdf [Diakses 15 01 2019]
- Bloom, S. S., Wypij, D., & Das Gupta, M. (2001). 'Dimensions of Women's Autonomy and the Influence on Maternal Health Care Utilization in a North Indian City'. *Demography*, 38(1), 67–78, doi: 10.2307/3088289 [Diakses pada 30 12 2018]
- Blumberg, R.L., (1988). 'Income under female versus male control: hypotheses from a theory of gender stratification and data from the Third World'. *Journal on Family Issues*, 9(1), 51-84, doi: 10.1177/019251388009001004 [Diakses pada 05 12 2018]
- Blumberg, R.L., (1991). *Gender, Family, and Economy: The Triple Overlap*. London : SAGE Publications, Inc.
- CDC, 2017. *Centers for Disease Control and Prevention*. [Online], Tersedia di : https://www.cdc.gov/tobacco/data_statistics/fact_sheets/health_effects/effects_cig_smoking/index.htm [Diakses 19 07 2018]
- Chi, Y. C., Wu, C. L., Chen, C. Y., Lyu, S. Y., Lo, F. E., & Morisky, D. E. (2015). 'Randomized trial of a secondhand smoke exposure reduction intervention among hospital-based pregnant women'. *Addictive Behaviors*, 41, 117–123, doi: 10.1016/j.addbeh.2014.10.001 [Diakses pada 14 01 2019]
- Dinas Kesehatan Provinsi Nusa Tenggara Barat. (2017). *Profil Kesehatan Provinsi Nusa Tenggara Barat*. [Online], Tersedia di: http://www.depkes.go.id/resources/download/profil/PROFIL_KES_PROVIN_SI_2017/18_NTB_2017.pdf [Diakses pada 10 11 18]
- Drope, J., Schluger, N.W. (2018). *The Tobacco Atlas 6th edition*. 6th ed, Georgia : American Cancer Society Inc.



Elshatarat, R. A., Yacoub, M. I., Khraim, F. M., Saleh, Z. T., & Afaneh, T. R. (2016). 'Self-efficacy in treating tobacco use: A review article'. *Proceedings of Singapore Healthcare*, 25(4), 243–248, doi: 10.1177/2010105816667137 [Diakses pada 15 01 2019]

Ernawati, F., Kartono, D., Puspitasari, D.S. (2011). Hubungan *Antenatal Care* dengan Berat Badan Lahir Bayi di Indonesia (Analisis Lanjut Data Riskesdas 2010). *Gizi Indon* 2011, 34(1), 23-31

Hollandsworth, J. G., & Wall, K. E. (1977). 'Sex differences in assertive behavior: An empirical investigation'. *Journal of Counseling Psychology*, 24(3), 217-222.

Homish, G.G., Leonard, K.E. (2005). 'Spousal Influence on Smoking Behaviors in a US Community Sample of Newly Married Couples'. *Social Science & Medicine*, 61(12), 2557-2567, doi: 10.1016/j.socscimed.2005.05.005 [Diakses pada 06 12 2018]

Ibrahim, A., Mahmood, N., Zaki, M. (2009) *History Taking and Clinical Examination for Obstetric and Gynaecology Patients*. Kelantan: Pustaka Aman Press SDN.BHD.

Ickovics, J. R., Kershaw, T. S., Westdahl, C., Magriples, U., Massey, Z., Reynolds, H., & Rising, S. S. (2007). 'Group Prenatal Care and Perinatal Outcomes'. *Obstetrics & Gynecology*, 110(2, Part 1), 330–339, doi: 10.1097/01.AOG.0000275284.24298.23 [Diakses pada 30 12 2018]

Johnston, J. E., Valentiner, E., Maxson, P., Miranda, M. L., & Fry, R. C. (2014). 'Maternal cadmium levels during pregnancy associated with lower birth weight in infants in a North Carolina cohort'. *PLoS ONE*, 9(10). doi: 10.1371/journal.pone.0109661 [Diakses pada 14 01 2019]

Kearney, L., Kynn, M., Craswell, A., & Reed, R. (2017). 'The relationship between midwife-led group-based versus conventional antenatal care and mode of birth: A matched cohort study'. *BMC Pregnancy and Childbirth*, 17(1), 1–7. doi: 10.1186/s12884-016-1216-1 [Diakses pada 14 01 2019]

Kementerian Kesehatan Direktur Jenderal Bina Kesehatan Masyarakat. (2010). *Pedoman Pelayanan Antenatal Terpadu*. Jakarta : Kementerian Kesehatan Republik Indonesia

Kementerian Kesehatan Republik Indonesia. (2013). *Buku Saku Pelayanan Kesehatan Ibu di Fasilitas Kesehatan Dasar dan Rujukan Edisi Pertama tahun 2013*. Jakarta : Kementerian Kesehatan Republik Indonesia

Klerman, L. V., Ramey, S. L., Goldenberg, R. L., Marbury, S., Hou, J., & Cliver, S. P. (2001). 'A randomized trial of augmented prenatal care for multiple-risk, medicaid-eligible African American women'. *American Journal of*



Public Health, 91(1), 105–111, doi: 10.2105/AJPH.91.1.105 [Diakses pada 28 12 2018]

Leonardi-Bee, J., Britton, J., & Venn, A. (2011). ‘Secondhand Smoke and Adverse Fetal Outcomes in Nonsmoking Pregnant Women: A Meta-analysis’. *Pediatrics*, 127(4), 734–741, doi: 10.1542/peds.2010-3041 [Diakses pada 01 07 2018]

Lorr, M., More, W.M. (1980). ‘Four Dimensions of Assertiveness’. *Multivariable Behavioral Research*, 2(15), 127-138. doi: 10.1207/s15327906mbr1502_1

Lubick, Naomi. (2011). ‘Smoking and Secondhand Smoke : Global Estimate of SHS Burden’. *Environmental Health Perspectives*, 119(2), 66–67, doi: 10.1289/ehp.119-a66

Madden, M. E. (1988).’Internal and External Attributions Following Miscarriage’. *Journal of Social and Clinical Psychology*, 73(2), 113–121, doi: 10.1521/jscp.1988.7.2-3.113 [Diakses pada 30 12 2018]

Mills, T. A., Ricklesford, C., Cooke, A., Heazell, A. E. P., Whitworth, M., & Lavender, T. (2014). ‘Parents’ experiences and expectations of care in pregnancy after stillbirth or neonatal death: A metasynthesis’. *BJOG: An International Journal of Obstetrics and Gynaecology*, 121(8), 943–950, doi: 10.1111/1471-0528.12656 [Diakses pada 14 01 2019]

Mojibyan,M., Karimi, M., Bidaki, R., Rafiee, P., Zare, A. (2013). ‘Exposure to Second-hand Smoke During Pregnancy and Preterm Delivery’. *International Journal of High Risk Behaviors and Addiction*, 1(4), 149–153, doi: 10.5812/ijhrba.7630 [Diakses pada 29 05 2018]

Nichter, M., Nichter, M., Padmawati, R. S., & Ng, N. (2010). ‘Developing a smoke free household initiative: an Indonesian case study’. *Acta Obstetricia et Gynecologica Scandinavica*, 89(4), 578–581, doi: 10.3109/00016340903578893 [Diakses pada 15 01 2019]

Norsa’Adah, B., & Salinah, O. (2014). ‘The effect of second-hand smoke exposure during pregnancy on the newborn weight in Malaysia’. *Malaysian Journal of Medical Sciences*, 21(2), 44–53, PMID : 24876807 [Diakses pada 14 05 2018]

Onyeizugbo, E.U. (2003). ‘Effects of Gender, Age, and Education on Assertiveness in a Nigerian Sample’. *Psychology of Women Quarterly*, 27(1), 12-16, doi: 10.1111/1471-6402.t01-2-00002

Pourjali, F., & Zarnaghash, M. (2010). ‘Relationships between assertiveness and the power of saying no with mental health among undergraduate student’.



Procedia - Social and Behavioral Sciences, 9, 137–141, doi: 10.1016/j.sbspro.2010.12.126

- Ramadhan, N. (2012). ‘Hubungan Ibu Hamil Perokok Pasif dengan Kejadian Bayi Berat Lahir Rendah di Badan Layanan Umum Daerah RSU Meuraxa Banda Aceh’. *Jurnal Ilmiah STIKES U’Budiyah*. 1(2), 27-33 [Diakses pada 14 05 2018]
- Rathus, S. A. (1973). A 30-item schedule for assessing assertive behavior. *Behavior Therapy*, 4(3), 398-406, doi:10.1016/S0005-7894(73)80120-0 [Diakses pada 29 05 2018]
- Rochadi, S. (2015). *Konstruksi Sosial Pemberdayaan Nelayan Berbasis Modal Sosial di Lombok Utara*. Skripsi, Fakultas Ilmu Sosial dan Ilmu Politik
- Salmah, S. (2017). ‘Pernikahan Dini Ditinjau Dari Sudut Pandang Sosial Dan Pendidikan’. *Al-Hiwar : Jurnal Ilmu dan Teknik Dakwah*, doi: 10.18592/al-hiwar.v4i6.1215. [Diakses pada 15 01 2019]
- Salmasi, G., Grady, R., Jones, J., McDonald, S. D. (2010). ‘Environmental Tobacco Smoke Exposure and Perinatal Outcomes: A Systematic Review and Meta-analyses’. *Acta Obstetricia et Gynecologica Scandinavica*, 89(4), 423–441, doi: 10.3109/00016340903505748 [Diakses pada 04 05 2018]
- Septarini, Dwi. (2003). ‘Hubungan Umur, Paritas, Riwayat Kehamilan, Praktik Tentang Antenatal Care (ANC), Status Gizi, dan Beban Kerja dengan Kejadian Berat Bayi Lahir Rendah (Studi pada Buruh Tani di Wilayah Kerja Puskesmas Cepiring Kabupaten Kendal Tahun 2002)’. Skripsi, Fakultas Kesehatan Masyarakat.
- Singh, D., Goli, S., & Parsuraman, S. (2014). ‘Association between obstetric complications & previous pregnancy outcomes with current pregnancy outcomes in Uttar Pradesh, India’. *The Indian Journal of Medical Research*, 139(1), 83-90.
- World Health Organization. (2016). *WHO Recommendation on Antenatal Care for Positive Pregnancy Experience*. World Health Organization, Geneva.
- World Health Organization. (2014). *WHO Recommendations on Prevention and Management of Tobacco Use and Second-Hand Smoke Exposure in Pregnancy-The Short Version*. World Health Organization, Geneva.
- World Health Organization International Agency for Research on Cancer. (2004). *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans : Tobacco Smoke and Involuntary Smoking*. Volume 83. International Agency for Research on Cancer, Prancis.
- Yang, L., Tong, E.K., Mao, Zhengzong, Hu, Teh-Wei. (2013). Exposure to Secondhand Smoke and Associated Factors among Non-Smoking Pregnant Women with Smoking Husbands in Sichuan Province, China. *Acta Obstetricia et Gynecologica Scandinavica*, 89(4), 549-557, doi: 10.3109/00016341003713851 [Diakses pada 04 05 2018]