

REFERENCES

- Acer, E., Çadırılı, E., Erol, H., & Gündüz, M. (2016). Effect of Growth Rate on the Microstructure and Microhardness in a Directionally Solidified Al-Zn-Mg Alloy. *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, 47(6), 3040–3051.
- Askeland, D. R., Fulay, P. P., & Wendelin J. Wright. (2010). *The Science and Engineering Materials. Material Engineering* (Sixth Edit). Cengage Learning, Inc.
- ASM International Handbook, V. 2. (2003). *Heat treating. Metal Finishing* (Vol. 101).
- Brandon, D. G.; Kaplan, W. D. (1999). *Microstructural Characterization of Materials* (Vol. 20). John Wiley & Sons, Ltd. (UK).
- Campbell, J. (2011). *Complete Casting* (First edit). Elsevier.
- Chen, Z., Wang, E., & Hao, X. (2016). Microstructure and orientation evolution in unidirectional solidified Al-Zn alloys. *Materials Science and Engineering A*, 667, 1–8.
- Cobden, R., & Banbury, A. (1994). *Aluminium: Physical Properties, Characteristics and Alloys. European Aluminium Association*. European Aluminium Association.
- Davis, J. R. (2001). Aluminum and Aluminum Alloys. In *Light Metals and Alloys* (pp. 351–416). ASM International.
- Engin, S., Büyük, U., & Maraşlı, N. (2016). The effects of microstructure and growth rate on microhardness, tensile strength, and electrical resistivity for directionally solidified Al-Ni-Fe alloys. *Journal of Alloys and Compounds*, 660, 23–31.
- Ghods, M., Johnson, L., Lauer, M., Grugel, R. N., Tewari, S. N., & Poirier, D. R.

- (2016). Macrosegregation in Al-7Si alloy caused by abrupt cross-section change during directional solidification. *Journal of Crystal Growth*, 449, 134–147.
- Han-xue, C., Meng-yao, H., Chao, S., & Peng, L. (2017). The influence of different vacuum degree on the porosity and mechanical properties of aluminum die casting. In *Vacuum* (pp. 1–8).
- Jahangiri, A., Marashi, S. P. H., Mohammadaliha, M., & Ashofte, V. (2017). The effect of pressure and pouring temperature on the porosity , microstructure , hardness and yield stress of AA2024 aluminum alloy during the squeeze casting process. *Journal of Materials Processing Technology*, 245, 1–6.
- Kaufman, J. G., & Rooy, E. L. (2004). *Aluminum Alloy Castings: Properties , Processes , and Applications*. ASM International. ASM International.
- Kaya, H., Çadirli, E., & Gündüz, M. (2007). Dendritic growth in an aluminum-silicon alloy. *Journal of Materials Engineering and Performance*, 16(1), 12–21.
- Kaya, H., Çadirli, E., Gündüz, M., & Ülgen, A. (2003). Effect of the temperature gradient, growth rate, and the interflake spacing on the microhardness in the directionally solidified Al-Si eutectic alloy. *Journal of Materials Engineering and Performance*, 12(5), 544–551.
- Kaygısız, Y., & Maraşlı, N. (2017). Directional solidification of Al–Cu–Si–Mg quaternary eutectic alloy. *Journal of Alloys and Compounds*, 721, 764–771.
- Koçak, Y., Engin, S., Büyük, U., & Maraşlı, N. (2013). The influence of the growth rate on the eutectic spacings, undercoolings and microhardness of directional solidified bismuth–lead eutectic alloy. *Current Applied Physics*, 13(3), 587–593.
- Linder, J., Axelsson, M., & Nilsson, H. (2006). The influence of porosity on the fatigue life for sand and permanent mould cast aluminium. *International*

Journal of Fatigue, 28(12), 1752–1758.

Mozammil, S., Karloopia, J., & Jha, P. K. (2018). Investigation of porosity in Al casting. *Materials Today: Proceedings*, 5, 17270–17276.

Mukhopadhyay, P. (2012). Alloy Designation, Processing, and Use of AA6XXX Series Aluminium Alloys. *ISRN Metallurgy*, 2012, 1–15. <https://doi.org/10.5402/2012/165082>

Natsume, A., Tanahashi, K., & Inoue, N. (2001). Relation between temperature gradient at growth interface and growth rate in Czochralski silicon examined by heat balance equation. *Microelectronic Engineering*, 56(1–2), 129–132.

Okayasu, M., & Takeuchi, S. (2015). Crystallization characteristics of cast aluminum alloys during a unidirectional solidification process. *Materials Science and Engineering A*, 633, 112–120.

Robles-Hernandez, F. C., Ramírez, J. M. H., & R. Mackay. (2017). *Al-Si Alloys*. Springer. Springer.

Şahin, M., & Çadirli, E. (2012). The effects of temperature gradient and growth rate on the microstructure of directionally solidified Sn-3.5Ag eutectic solder. *Journal of Materials Science: Materials in Electronics*, 23(2), 484–492.

Stefanescu, D. M. (2009). *Science and engineering of casting solidification* (Third Edit). Springer.

Steinbach, S., & Ratke, L. (2007). The influence of fluid flow on the microstructure of directionally solidified AlSi-base alloys. *Metallurgical and Materials Transactions A*, 38 A(7), 1388–1394.

Totten George E., M. D. S. (2003). *Handbook of Aluminum; Volume 1: Physical Metallurgy and Processes*. (M. D. S. Totten George E., Ed.), Marcel Dekker, Inc. New York: Marcel Dekker, Inc.

W. Rasband. (2018). Downloads - ImageJ. Retrieved April 12, 2019, from

<https://imagej.net/Downloads>

Wang, M. (2013). *Joining Vacuum High Pressure Die Cast Aluminum Alloy A356 Subjected to Heat Treatment to Wrought Alloy 6061*. University of Windsor.

Yang, L., Li, S., Guo, J., Fan, K., Li, Y., Zhong, H., & Fu, H. (2018). Pattern selection of twinned growth in aluminum alloys during Bridgman solidification. *Journal of Alloys and Compounds*, 741, 131–140.

Zhong, H., Li, C., Ren, Z., Rettenmayr, M., Zhong, Y., Yu, J., & Wang, J. (2016). Effect of interdendritic thermoelectric magnetic convection on evolution of tertiary dendrite during directional solidification. *Journal of Crystal Growth*, 439, 66–73.