

REFERENCES

- Ahmed, M.E. and Abdelati, K.A. 2009. Chemical composition and amino acids profile of *Leucaena leucocephala* seeds. *International Journal of Poultry Science* 8 (10): 966 - 970.
- Apriyantono, A. 1989. Food Analysis. Bogor Agricultural University, Bogor.
- Ayaz, F.A., Kadioglu, A., Bertoft E., Acar, C., and Turna, I. 2001. Effect of fruit maturation on sugar and organic acid composition in two blueberries (*Vaccinium arctostaphylos* and *V. myrtillus* native to Turkey. *New Zealand Journal of Crop and Horticultural Science* 29 (2): 137 - 141.
- Bamidele, O.P., Mofoluwasu, B.F., Olalekan, J.A., and Adeyanju, A.A. 2017. Effect of blanching time on total phenolic, antioxidant activities and mineral content of selected green leafy vegetables. *Current Journal of Applied Science and Technology* 24 (4): 1-8.
- Barreiro, J., Milano, M., and Sandoval, A. 1997. Kinetic of color change double concentrated tomato paste during thermal treatment. *Journal of Food Engineering* 33 (3-4): 359-371.
- Bengtsson, B.T. 2007. Effect of blanching on mineral and oxalate content of spinach. *International Journal of Food Science and Technology* 42 (2): 141 – 145.
- Bernas, E. 2017. Monosodium glutamate equivalents and B-group vitamins in frozen mushrooms. *International Journal of Food Properties* 20 (2): 1613-1626.
- Beyreuther, K., Biesalski, H.K., Fernstrom, J.D., Grimm, P., Hammes, W.P., and Heinemann, U. 2007. Consensus meeting: Monosodium glutamate. *European Journal of Clinical Nutrition* 61 (3): 304-313.
- Biao, L., Kimatu, B.M., Li, C., L., Pei, F., Hu, Q., and Zhao, L. 2017. Analysis of volatile compounds in *L. edodes* blanched by hot water and microwave. *International Journal of Food Science and Technology* 52. DOI: 10.1111/ijfs.13442.
- Cahyono, T.B., Maulani, A.M., Ridwan, Syarifah, A.N., Adekayanti, A., and Widada, H. 2012. *Antidiabetic Drug Ethyl Acetate Fraction of Leucaena leucocephala Seed Extract in Wistar Alloxan Induced* International Conference: Research and Application on Traditional Complementary and Alternative Medicine in Health Care (TCAM) Surakarta, Indonesia.
- Chen, C.Y., and Wang Y.D. 2010. *Steroids from the Whole Plants of Leucaena leucocephala*. *American Journal of Analytical Chemistry* 1: 31-33.
- Chen, D.W., and Zhang, M. 2007. Non-volatile taste-active compounds in the meat of Chinese mitten crab (*Eriocheir sinensis*). *Food Chemistry* 104: 1200-1205.
- Chew, Y.L., Chan, E.W.L., Tan, P.L., Lim, Y.Y., Stanlash, J. and Goh, J.K. 2011. Assessment of Phytochemical Content, Polyphenolic Composition, Antioxidant and Antibacterial Activities of Leguminosae Medicinal Plants in Peninsular Malaysia. *BMC Complementary and Alternative Medicine* 11 (12): 1472 - 1482.

- Daly, K., Al-Rammahi, M., Moran, A., Marcello, M., Ninomiya, Y., and Shirazi-Beechey, S.P. 2012. Sensing of amino acids by the gut expressed receptor T1R1-T1R3 stimulates CCK secretion. *American J. Physiol Gastrointest Liver Physiol* 304 (3): 271 – 282.
- Delwiche, J.F. 2003. Believed to impact flavor attributes: an opinion survey. *Journal of Sensory Studies* 18 (4): 347 - 352.
- Dewi, E.N., Amalia, U., and Mel, M. 2016. The effect of different treatments to the amino acid contents of micro algae *Spirulina* sp. *Aquatic Procedia* 7: 59 – 65.
- Egbuonu, A.C. and Nzewi, D.C. 2016. Influence of blanching on some nutrient and anti-nutrient compositions of bitter yam (*Dioscorea dumetorum*). *British Journal of Applied Science and Technology* 16 (2): 1-8.
- Ekpenyong, T.E. 1986. Nutrient composition of tropical feedstuff is available for rabbit feeding. *J. Appl. Rabbit Res* 9 (3): 100 - 102.
- Engel, E., Nicklaus, S., Septier, C., Salles, C., and Le Quere, J.L. 2000. Taste active compounds in a goat cheese water-soluble extract: Determination of the relative impact of water-soluble extract components on its taste using omission tests. *J. Agric. Food Chem* 48: 4260-4267.
- Erickson, A.J., Ramsewak, R.S., Smucker, A.J., and Nair M.G. 2000. Nitrification Inhibitors from the roots of *Leucaena leucocephala*. *Journal of Agricultural and Forestry* 48 (12): 6174-6177.
- Feinberg, B. 1973. Vegetable, in: Food Dhydration Vol. 2 (W.B. Van Arsdell, M.J. Copley, and A.I. Morgan eds.) pp: 3 – 32. AVI Pub. Inc., Westport, Connecticut.
- Frossard, E., Bucher, M., Machler, F., Mozafar, A. and Hurrell, R. 2000. The potential for increasing the content and bioavailability of Fe, Zn, and Ca in plants for human nutrition. *Journal of the Science of Food and Agriculture* 80: 861-879.
- Gad, S.S., El-Zalaki, E., Mohamed, M.S., and Mohassad S.Z. 1980. Oxalate content of some leafy vegetables and dry legumes consumed widely in Egypt. *Food Chemisry* 8: 169 – 177.
- Granato, D. and Masson, M.L. 2010. Instrumental color and sensory acceptance of soy-based emulsions: a response surface approach. *Ciência e Tecnologia de Alimentos* 30 (4):1090–1096.
- Han, I.H. and Baik, B.K. 2006. Oligosaccharide content and composition of legumes and their reduction by soaking, cooking, ultrasound, and high hydrostatic pressure. *Cereal Chemistry* 83 (4): 428 – 433.
- Harifah, C.S. 2017. *Changes in Nutrition, Antigenic Compounds, and Protein in vitro Digestive Value and Amino Acid Profile Lamtoro Gung Seeds (Leucaena leucocephala) Steamed and Boiled*. Thesis. Yogyakarta, Universitas Gadjah Mada.
- Harijono, Estiasih, T., Saputri, D.S., and Kusnadi, J. 2013. Effect of blanching on properties of water yam (*Dioscorea alata*). *Advance Journal of Food Science and Technology* 5 (10): 1342 - 1350.

- Hassan, R.A. and Radwan, H.M. 2010. The lipids and volatile oil constituents of *Leucaena glauca* (L.) bench.growing in Egypt and their biological activity. *Journal of Applied Sciences Research* 6 (5): 478-482.
- Hernandez, J.L., Gonzales-Castro, M.J., Alba, I.N., and Cruz Garcia, C.D. 1998. High performance liquid chromatographic determination of mono- and oligosaccharides in vegetables with evaporative light-sctattering detection and refractive index detection. *Journal of Chromatographic Science* 36: 293 – 299.
- Horio, T. and Kawamura, Y. 1989. Salivary secretion induced by umami taste. *Shika Kiso Igakkai Zasshi* 31: 107–111.
- Hortensteiner, S. 2006. Chlorophyll degradation during senescence. *Annual Rev. Plant Physiology* 57: 55 - 57.
- Hoseney, R.C. 1994. *Principles of Cereal Science and Technology*. 2nd ed. Am. Assoc. of Cereal Chem. Inc., St. Paul, Minnesota, USA
- Hunter, R.1987. *The measurement of appearance*. Wiley Press, New York
- Ikeda, S. 1980. *Other organic components and inorganic components*. In: Advances in Fish Science and Technology, JJ Connell (Ed.), Fishing News Books Ltd., Farnham, Surrey: 111-124.
- Ilham, Z., Hamidon, H., Romji, N.A., Norfadhilah, R., and Osman, N. 2015. Extraction and Quantification of Toxic Compound Mimosine from *Leucaena leucocephala* Leaves. *Procedia Chemistry* 16: 164-170.
- Iwasaki, K., Kasahara, T. and Sato, M. 1985. Gustatory effectiveness of amino acids in mice: behavioral and neurophysiological studies. *Physiol. Behav.* 34: 531–542.
- Jang, J., Leon, P., Zhou, L. and Sheen, J. 1997. Hexokinase as sugar sensor in higher plants. *Plant Cell* 9: 15 – 19.
- Jinap, S. and Hajeb, P. 2010. Glutamate, Its applications in food and contribution to health. *Journal Appetite* 55: 1-10.
- Johanningsmeier, S. D., Mcfeeters, R. F. and Drake, M. 2005. A hypothesis for the chemical basis for perception of sour taste. *Journal of Food Science* 70 (2): 44 – 48.
- Jones, R.J. 1979. The value of *Leucaena leucocephala* as a feed for ruminants in the tropics. *World Animal Review* 31: 13 – 23.
- Kannan, U., Sharma, R., Gangola, M.P., and Chibbar R.N. 2018. Improving grain quality in pulses: Strategies to reduce raffinose family oligosaccharides in seeds. *Ekin Journal of Crop Breeding and Genetics* 4 (1): 70 – 88.
- Kato, H., Rue M.R., and Nishimura, T. 1989. Role of free amino acids and peptides in food taste. *Flavor Chemistry: Trends and Developments*. DOI: 10.1021/bk-1989-0388.ch013.
- Keast, R.S.J. 2004. The effect of zinc on human taste perception. *Journal of Food Science* 68 (5): 1871 – 1877.

- Kirimura, J., Shimizu, A. Kimizuka, A., Ninomiya, T., and Katsuya, N. 1969. The Contribution of Peptides and Amino Acids to the Taste of Foodstuffs. *J. Agric. Food Chem* 17 (4): 689 – 695.
- Kondoh, T., Mallick, H.N. dan Tori, K.. 2009. Activation of the gut-brain axis by dietary glutamate and physiologic significance in energy homeostasis. *American Journal of Clinical Nutrition* 90: 832S–837S.
- Konosu, S., Hayashi, T., and Yamaguchi, K.. 1987. Role of extractive components of boiled crab in producing the characteristic flavor. In LJ Filer, S. Garattini, MR Kare, WA Reynolds, & RJ Wurtman (Eds.), *Glutamic acid: advances in biochemistry and physiology* pp: 235–253. New York: Raven Press.
- Kuninaka, A. 1967. *Flavor Potentiators*. In Symposium on Foods: The Chemistry and Physiology of Flavors; Schultz, HW, Day, EA, Libbey, LM, Eds.; AVI Publishing Company: Westport,CT: 515-535.
- Kuo, T.M., VanMiddleworth, J.F., and Wolf, W.J. 1988. Content of raffinose oligosaccharides and sucrose in various plant seeds. *J. Agric Food Chem* 36: 32 – 36.
- Lawless, H.T., Rapacki, F., Horne, J., and Hayes, A. 2003. Taste of calcium and magnesium salts and anionic modifications. *Food Quality and Preference* 14: 319 – 325.
- Lewu, M. N., Adebola, P. O., and Afolayan, A. J. 2010. Effect of cooking on the mineral contents and anti-nutritional factors in seven accessions of *Colocasia esculenta* (L.) Schott growing in South Africa. *Journal of Food Composition and Analysis* 23: 389-393.
- Li, B., Li, C., and Zhao, L. 2018. Analysis of volatile compounds in *L. edodes* blanched b hot water and microwavr. *International Journal of Food Science and Technology* 52 (7): 2532 – 2542.
- Li, X., Feng, T., Zhou, F., Zhou, S., Liu, y., Li, W., Ye, R., and Yang, Y. 2015. Effects of drying methods on the tasty compounds of *Pleurotus eryngii*. *Food Chemistry* 166: 358 – 364.
- Li, H., and Liu, F. 2015. The chemistry of sour taste and the strategy to reduce the sour taste of beer. *Food Chemistry* 185: 200-204.
- Lidemann, B. 2001. Receptors and transduction in taste. *Nature* 413: 219–225.
- Lowry, J.B., Cook, N., and Wilson, R.D. 1984. Flavonol glycoside distribution in cultivars and hybrids of *Leucaena leucocephala*. *J Sci Food Agric* 35: 401 – 407.
- Maruyama, Y., Yasuda, R., Koruda, M., and Eto Y. 2012. Kokumi substances, enhancers of basic tastes, induce response in calcium-sensing receptor expressing taste cells. *Plos ONE* 7 (4): 34489 - 34496.
- Mau, J. 2005. The umami taste of edible and medicinal mushrooms. *International Journal of Medicinal Mushrooms* 7(2): 119 – 124.
- Medler, K.F. 2015. Calcium signaling in taste cells. *Biochim Biophys Acta*. 1853 (9): 2025 – 2032.

- Meulen, U., Schulke, S., and Harith, E.A.E. 1979. A Review on The Nutritive Value and Toxic Aspect of *Leucaena leucocephala*. *Journal Trop Anim Prod* 4 (2): 113-127.
- Miller, I.J. and Reedy Jr, F.E. 1990. Variations in human taste bud density and taste intensity perception. *Physiology and Behavior* 47 (6): 1213 – 1219.
- Mohammed, RS, El-Souda, S.S., Taie, H.A., Moharam, M.E., and Shaker, K.H. 2015. Antioxidant, Antimicrobial Activities of Flavonoids Glycoside from *Leucaena leucocephala* leaves. *Journal of Applied Pharmaceutical Science* 5(06): 138-147.
- Morris, J.A. and Cagan, R.H. 1972. Purification of monellin, the sweet principle of *Dioscorephyllum cumminsii*. *Biochim Biophys Acta* 261 (1): 114 – 122.
- Morrison, S.C. and Savage, G.P. 1999. Oxalate content of foods and its effect on humans. *Asia Pacific of Clinical Nutrition* 8 (1): 64 – 74.
- Mouritsen, G. 2015. The science of taste. *Journal of Mouritsen Flavor* 2 (18): 1 – 2.
- Muftugil, N. 1986. Effect of different types of blanching on the color and the ascorbic acid and chlorophyll contents of green beans. *Journal of Food Processing and Preservation* 10: 69-76.
- Nehdi, I.A., Hassen, S., Chin, P.T. and Saud, I.A.R. 2014. *Leucaena leucocephala* (Lam.) de Wit Seed Oil: Characrization and Uses. *Industrial Crops and Products* 52 : 582– 587.
- Nelson, G., Chandrashekar, J., Hoon, M.A., Feng, L., Zhao, G., Ryba, N.J.P., and Zuker, C.S. 2002. An amino-acid taste receptor. *Nature* 146: 199 – 202.
- Neta, E.R.C., Johanningsmeier, S.D., Drake, M.A. and McFeeters, R.F. 2007. A chemical basis for sour taste perception of acid solutions and fresh-pack dill pickles. *Sensory and Nutritive Qualities of Food* 72 (6): 352 – 360.
- Nezhadahmadi, A., Golam, F. and Rashid, K. 2014. Analysis of soluble sugar coyoshintents of three strawberry varieties under drought stress conditions in different growing environments. *Pakistan Journal of Nutrition* 13: 1 – 10.
- Ninomiya, K. 1998. Natural occurrence. *Food Review International* 14: 177–212.
- Ninomiya, K. 2001. An overview of recent research on MSG. Sensory applications and safety. *Food Australia* 53: 546–549.
- Nishimura, T. and Kato, H. 1988. Taste of free amino acids and peptides. *Food Reviews International* 4 (2): 175-194.
- Nistor-Baldea, L.A., Martineau, L.C., Benhaddou-Andaloussi, A., Arnason, J.T., Levy, E., and Haddad, P.S. 2010. Inhibition of Intestinal Glucose Absorption by Anti-diabetic Medicinal Plants Derived from The James Bay Cree Traditional Pharmacopeia. *J. Ethnopharmacol* 132: 473-482.
- Nobosse, P., Fombang, E.N., Mbofung, C.M.F. 2017. The effect of steam blanching and drying method on nutrients, phytochemicals and antioxidant activity of moringa (*Moringa oleifera* L.) leaves. *American Journal of Food Science and Technology* 5 (2): 53 - 60.

- Nwokocha, L.M. and Peter, A.W. 2012. Rheological Characterization of The Galactomannan from *Leucaena leucocephala* seed. *Carbohydrate Polymers* 90: 833– 838
- Opikasari, P. 2017. *The Changes of activity and antioxidant compounds of L. leucocephala during steam blanching treatment*. Thesis. Universitas Gadjah Mada, Yogyakarta.
- Osum, F.I., Okonkwo, T.M. and Okafor, G.I. 2013. Effect of processing methods on the chemical composition of *Vitex doniana* leaf and leaf products. *Fd. Sc. Nutr.* 1 (3): 241-245.
- Pathare, PB, Opara, U.L., and Al-Said, F.A.. 2013. Color measurement and analysis in fresh and processed food. *Food Bioprocess Technol* 6: 36 – 60.
- Pei, F., Shi, Y., Gao, X., Wu, F., Mariga, A.M., Yang, W., Zhao, L., An, X., Xin, Z., Yang, F., and Hu, Q. 2014. Changes in non-volatile taste components of Button mushroom (*Agaricus bisporus*) during different stages of freeze drying and freeze-drying combined with microwave vacuum drying. *Food Chemistry* 166: 547-554.
- Phat, C., Mon, B.K., and Chan, L. 2016. Evaluation of umami taste in mushroom extracts by chemical analysis, sensory evaluation, and an electronic tongue system. *Food Chemistry* 192: 1068 – 1077.
- Priecina, L. and Karlina, D. 2015. Composition of major organic acids in vegetables and soices. *CBU International Conference on Innovation, Technology Transfer and Education* Prague, Czech Republic: March 2015.
- Purwanto, I. 2007. *Mengenai Lebih Dekat Leguminosae*. Kanisius, Yogyakarta.
- Purwayanti, S., Gardjito, M., Santoso, U., and Supriyadi. 2013. Taste compounds from a crude extract of *bekkai lan* (*Albertisia papuana* Becc.). *Journal of Food and Nutrition Sciences* 4: 33-37.
- Rangan, C., dan Barceloux, D.G. 2009. Food additives and sensitivities. *Disease-A-Month* 55(5): 292–311.
- Reeds, PJ, Burrin, D.G., Stoll, B., and Jahoor, F. 2000. Intestinal glutamate metabolism. *Journal of Nutrition* 130: 978 – 982.
- Ricke. S. 2003. Perspective on the use of organic acids and short fatty acids as antimicrobials. *Poultry Science* 82 (4): 632 – 639.
- Roy, M.K., Juneja, I.R., Isobe, S., and Tshuida, T. 2009. Steam Processed Broccoli (*Brassica oleracea*) has Higher Antioxidant Activity in Chemical and Cellular Assay System. *Food Chemistry* 114: 263-269.
- Saha, P., Singh, J.P., Sourav, S., Humayun, A., and Ramalingam, C. 2013. Optimization of citric acid and malic acid to enhance flavour and shelf life of mango juice. *Journal of Chemical and Pharmaceutical Research* 5 (9): 90 – 95.
- Saito, M. and N. Kunisaki. 1998. Proximate composition, fatty acid composition, free amino acid contents, mineral contents, and hardness of muscle from wild and cultured puffer fish *Takifugu rubripes*. *Nippon Suisan Gakkaishi* 64 (1): 116-120.

- Saldivar, X., Wang, Y.J., Chen, P., and Mauromoustakos, A. 2010. Effects of blanching and storage conditions on soluble sugar content in vegetable soybean. *LWT Food Science and Technology* 43: 1368 – 1372.
- Sami, F., Yusuf, M., Fauzan, M., Faraz, A., and Hayat, S. 2016. Role of soluble sugars under abiotic stress. *Plant Physiology and Biochemistry* 109: 54 – 61.
- Sanchez-Mata, M.C., Penuela-Teruel M.J., Camara-Hurtado M., Diez-Marquez C., and Torija-Isasa M.E. 1998. Determination of Mono-, Di-, and Oligosaccharides in Legumes by Performance Liquid Chromatography using an Amino-Bonded Column. *J. Agric. Food Chem* 46: 3648 – 3652.
- Sandberg, A.S. 2002. Bioavailability of minerals in legume. *Journal of Nutrition* 88 (3): 8281 – 8285.
- Sayudi, S., Herawati, N., and Ali, A. 2015. Potensi biji lamtoro gung dan biji kedelai sebagai bahan baku pembuatan tempe komplementer. *Jom Faperta* 2 (1): 1 – 9.
- Schiffman, D. and Dackis, C. 1975. Taste of nutrients: Amino acids, vitamins, and fatty acids. *Perception & Psychophysics* 17 (2): 140 – 146.
- Sethi, P. and Kulkarni, P.R. 1993. In vitro protein digestibility of *Leucaena leucocephala* seed kernels and protein isolate. *Journal Food Chemistry* 46: 159-162.
- Slattery, M., Edwards, S., Boucher, K., Anderson, K., and Caan, B. 1999. Lifestyle and colon cancer: an assessment of factors associated with risk. *Am J Epidemiol* 150: 869 – 877.
- Solms, J. 1967. The taste of amino acids, peptides, and proteins. *J. Agr. Food. Chem.* 17 (4): 6886 – 6888.
- Solovchenko, A., Yahla, E.M., and Chen, C. 2019. Pigments. *Postharvest Physiology and Biochemistry of Fruits and Vegetables*: 225 – 252.
- Spirakis, C.S. and Heyl, A.V. 1988. Possible effects of thermal degradation of organic matter on carbonate paragenesis and fluorite precipitation in Mississippi Valley-type deposits. *Geology* 16: 1117 – 1120.
- Sun, L., Zhuang, Y., and Xue, B. 2011. Effects of boiling and microwaving treatments on nutritional characteristics and antioxidant activities of *Agaricus blazei* Murrl. *Int. J. Food Sci. Technol.* 46 (6): 1209-1215.
- Susanto, T. and Saneto, B. 1994. *Teknologi Pengolahan Hasil Pertanian*. Bina Ilmu, Surabaya.
- Tangeudjaja, B., Lowry, J.B., and Wills, R.B.H. 1984. Optimization of condition for the degradation of mimosine in *leucaena leucocephala* leaf. *J. Sci Food Agric* 35: 613 – 616.
- Tanner, W. and Kandler, O. 1968. *myo*-Inositol, a cofactor in the biosynthesis of stachyose. *European Journal of Biochemistry* 4: 233–239.
- Taufik, M. and Rahmawati, D. 2017. Fraksinasi dan Karakterisasi Komponen Rasa Gurih pada Bumbu Penyedap. *Jurnal Aplikasi Teknologi Pangan* 6 (1): 36-38.

- Temussi, P.A. 2011. The good taste of peptides. *Journal of Peptide Science* 18 (2):73-82
- Tsai, S.Y., Tsai, H.L., dan Mau, J.L. 2008. Non-volatile taste components of *Agaricus blazei*, *Agrocybe cylindracea*, and *Boletus edulis*. *Food Chem* 107: 977 – 983.
- Turkmen, N., Sari, F. and Valioglu, S. 2005. The Effect of Cooking Methods on Total Phenolics and Antioxidant Activity of selected Green Vegetables. *Journal of Food Chemistry* 93: 713-718.
- Van Boekel, M. 2006. Formation of flavor compounds in the Maillard reaction. *Biotechnology Advances* 24 (2): 230-233.
- Wang, L., Xu, R., Hu, B., Li, W., Sun, Y., Tu, Y., and Zeng, X. 2010. Analysis of free amino acids in Chinese teas and flower of tea plant by high performance liquid chromatography combined with solid-phase extraction.
- Yamaguchi, S. and Ninomiya, K. 2000. The use and utility of glutamates as flavoring agents in food. Umami and food palatability. *Journal of Nutritions* 130.
- Yamaguchi, S., Yoshikawa, T., Ikeda, S., dan Ninomiya T. 1971. Measurement of the relative taste intensity of some a-amino acid and 5'-nucleotides. *Journal of Food Science* 36: 846–849.
- Yoshida, Y. 1998. Umami taste and traditional seasoning. *Food Review International* 14 (2): 213–246.
- Zayed, M.Z., Mohamed, A.Z., Faihuddin, B.A., Wei, S.H., and Shek, L.P. 2014. Comparison of mimosine content and nutritive values of *Neolamarckia cadamba* and *Leucaena leucocephala* with *Medicago sativa* as forage quality index. *International Journal of Scientific and Technology Research* 3(8): 1-5.
- Zhou, I.Y., li, W., Pan, W.J., Hussain, S., Wang, Y., Guo, W.Q., Cai, Z.N., Yang W., Wang, D., and Chen Y. 2017. Effects of thermal processing on nutritional characteristics and non-volatile flavor components from *Tricholoma lobayense*. *Emirates Journal of Food and Agriculture* 29(4): 285 – 292.