

DAFTAR PUSTAKA

- Aoi, S., Kunugi, T., Fujiwara, H., 2004, Strong-Motion Seismograph Network Operated By NIED: K-Net And KiK-Net, *Journal of Japan Association for Earthquake Engineering*, Vol. 4, No. 3.
- Chakraborty, A., Mokudai, K., Cooper, M., Watanabe M., Chakraborty S., 2018, *Natural Heritage of Japan : Geological, Geomorphological, and Ecological Aspects*, Springer Nature, Switzerland.
- Fitriningtyas R., 2018, Pemodelan Bawah Permukaan Zona Subduksi dan Busur Gunungapi di Jawa Timur Berdasarkan Hasil Relokasi Hiposenter dan Tomografi Seismik Menggunakan Metode *Double Difference*, Tesis, Program Studi S2 Fisika, Universitas Gadjah Mada, Yogyakarta.
- Gates, A.E. dan Ritchie, D., 2007, *Encyclopedia of Earthquakes and Volcanoes*, Edisi Ketiga, Facts On File, Inc., New York.
- Gong, S., Li, J., Ju, F., Dou, L., He, J., Tian X., 2019, Passive seismic tomography for rockburst risk identification based on adaptive-grid method, *Tunnelling and Underground Space Technology*, 86, 198-208.
- Grandis, H., 2009, *Pengantar Peodelan Inversi Geofisika*, Himpunan Ahli Geofisika Indonesia (HAGI), Bandung.
- Haskov, J., Ottemoller, L., 2010, *Routine Data Processing in Earthquake Seismology*, Springer Science+Bussines Media, DOI: 10.10007/978-90-481-8697.
- Hata, M., Matsushima, N., Takakura, S., Utsugi, M., Hashimoto, T., Uyeshima, M., 2018, Three-dimensional electrical resistivity modeling to elucidate the crustal magma supply system beneath Aso caldera, Japan, *American Geophysical Union*, DOI: 10.1029/2018JB015951.
- Hua, Y., Zhang, S., Li, M., Wu, M., Zou, C., Liu, L., 2019, Magma system beneath Tengchong volcanic zone inferred from local earthquake seismic tomography, *Journal of Volcanology and Geothermal Research*, 377, 1-16.
- Huang, Y., Ohkura, T., Kagiya, T., Yoshikawa, S., Inoue, H., 2018, Shallow volcanic reservoirs and pathways beneath Aso caldera revealed using ambient seismic noise tomography, *Earth, Planets and Space*, 70, 169.
- Kamata, H. dan Kodama, K., 1994, Tectonics of an arc-arc junction: an example from Kyushu Island of the Southwest Japan Arc and the Ryukyu Arc, *Tectonophysic*, 233, 69-81.
- Kanaori, Y., Tanaka, K., Chigira, M., 2002, *Engineering Geological Advances in Japan for the New Millennium*, Elsevier, Tokyo.
- Kaneko, K., Inoue, K., Koyaguchi, T., Yoshikawa, M., Shibata, T., Takahashi, T., Furukawa, K., 2015, Magma plumbing system of the Aso-3 large pyroclastic eruption cycle at Aso volcano, Southwest Japan: petrological constraint on the formation of a compositionally stratified magma chamber, *Journal of Volcanology and Geothermal Research*, 5595, DOI: 10.1016/j.jvolgeores.2015.07.016

- Kissling, E., Ellsworth, W.L., Eberhart-Phillips, D., Kradolfer, U., 1994, Initial Reference Models in Local Earthquake Tomography, *Journal of Geophysical Research*, Vol. 99, No. B10, 19.635-19.646.
- Koulakov, I., and Sobolev, S.V., 2006, A Tomographic Image of Indian Lithosphere Break-off Beneath the Pamir Hindukush Region, *Geophysics Journal International*, Vol. 164, p. 425–440.
- Koulakov, I., and Sobolev, S.V., 2006, A Tomographic Image of Indian Lithosphere Break-off Beneath the Pamir Hindukush Region, *Geophysics Journal International*, Vol. 164, p. 425–440.
- Koulakov, I., 2009, LOTOS Code for Local Earthquake Tomographic Inversion: Benchmarks for Testing Tomographic Algorithms, *Bulletin of the Seismological Society of America*, Vol. 99, No. 1, pp. 194–214.
- Koulakov, I., 2012, *Code LOTOS-12 for 3D tomographic inversion based on passive seismic data from local and regional events*, Institute of Petroleum Geology and Geophysics, Novosibirsk.
- Koulakov, I., 2012, *Brief instructions for easy start working with the LOTOS code, version 12*, Novosibirsk.
- Lin, A., Satsukawa, T., Wang, M., Fueta, R., Nakajima, F., 2016, Coseismic rupturing stopped by Aso Volcano during the 2017 Mw 7.1 Kumamoto earthquake, Japan, *Science*, 10.1126
- Lin, J., Hsu, S., Lin, A.T., Yeh, Y., Lo, C., 2015, Vp/Vs distribution in northern Taiwan area : Implications for the tectonic structures and rock property variations, *Tectonophysics*, 692, 181-190.
- Liu, X. dan Zhao, D., 2016, P and S wave tomography of Japan subduction zone from joint inversions of local and teleseismic travel times and surface-wave data, *Physics of the Earth and Planetary Interiors*, 252, 1-22.
- Mariyanto, Santosa, B., Bahri A., Estimasi Poisson's Ratio untuk Analisis Derajat Saturasi Air pada Reservoir Geotermal Menggunakan Data MEQ, *Jurnal Sains Dan Seni Pomits*, vol. 2, no. 2, 2337-3520.
- Mavko, G., 1980, Velocity and attenuation in partially molten rocks, *American Geophysical Union*, 85, 5173-5189.
- Menke, W., Case Studies of Seismic Tomography and Earthquake Location in a Regional Context.
- Miyakawa, A., Sumita T., Okubo Y., Okuwaki R., Otsubo M., Uesawa S., Yagi Y., 2016, Volcanic magma reservoir imaged as a low-density body beneath Aso volcano that terminated the 2016 Kumamoto earthquake rupture, *Earth, Planets and Space*, 68, 208.
- Nolet, G., 2008., *A Breviary Of Seismic Tomography: Imaging the Interior of the Earth and Sun*, Cambridge University Press, New York.
- Nolet, G., Montelli, R., 2005, Optimal parametrization of tomographic models, *Geophysical Journal International*, 161, 365-372.
- Nugraha, A.D., Indrastuti N., Kusnandar R., Gunawan H., McCausland W., Aulia A.N., Herlianti U., 2017, Joint 3-D tomographic imaging of Vp, Vs and Vp/Vs and hypocenter relocation at Sinabung volcano, Indonesia from November to December 2013, *Journal of Volcanology and Geothermal Research*, DOI: 10.1016/j.jvolgeores.2017.09.018.

- Okada, Y., Kasahara K., Hori S., Obara K., Sekiguchi S., Fujiwara H., Yamamoto A., 2004, Recent progress of seismic observation networks in Japan: Hi-net, F-net, K-NET and KiK-net, *Earth Planets Space*, 56, XV–XXVIII.
- Ozawa T., Fujita E., Ueda H., 2016., Crustal deformation associated with the 2016 Kumamoto Earthquake and its effect on the magma system of Aso volcano, *Earth, Planets and Space*, 68, 186.
- Paige, C., Saunder, M., 1982, LSQR: An Algorithm for Sparse Linear Equations and Sparse Least Squares, *ACM Transactions on Mathematical Software*, Vol 8, No 1, 43-71.
- Richardson, P.R.M. dan Zandt, G., 2003, *Inverse Problem in Geophysics Geos 567*, Departement of Geosciences University of Arizona Tucson, Arizona.
- Ry, R., 2013, *Aplikasi Metode Inversi Simulated Annealing pada Penentuan Hiposenter Gempa Mikro dan Tomografi Waktu Tunda 3-D Struktur Kecepatan Seismik untuk Studi Kasus Lapangan Panas Bumi "RR"*, Fakultas Teknik Pertambangan dan Perminyakan, Institut Teknologi Bandung, Bandung.
- Taira, A., 2001, Tectonic Evolution of the Japanese Island Arc System, *Annual Review of Earth Planetary Sciences*, 29,109-34.
- Saiga, A., Matsumoto S., Uehira K., Matsushima T., Shimizu H., 2010, Velocity structure in the crust beneath the Kyushu area, *Earth Planets Space*, 62, 449-462.
- Salah, M. K., Seno, T., 2007, Imaging of Vp, Vs, and Poisson's ratio anomalies beneath Kyushu, southwest Japan: Implications for volcanism and forearc mantle wedge serpentinization, *Journal of Asian Earth Sciences*, 31, 404–428.
- Sanders, C., Ponko, S., Nixon, L., Schwartz, E., 1995 Seismological evidence for magmatic and hydrothermal structure in Long Valley caldera from local earthquake attenuation and velocity tomography, *Journal of Geophysical Research*, vol. 100, no. B5, 8311-8326.
- Savage, M., Aoki, Y., Unglert, K., Ohkura, T., Umakoshi, K., Shimizu, H., Iguchi, M., Tameguri, T., Ohminato, T., Mori, J., 2016, Stress, strain rate and anisotropy in Kyushu, Japan, *Earth and Planetary Science Letters*, 439. 129-142
- Scafidi, D., Solarino, S., Eva, C., 2008, P wave seismic velocity and Vp/Vs ratio beneath the Italian peninsula from local earthquake tomography, *Tectonophysics*, 465, 1-23.
- Sudo, Y., Kong, L., 2001, Three-dimensional seismic velocity structure beneath Aso Volcano, Kyushu, Japan, *Bulletin of Vulcanology*, 63, 326-344.
- Um, J. dan Thurber, C., 1987, A Fast Algorithm for Two-Point Seismic Ray tracing, *Bulletin of the Seismological Society of America*, Vol.77 No.3, pp. 972–986
- Unglert, K., Savage, M., Fournier, N., Ohkura, T., Abe, Y., 2011, Shear wave splitting, vP/vS, and GPS during a time of enhanced activity at Aso caldera, Kyushu, *Journal of Geophysical Research*, vol. 116, B11203, doi:10.1029/2011JB008520.
- Wakita, K., 2013, Geology of the Japanese Islands: An Outline, *Journal of Asian Earth Sciences* 72, 75–87.

- Waluyo, 2002, *Diktat Seismologi*, Program Studi Geofisika, Universitas Gadjah Mada, Yogyakarta
- Wandono, 2007, Studi Tomografi Seismik Non-Linier Lokal untuk Kompleks Kaldera Toba dan Sekitarnya, *Disertasi*, Institut Teknologi Bandung. Bandung, Bandung.
- Wang, S., Zhao, D., 2006, Vp and Vs tomography of Kyushu, Japan : New insight into arc magmatism and forearc seismotectonics, *Physics of the Earth and Planetary Interiors*, 157, 269-285.
- Yasuhiro, S. 2013, Tectonic Geomorphological Active Fault Studies in Japan after 1980, *Geographical Review of Japan Series B*, 86(1): 6-21.
- Yoshida, M., 2017, Re-evaluation of the regional tectonic stress fields and faulting regimes in central Kyushu, Japan, behind 2016 Mw 7.0 Kumamoto Earthquake, *Tectonophysics*, 712-713, 95-100.
- Zhao, D., Yamashita, K., Toyokuni, G., 2018, Tomography of the 2016 Kumamoto earthquake area and the Beppu-Shimabara graben, *Scientific Reports*, 980-8578.