

REFERENCES

- Adams, T. N. T. N., Frederick, W. J. J., Grace, T. M. T. M., Hupa, M., Lisa, K., Jones, A. K., & Tran, H. (1997). *Kraft Recovery Boilers*. Atlanta (Ga.): TAPPI Press.
- Arnold, R. A., & Hill, J. M. (2019). Catalysts for gasification: A review. *Sustainable Energy and Fuels*, 3(3), 656–672.
- Bajpai, P. (2014). Black Liquor Gasification. *Black Liquor Gasification*, 1–92.
- Bhattacharya, P. K., Parthiban, V., & Kunzru, D. (1986). Pyrolysis of Black Liquor Solids. *Industrial and Engineering Chemistry Process Design and Development*, 25(2), 420–426.
- Bird, B. R., Stewart, W. E., & Lightfoot, E. N. (2002). *Transport phenomena*. New York: Wiley.
- Boutin, O., Ferrer, M., & L    , J. (2002). Flash pyrolysis of cellulose pellets submitted to a concentrated radiation: Experiments and modelling. *Chemical Engineering Science*, 57(1), 15–25.
- Bradbury, A. G. W., Sakai, Y., & Shafizadeh, F. (1979). A kinetic model for pyrolysis of cellulose. *Journal of Applied Polymer Science*, 23(11), 3271–3280.
- Cai, J., & Chen, S. (2008). Determination of drying kinetics for biomass by thermogravimetric analysis under nonisothermal condition. *Drying Technology*, 26(12), 1464–1468.
- Chen, C., Al  n, R., Lehtim  ki, E., & Louhelainen, J. (2017). A salt-induced mechanism for the swelling of black liquor droplet during devolatilization. *Fuel*, 202, 338–344.
- Chen, D., Zhang, Y., & Zhu, X. (2012). Drying kinetics of rice straw under isothermal and nonisothermal conditions: A comparative study by thermogravimetric analysis. *Energy and Fuels*, 26(7), 4189–4194.
- Chutia, S., Narzari, R., Bordoloi, N., Saikia, R., Gogoi, L., Sut, D., ... Katak, R. (2018). Pyrolysis of Dried Black Liquor Solids and Characterization of the Bio-Char and Bio-Oil. *Materials Today: Proceedings*, 5(11), 23193–23202.

- Dayton, D. C., & Frederick, W. J. (1996). Direct observation of alkali vapor release during biomass combustion and gasification. 2. Black liquor combustion at 1100°C. *Energy and Fuels*, 10(2), 284–292.
- Demirbas, A. (2008). Recovery of oily products from organic fraction of black liquor via pyrolysis. *Energy Sources, Part A: Recovery, Utilization and Environmental Effects*, 30(20), 1849–1855.
- Devi, L., Ptasiński, K. J., & Janssen, F. J. J. G. (2003). A review of the primary measures for tar elimination in biomass gasification processes. 24, 125–140.
- Di Blasi, C. (2008). Modeling chemical and physical processes of wood and biomass pyrolysis. *Progress in Energy and Combustion Science*, 34(1), 47–90.
- Di Blasi, C. (2010). Kinetic Modeling of Biomass Gasification and Combustion. *Thermal Net*.
- Erbay, Z., & Icier, F. (2010). A Review of Thin Layer Drying of Foods : Theory , A Review of Thin Layer Drying of Foods : Theory , Modeling ,. 8398.
- Everitt, S. L., Harlen, O. G., Wilson, H. J., & Read, D. J. (2003). Bubble dynamics in viscoelastic fluids with application to reacting and non-reacting polymer foams. *Journal of Non-Newtonian Fluid Mechanics*, 114(2–3), 83–107.
- Favelukis, M., & Albalak, R. J. (1996). Bubble growth in viscous newtonian and non-newtonian liquids. *Chemical Engineering Journal and the Biochemical Engineering Journal*, 63(3), 149–155.
- Fletcher, T. H., Pond, H. R., Webster, J., Wooters, J., & Baxter, L. L. (2012). *Prediction of Tar and Light Gas during Pyrolysis of Black Liquor and Biomass*.
- Frederick, J., & Hupa, M. (1994). *Effects of temperature and gas composition on swelling of black liquor droplets during devolatilization* (Vol. 20).
- Frederick, W. J., Noopila, T., & Hupa, M. (1991). Swelling of spent pulping liquor droplets during combustion. *Journal of Pulp and Paper Science*, 17(5), J164–J170.
- Fyhr, C., & Kemp, I. C. (1998). Comparison of different drying kinetics models for single particles. *Drying Technology*, 16(7), 1339–1369.

- Gea, G., Murillo, M. B., Arauzo, J., & Frederick, W. J. (2003). Swelling behavior of black liquor from soda pulping of wheat straw. *Energ Fuel*, 17(1), 46–53.
- Genco, J. M. (2000, December 4). Pulp. *Kirk-Othmer Encyclopedia of Chemical Technology*.
- Hameed, S., Sharma, A., Pareek, V., Wu, H., & Yu, Y. (2019). A review on biomass pyrolysis models: Kinetic, network and mechanistic models. *Biomass and Bioenergy*, 123(April 2018), 104–122.
- Haver, T. O. (2009). *An Introduction to Signal Processing in Chemical Analysis*.
- Hong, Y., Fang, X., & Yao, D. (2016). Modeling of expandable polystyrene expansion. *Journal of Applied Polymer Science*, 133(36), 1–14.
- Hupa, M., Solin, P., & Hyoty, P. (1987). Combustion behaviour of black liquor droplets. *Journal of Pulp and Paper Science*, 13(2), 67–72.
- Jarvinen, M., Zevenhoven, R., Vakkilainen, E., Forsså, M., Järvinen, M., Zevenhoven, R., ... Forssén, M. (2003). Black liquor devolatilization and swelling—a detailed droplet model and experimental validation. *Biomass and Bioenergy*, 24(6), 495–509.
- Kemp, I. C., Fyhr, B. C., Laurent, S., Roques, M. A., Groenewold, C. E., Sereno, A. A., ... Kind, M. (2001). *METHODS FOR PROCESSING EXPERIMENTAL DRYING KINETICS DATA*. 19(1), 15–34.
- Levenspiel, O. (1999). *Chemical Reaction Engineering* (3rd Editio).
- Li, J., & van Heiningen, A. R. P. (1991). Kinetics of Gasification of Black Liquor Char by Steam. *Industrial and Engineering Chemistry Research*, 30(7), 1594–1601.
- Li, J., & Van Heiningen, A. R. P. (1990). Kinetics of carbon dioxide gasification of fast pyrolysis black liquor char. *Industrial & Engineering Chemistry Research*, 29(9), 1776–1785.
- Liliedahl, T., Sjostrom, K., Wiktorsson, L., & Setup, E. (1991). *Analysis Method of Pyrolysis Kinetics Using Modern Signal Processing Techniques*. 37(9), 1415–1419.
- Mao, D., Edwards, J. R., & Harvey, A. (2006). Prediction of foam growth and its

- nucleation in free and limited expansion. *Chemical Engineering Science*, 61(6), 1836–1845.
- McKeough, P., Pyykkonen, M., & Arpiainen, V. (1995). *Rapid pyrolysis of kraft black liquor part 2. Release of sodium*. 77, 39–44.
- Mezhericher, M., Levy, A., & Borde, I. (2010). Theoretical models of single droplet drying kinetics: A review. *Drying Technology*, 28(2), 278–293.
- Milanova, E. (1988). *VARIABLES AFFECTING THE SWELLING OF KRAFT BLACK LIQUOR SOLIDS*. (Vol. 14).
- Miller, P. T., Clay, D. T., & Lonsky, W. F. W. (1989). The influence of composition on the swelling of kraft black liquor during pyrolysis. *Chemical Engineering Communications*, 75(1), 101–120.
- Murillo, M. B., Luna, M. De, & Frederick, W. J. (n.d.). *SWELLING BEHAVIOR OF BLACK LIQUORS FROM ALKALINE PULPING OF*. 161–168.
- Ogawa, T., Kobayashi, T., & Adachi, S. (2012). Prediction of pasta drying process based on a thermogravimetric analysis. *Journal of Food Engineering*, 111(1), 129–134.
- Onwude, D. I., Hashim, N., Janius, R. B., Nawi, N. M., & Abdan, K. (2016). *Modeling the Thin-Layer Drying of Fruits and Vegetables : A Review*.
- Papari, S., & Hawboldt, K. (2015). A review on the pyrolysis of woody biomass to bio-oil: Focus on kinetic models. *Renewable and Sustainable Energy Reviews*, 52, 1580–1595.
- Patel, R. D. (1980). Bubble growth in a viscous Newtonian liquid. *Chemical Engineering Science*, 35(11), 2352–2356.
- Peng, C., Zhang, G., Yue, J., & Xu, G. (2014). Pyrolysis of black liquor for phenols and impact of its inherent alkali. *Fuel Processing Technology*, 127, 149–156.
- Pettersson, K., & Harvey, S. (2010). CO₂ emission balances for different black liquor gasification biorefinery concepts for production of electricity or second-generation liquid biofuels. *Energy*, 35(2), 1101–1106.
- Pettersson, K., & Harvey, S. (2012). Comparison of black liquor gasification with other

- pulping biorefinery concepts - Systems analysis of economic performance and CO₂ emissions. *Energy*, 37(1), 136–153.
- Puértolas, R., Gea, G., Murillo, M. B., & Arauzo, J. (2001). Pyrolysis of black liquors from alkaline pulping of straw. Influence of a preoxidation stage on the char characteristics. *Journal of Analytical and Applied Pyrolysis*, 58–59, 955–966.
- Rabou, L. P. L. M., Zwart, R. W. R., Vreugdenhil, B. J., & Bos, L. (2009). *Tar in Biomass Producer Gas, the Energy research Centre of The Netherlands (ECN) Experience : An Enduring Challenge*. (2), 6189–6198.
- Rueda-Ordóñez, Y. J., & Tannous, K. (2018). Drying and thermal decomposition kinetics of sugarcane straw by nonisothermal thermogravimetric analysis. *Bioresource Technology*, 264(February), 131–139.
- Ruiz, J. A. R., Vincent, M., & Agassant, J. (2016). *Numerical Modeling of Bubble Growth in Microcellular Polypropylene Produced in a Core-Back Injection Process Using Chemical Blowing Agents*. (March).
- Saw, W. L., Nathan, G. J., Ashman, P. J., & Hupa, M. (2010). Influence of droplet size on the release of atomic sodium from a burning black liquor droplet in a flat flame. *Fuel*, 89(8), 1840–1848.
- Shafi, M. A., & Flumerfelt, R. W. (1997). Initial bubble growth in polymer foam processes c (R , t. *Science*, 52(4).
- Sharma, A., Pareek, V., & Zhang, D. (2015). Biomass pyrolysis - A review of modelling, process parameters and catalytic studies. *Renewable and Sustainable Energy Reviews*, 50, 1081–1096.
- Shurtz, R. C., Hogge, J. W., Fowers, K. C., Sorensen, G. S., & Fletcher, T. H. (2012). *Coal Swelling Model for Pressurized High Particle Heating Rate Pyrolysis Applications*.
- Sorvari, V., R, B., M, H., & J, R. (1996). Sodium release during pressurized pyrolysis of black liquor in a grid heater. *Nordic Pulp & Paper Research Journal*, Vol. 11, p. 273.
- Sricharoenchaikul, V., Hicks, A. L., & Frederick, W. J. (2001). Carbon and char residue

- yields from rapid pyrolysis of kraft black liquor. *Bioresource Technology*, 77(2), 131–138.
- Sricharoenchaikul, Viboon, Frederick, J., & Agrawal, P. (2002a). Black liquor gasification characteristics. 1. Formation and conversion of carbon-containing product gases. *Industrial and Engineering Chemistry Research*, 41(23), 5640–5649.
- Sricharoenchaikul, Viboon, Frederick, J., & Agrawal, P. (2002b). Black liquor gasification characteristics. 2. Measurement of condensable organic matter (tar) at rapid heating conditions. *Industrial and Engineering Chemistry Research*, 41(23), 5650–5658.
- Sricharoenchaikul, Viboon, Frederick, J., & Grace, T. M. (1997). *Sulphur species transformations during pyrolysis of kraft black liquor* (Vol. 23).
- Taki, K., Hayashizaki, H., & Fukada, K. (2014). A Simplified Bubble Nucleation, Growth and Coalescence Model for Coke Production Process. *ISIJ International*, 54(11), 2493–2502.
- Tsivintzelis, I., Angelopoulou, A. G., & Panayiotou, C. (2007). Foaming of polymers with supercritical CO₂: An experimental and theoretical study. *Polymer*, 48(20), 5928–5939.
- Venerus, D. C. (2003). Modeling diffusion-induced bubble growth in polymer liquids. *Cellular Polymers*, 22(2), 89–101.
- Verrill, C. L., & Nichols, K. M. (1992). Fume formation during black liquor droplet combustion: the importance of sodium release during devolatilization. *1992 International Recovery Conference*, (3), 1–20. Retrieved from
- Wagenaar, B. M., Prins, W., & van Swaaij, W. P. M. (1993). FLASH PYROLYSIS KINETICS OF PINE WOOD B.M. Wagenaar, W. Prins, W.P.M. van Swaaij University of Twente, P.O. box 217, 7500 AE Enschede, The Netherlands. *Biomass*, 36, 291–298.
- Wang, L., Jones, D. D., Weller, C. L., Wang, L., Ganjyal, G. M., & Jones, D. D. (2005). *Modeling of Bubble Growth Dynamics and Nonisothermal Expansion in Starch-*

Based Foams During Extrusion Modeling of Bubble Growth Dynamics and Nonisothermal Expansion in Starch-Based Foams During Extrusion.

- Wessel, R. A., Verrill, C. L., & Beach, M. (1998). *Black Liquor Combustion Model for Predicting Ash Chemistry in Kraft Recovery Boilers.*
- White, J. E., Catallo, W. J., & Legendre, B. L. (2011). Biomass pyrolysis kinetics: A comparative critical review with relevant agricultural residue case studies. *Journal of Analytical and Applied Pyrolysis*, 91(1), 1–33.
- Whitty, K. (1997). *Pyrolysis and Gasification Behavior of Black Liquor under Pressurized Conditions Pyrolysis and Gasification Behavior of Black Liquor under Pressurized Conditions.*
- Whitty, K., Backman, R., & Hupa, M. (2008). Influence of pressure on pyrolysis of black liquor: 1. Swelling. *Bioresource Technology*, 99(3), 663–670.
- Whitty, K., Kullberg, M., Sorvari, V., Backman, R., & Hupa, M. (2008). Influence of pressure on pyrolysis of black liquor: 2. Char yields and component release. *Bioresource Technology*, 99(3), 671–679.
- Wu, S. L., & Iisa, K. (1998). Kinetics of NO reduction by black liquor char. *Energy and Fuels*, 12(3), 457–463.
- Xinru, L., Yan, X., Liang, H., Xusheng, D., & Rui, L. (2012). Analytical Study on Liquid Products from Populus Tomentosa Black Liquor Pyrolysis. *Proceedings of 2012 International Conference on Biobase Material Science and Engineering*, 202–205.
- Yu, H., Zhang, Z., Li, Z., & Chen, D. (2014). Characteristics of tar formation during cellulose, hemicellulose and lignin gasification. *FUEL*, 118, 250–256.
- Zhang, L., & Chen, K. (2017). *Pyrolysis Behavior of the Black Liquor Derived from Soda – Anthraquinone and Soda – Oxygen Pulping of Rice Straw at Different Reaction End Points.*



Zhao, Y., Bie, R., Lu, J., & Xiu, T. (2010). Kinetic study on pyrolysis of nssc black liquor in a nitrogen atmosphere. *Chemical Engineering Communications*, 197(7), 1033–1047.