

## REFERENCES

- Centers for Disease Control and Prevention. CDC Growth Chart.  
[https://www.cdc.gov/growthcharts/cdc\\_charts.htm](https://www.cdc.gov/growthcharts/cdc_charts.htm)
- Child, W. H. O., Standards, G., & W H O. (2008). *Training course on child growth assessment. World health organization. Training course on child growth assessment*. Geneva, ws103,1–116.
- Choudhury KM, Hoque S. Risk Factors for Enterocolitis after the Definitive Treatment of Hirschsprung's Disease. TAJ 2002;15(1):13-16.
- Demehri FR, Halaweish IF, Coran AG, Teitelbaum DH. Hirschsprung-associated enterocolitis: pathogenesis, treatment and prevention. *Pediatr Surg Int* 2013; 29(9):873–881.
- Dong Q, Li G, Dong J. Identification of risk factors for postoperative recurrent Hirschsprung associated enterocolitis. *J Pediatr Surg* 2018;xxx:xxx.
- Emison ES, Garcia-Barcelo M, Grice EA, Lantieri F, Amiel J, Burzynski G, et al. Differential contributions of rare and common, coding and noncoding Ret mutations to multifactorial Hirschsprung disease liability. *Am J Hum Genet*. 2010;87:60-74.
- F. Soave. Hirschsprung's disease technique and results of SOAVE's operation. *Brit J Surg* 1966;53(12):1023-1027.
- Fleur L, Guy EB, Marc AB. Symptomatology, pathophysiology, diagnostic work-up, and treatment of Hirschsprung disease in infancy and childhood. *Current Gastroenterology Reports*, June 2007.
- Frykman PK, Kim S, Wester T, Nordenskjöld A, Kawaguchi A, Hui TT, et al. Critical evaluation of the Hirschsprung-associated enterocolitis (HAEC) score: A multicenter study of 116 children with Hirschsprung disease. *J Pediatr Surg* 2018;53:708–717.
- Gosain A, Frykman PK, Cowles RA, Horton J, Levitt M, Rothstein DH, et al. Guidelines for the diagnosis and management of Hirschsprung associated enterocolitis. *Pediatr Surg Int* 2017;33:517–521.
- Gunadi, Kapoor A, Ling AY, Rochadi, Makhmudi A, Herini ES, et al. Effects of RET and NRG1 polymorphisms in Indonesian patients with Hirschsprung disease. *J Pediatr Surg* 2014;49:1614-8.

- Gunadi, Karina SM, Dwihantoro A. Outcomes in patients with Hirschsprung disease following definitive surgery. *BMC Res Notes*. 2018; 11: 644.
- Hackam DJ, Filler RM, Pearl RH. Enterocolitis after the surgical treatment of Hirschsprung's disease: risk factors and financial impact. *J Pediatr Surg* 1998; 33:830.
- Haricharan RN, Seo JM et al. Older age at diagnosis of Hirschsprung disease decreases risk of postoperative enterocolitis, but resection of additional ganglionated bowel does not. *J Pediatr Surg* 2008;43(6):1115–1123.
- Kim S, McClave SA, Martindale RG, Miller KR, Hurt RT. Hypoalbuminemia and Clinical Outcomes: What is the Mechanism behind the Relationship? *Am Surg*. 2017;83(11):1220-1227.
- Kliegman, R., Stanton, B., St. Geme, J., Schor, N. and Behrman, R. (2015). *Nelson textbook of pediatrics*. 20th ed. Philadelphia, PA: Elsevier, pp.84-87, 3465, 3467.
- Krisnanto A. Faktor Prognostik yang Mempengaruhi Terjadinya Komplikasi Dini Enterokolitis dan Konstipasi pada Penderita Hirschsprung yang Dioperasi dengan Teknik ERPT di RSUP Dr Sardjito. Thesis. 2014. UGM Library.
- Parahita IG, Makhmudi A, Gunadi. Comparison of Hirschsprung-associated enterocolitis following Soave and Duhamel procedures. *J Pediatr Surg* 2018;53(7):1351-1354.
- Pastor AC, Osmanb F, Teitelbaum DH, et al. Development of a standardized definition for Hirschsprung's-associated enterocolitis: a Delphi analysis. *J Pediatr Surg* 2009;44:251–256.
- Rhee, R., Miyagaki, H., Yan, X., H, M., Njoh, L., Cekic, V. and Whelan, R. (2013). "Tu1534 morbidity and outcomes of colorectal surgery in the underweight population: results from the american college of surgeons national surgical quality improvement program (ACSNSQIP) database". *Gastroenterology*, 144(5), p.S-1121.
- Rochadi. Hipoalbuminemia pascabedah sebagai faktor prognostik enterokolitis pascabedah penderita megakolon kongenital (Hirschsprung's disease). *Jurnal Gizi Klinik Indonesia* 2013;9(3):111-116.
- Swenson O, Sherman J, Fisher J, et al. The treatment and postoperative complications of congenital megacolon: A 25-year follow up. *Ann Surg* 1975;182: 266-273.

Rodriguez DM, Cuadros MM, Ortega GA, Gallego MG, 22. Ortiz MM, Gonzales MAM, Arenas SM. Cholesterol and serum albumin levels as predictor of cross infection, death, and length of hospital stay. Arch Surg 2002;137(7):805-12.

Sellers M, Udaondo C, Moreno B, Martínez-Alés G, Díez J, Martínez L, et al. Hirschsprung-associated enterocolitis: Observational study in a paediatric emergency care unit. An Pediatr (Barc). 2018;88(6):329-334

Teitelbaum D, Qualman S et al. Hirschsprung's disease. Identification of risk factors for enterocolitis. Ann Surg 1988;207(3):240-244.

Truong, A., Hanna, M., Moghadamyeghaneh, Z. and Stamos, M. Implications of preoperative hypoalbuminemia in colorectal surgery". WJGS 2016;8(5), p.353.

Wesson DE. Congenital aganglionic megacolon (Hirschsprung disease).  
[<http://www.uptodate.com/contents/congenital-aganglionic-megacolon-hirschsprung-disease>].

WHO. Haemoglobin concentrations for the diagnosis of anaemia and assessment of severity. Vitamin and Mineral Nutrition Information System. Geneva, World Health Organization, 2011 .  
(WHO/NMH/NHD/MNM/11.1)[<http://www.who.int/vmnis/indicators/haemoglobin.pdf>].

WHO. The WHO Child Growth Standards. Weight-for-age.  
<http://www.who.int/childgrowth/standards/en/>