

## DAFTAR PUSTAKA

- Abarca-Vargas, R., Peña Malacara, C. F., & Petricevich, V. L. (2016). Characterization of chemical compounds with antioxidant and cytotoxic activities in bougainvillea x buttiana holttum and standl, (Var. rose) extracts. *Antioxidants*, 5(4).
- Acharya, N. S., Shah, U. R., Shah, R. G., Acharya, S., & Hingorani, L. A. L. (2015). Evaluation of In Vitro Anticancer Activity of Symplocos racemosa Bark Against Hepatocellular Carcinoma. *International Journal of Pharmacy and Pharmaceutical Sciences*, 7(11), 384–385.
- Al-khalaf, M. I., & Ramadan, K. S. (2013). Antimicrobial and Anti-cancer Activity of Nigella sativa oil-A Review. *Australian Journal of Basic and Applied Sciences*, 7(7), 505–514.
- Ali, B. H., & Blunden, G. (2003). Pharmacological and Toxicological Properties of Nigella sativa. *Phytotherapy Research*, 17, 299–305. <https://doi.org/10.1002/ptr.1309>
- American Cancer Society. (2017). Breast Cancer Fact & Figures 2017-2018. Retrieved from <https://www.cancer.org/content/dam/cancer-org/research/cancer-facts-and-statistics/breast-cancer-facts-and-figures/breast-cancer-facts-and-figures-2017-2018.pdf>
- Anonim. (2000). *Parameter Standar Umum Ekstrak Tumbuhan Obat* (I). Jakarta: Departemen Kesehatan Republik Indonesia.
- Anonim. (2017). *Panduan Penatalaksanaan Kanker Payudara*. Jakarta: Kementerian Kesehatan Republik Indonesia.
- Arora, M. (2013). Cell Culture Media: A Review. *Materials and Methods*, 3. <https://doi.org/10.13070/mm.en.3.175>
- Ashar, M. (2016). *Formulasi dan Uji Stabilitas Fisik Sediaan Gel Ekstrak Daun Botto-Botto (Chromolaena odorata L) sebagai Obat Jerawat dengan Menggunakan Variasi Konsentrasi Basis Karbopol*. Skripsi. Universitas Islam Negeri Alaudin Makassar.
- American Type Culture Collection (ATCC). (2012). *SOP: Thawing, Propagation, and Cryopreservation of T-47D* (1.6). Manassas: PBCF.
- Botnick, I., Xue, W., Bar, E., Ibdah, M., Schwartz, A., Joel, D. M., ... Lewinsohn, E. (2012). Distribution of primary and specialized metabolites in Nigella sativa seeds, a spice with vast traditional and historical uses. *Molecules*, 17(9), 10159–10177. <https://doi.org/10.3390/molecules170910159>
- Bourgou, S., Pichette, A., Marzouk, B., & Legault, J. (2010). Bioactivities of Black Cumin Essential Oil and Its Main Terpenes from Tunisia. *South African Journal of Botany*, 76(2), 210–216.
- Burdall, S. E., Hanby, A. M., Lansdown, M. R. J., & Speirs, V. (2003). Breast cancer cell lines: Friend or foe? *Breast Cancer Research*, 5(2), 89–95.
- Cancer Chemoprevention Research Centre (CCRC). (2010). CCRC Protocol. Retrieved August 31, 2019, from [http://ccrc.farmasi.ugm.ac.id/en/?page\\_id=240](http://ccrc.farmasi.ugm.ac.id/en/?page_id=240)
- Chandrasekaran, A. (2019). Solvent Physical Properties. Retrieved October 5, 2019, from <https://people.chem.umass.edu/xray/solvent.html>
- Cheikh-Rouhou, S., & et al. (2007). Nigella sativa L.: Chemical composition and physicochemical characteristics of lipid fraction. *Food Chemistry*, 101(2),

- 673–681. <https://doi.org/10.1016/j.foodchem.2006.02.022>
- Chilek, T. Z. T., Chin, L. Y., Ahmad, F., Zin, Z. M., & Yusof, H. M. (2018). A shelf life study: An evaluation on physicochemical properties and microbiological analysis of honey and *Nigella sativa* seed mixture during accelerated storage. *Malaysian Applied Biology*, 47(4), 107–116.
- De Sousa Andrade, L. N., De Lima, T. M., Curi, R., & De Lauro Castrucci, A. M. (2005). Toxicity of fatty acids on murine and human melanoma cell lines. *Toxicology in Vitro*, 19(4), 553–560.
- Dertyasasa, E. D. (2017). *Profil Senyawa Bioaktif Fraksi Daun Jeruk Purut (Citrus hystrix DC.) dan Sitotoksitasnya terhadap Sel Kanker Payudara T47D. Skripsi*. Universitas Gadjah Mada.
- Ekowati, H., Prasasti, E., & Rastuti, U. (2011). The Active Fraction from *Nigella sativa* and its Activity Against T47D Cell Line. *Indonesian Journal of Chemistry*, 11(3), 217–222. <https://doi.org/10.22146/ijc.21383>
- Farah, I. O. (2005). Assessment of cellular responses to oxidative stress using MCF-7 breast cancer cells, black seed (*N. Sativa* L.) extracts and H<sub>2</sub>O<sub>2</sub>. *International Journal of Environmental Research and Public Health*, 2(3–4), 411–419. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/16819096>
- Fariyah, Ri., Nasiatul Baroroh, H., & Ekowati, H. (2013). Potensi Antiproliferasi Jintan Hitam (*Nigella sativa*) pada Sel Lambung Tikus yang Diinduksi 7,12-Dimetil Benzena Anthrasena. *Jurnal Veteriner*, 14(3), 335–343.
- Gautam, N., Mantha, A. K., Mittal, S., Gautam, N., Mantha, A. K., & Mittal, S. (2014). Essential Oils and Their Constituents as Anticancer Agents: A Mechanistic View, Essential Oils and Their Constituents as Anticancer Agents: A Mechanistic View. *BioMed Research International, BioMed Research International*,
- Globocan. (2018). Global Cancer Observatory. Retrieved December 5, 2018, from <https://gco.iarc.fr/>
- Hadi, M. Y., Mohammed, G. J., & Hameed, I. H. (2016). Analysis of bioactive chemical compounds of *Nigella sativa* using gas chromatography-mass spectrometry. *Journal of Pharmacognosy and Phytotherapy*, 8(2), 8–24. <https://doi.org/10.5897/JPP2015.0364>
- Hanson, J. . (2003). *Natural Products: The Secondary Metabolites - James Ralph Hanson - Google Books*. Cambridge, UK: The Royal Society of Chemistry.
- Hwang, Y. J., Lee, E. J., Kim, H. R., & Hwang, K. A. (2013). In vitro antioxidant and anticancer effects of solvent fractions from *prunella vulgaris* var. lilacina. *BMC Complementary and Alternative Medicine*, 13(310), 1–9. <https://doi.org/10.1186/1472-6882-13-310>
- Imelda, F. (2013). *Deteksi Senyawa Antibakteri Daun Kesum (Polygonum minus Huds) secara KLT-Bioautografi dan Pengaruhnya terhadap Membran Escherichia coli dan Staphylococcus aureus*. Institut Pertanian Bogor.
- Jamalzadeh, L., Ghafoori, H., Sariri, R., Rabuti, H., Nasirzade, J., Hasani, H., & Aghamaali, M. R. (2016). Cytotoxic Effects of Some Common Organic Solvents on MCF-7 , RAW-264 . 7 and Human Umbilical Vein Endothelial Cells. *Avicenna J Med Biochem*, 4(1), 1–6.
- Jenie, R. I., Anindito, W., Tunjung, S., Dewi, D., Putri, P., Hermawan, A., & Meiyanto, E. (2016). Leunca ( *Solanum nigrum* L .) Herb Sensitizes Doxorubicin Resistant. *International Journal of Pharmaceutical and Clinical*

*Research*, 8(5), 331–334.

- Kausar, H., Abidin, L., & Mujeeb, M. (2017). Comparative Assessment of Extraction Methods and Quantitative Estimation of Thymoquinone in the Seeds of *Nigella sativa* L By HPLC, 9(12), 1425–1428.
- Khan, A. A. L. I., Alanazi, A. M., Jabeen, M., Chauhan, A., & Abdelhameed, A. L. I. S. (2013). Design , Synthesis and In Vitro Anticancer Evaluation of a Stearic Acid-based Ester Conjugate. *Anticancer Research*, 33, 2517–2524.
- Khan, M. A., Tania, M., Fu, S., & Fu, J. (2017). Thymoquinone, as an Anticancer Molecule: From Basic Research to Clinical Investigation. *Oncotarget*, 8(31), 51907–51919.
- Lopes, G. C., Longhini, R., dos Santos, P. V. P., Araújo, A. A. S., Bruschi, M. L., & de Mello, J. C. P. (2012). Preliminary Assessment of the Chemical Stability of Dried Extracts from *Guazuma ulmifolia* Lam. (Sterculiaceae). *International Journal of Analytical Chemistry*, 2012, 1–7.
- Mariod, A. A., Ibrahim, R. M., Ismail, M., & Ismail, N. (2009). Antioxidant activity and phenolic content of phenolic rich fractions obtained from black cumin (*Nigella sativa*) seedcake. *Food Chemistry*, 116(1), 306–312. <https://doi.org/10.1016/j.foodchem.2009.02.051>
- Mbarek, L. A., Mouse, H. A., Elabbadi, N., Bensalah, M., Gamouh, A., Aboufatima, R., ... Ziad, A. (2007). Anti-tumor properties of blackseed (*Nigella sativa* L.) extracts. *Brazilian Journal of Medical and Biological Research*, 40(6), 839–847.
- Mohan, B., Ramalingam, S., Saravanan, R., & Dheeba, B. (2016). In Vitro antioxidant and anti-proliferative activity of *Plectranthus amboinicus* leaves extract on MCF-7 cell line. *Der Pharmacia Lettre*, 8(12), 1–9.
- Montesqrit, M., & Ovianti, R. (2013). Pengaruh Suhu dan Lama Penyimpanan terhadap Stabilitas Minyak Ikan dan Mikrokapsul Minyak Ikan. *Jurnal Peternakan Indonesia (Indonesian Journal of Animal Science)*, 15(1), 62.
- Moore, T. C. (2018). Counting Cells with Hemocytometer. Retrieved August 31, 2019, from <https://www.protocols.io/view/counting-cells-with-hemocytometer-nxsdfne>
- Mustapha, N., Abubakar, A., & Majinda, R. R. . (2016). GC-MS Analysis and Preliminary Antimicrobial Activity of *Albizia adianthifolia* (Schumach) and *Pterocarpus angolensis* (DC). *Medicines*, 3(3), 1–9.
- Nagarajan, D., & Pandian, R. (2018). Anti-cancer potentials of endophytic fungi isolated from *Enicostemma axillare* and *Ormocarpum cochinchinense*. *Journal of Pharmacognosy and Phytochemistry*, 7(3), 3186–3191.
- Najib, A., Malik, A., Ahmad, A. R., Handayani, V., Syarif, R. A., & Waris, R. (2017). Standardisasi Ekstrak Air Daun Jati Belanda dan Teh Hijau. *Jurnal Fitofarmaka Indonesia*, 4(2), 241–245.
- Nurani, L. H. (2012). Uji Sitotoksitas dan Antiproliferatif Sel Kanker Payudara T47D dan Sel Vero Biji *Nigella sativa*, L. *Pharmaciana*, 2(1).
- Nussbaumer, S., Bonnabry, P., Veuthey, J. L., & Fleury-Souverain, S. (2011). Analysis of anticancer drugs: A review. *Talanta*, 85(5), 2265–2289. <https://doi.org/10.1016/j.talanta.2011.08.034>
- Permadi, A., Sutanto, S., & Wardatun, S. (2012). Perbandingan Metode Ekstraksi Bertingkat dan Tidak Bertingkat terhadap Flavonoid Total Herba Ciplukan (*Physalis angulata* L.) Secara Kolorimetri, 1–10.

- Phang, C., Nurestri, S., Malek, A., & Ibrahim, H. (2013). Antioxidant Potential , Cytotoxic Activity and Total Phenolic Content of *Alpinia pahangensis* Rhizomes. *BMC Complementary and Alternative Medicine*, 13(1), 1. <https://doi.org/10.1186/1472-6882-13-243>
- Pine, A. . T. D., Attamimi, F., & Alam, G. (2015). Standardisasi Mutu Ekstrak Daun Gedi ( *Abelmoschus manihot* (L.) Medik) dan Uji Efek Antioksidan dengan Metode DPPH. *Jurnal Farmasi*, 3(3), 111–128.
- Ramli, M. (2015). Update Breast Cancer Management. *Majalah Kedokteran Andalas*, 38, 28–52.
- Randhawa, M. A., & Alghamdi, M. S. (2011). Anticancer activity of *Nigella sativa* (Black Seed) - A review. *American Journal of Chinese Medicine*, 39(6), 1075–1091. <https://doi.org/10.1142/S0192415X1100941X>
- Riss, T. L., Moravec, R. A., Niles, A. L., Duellman, S., Benink, H. A., Worzella, T. J., & Minor, L. (2013). *Cell Viability Assays. Assay Guidance Manual*. Eli Lilly & Company and the National Center for Advancing Translational Sciences. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/23805433>
- Rompay, A. Van. (2013). Overview of 3D-human skin reconstructed models for irritation and cor.... Retrieved August 31, 2019, from <https://www.slideshare.net/AnVanRompay/overview-of-3dhuman-skin-reconstructed-models-for-irritation-and-corrosion-testing-by-an-van-rompay>
- Septisetyani, E. P., Ningrum, R. A., Romadhani, Y., Wisnuwardhani, P. H., & Santoso, A. (2014). Optimization of Sodium Dodecyl Sulphate As a Formazan Solvent and Comparison of 3-(4,-5-Dimethylthiazo-2-Yl)-2,5-Diphenyltetrazolium Bromide (Mtt) Assay With Wst-1 Assay in Mcf-7 Cells. *Indonesian Journal of Pharmacy*, 25(4), 245–254.
- Tunjung, W. A. S., & Sayekti, P. R. (2019). Apoptosis induction on human breast cancer T47D cell line by extracts of *Ancorina* sp . [ version 1 ; referees : awaiting peer review ] Woro Anindito Sri Tunjung. *F1000Research*, 8(168), 1–11.
- United States Department of Agriculture. (2018). Plants Profile for *Nigella sativa* (black cumin). Retrieved December 10, 2018, from <https://plants.usda.gov/core/profile?symbol=NISA2>
- Weerapreeyakul, N., Nonpunya, A., Barusrux, S., Thitimetharoch, T., & Sripanidkulchai, B. (2012). Evaluation of the anticancer potential of six herbs against a hepatoma cell line. *Chinese Medicine (United Kingdom)*, 7(1), 1. Retrieved from Chinese Medicine
- Yessuf, A. M. (2015). Phytochemical Extraction and Screening of Bio Active Compounds from Black Cumin (*Nigella Sativa*) Seeds Extract. *American Journal of Life Sciences*, 3(5), 358–364. <https://doi.org/10.11648/j.ajls.20150305.14>
- Zaher, K., Ahmed, W., & Zerizer, S. (2008). Observations on the biological effects of black cumin seed (*Nigella sativa*) and green tea (*Camellia sinensis*). *Global Veterinaria*, 2(4), 198–204.
- Zainab, Z., Sulistyani, N., & Anisaningrum, A. (2016). Penetapan Parameter Standardisasi Non Spesifik dan Spesifik Ekstrak Daun Pacar Kuku (*Lawsonia inermis* L.). *Media Farmasi Vol.*, 13(2), 212–226.