

DAFTAR PUSTAKA

- Agel, J. dan LaPrade, R.F. (2009). Assessment of Differences Between the Modified Cincinnati and International Knee Documentation Committee Patient Outcome Scores : A prospective Study. *The American Journal of Sports Medicine*, 37(11), pp.2151-2157.
- Alrowaili, M. (2016). Transient superficial peroneal nerve palsy after anterior cruciate ligament reconstruction. *Clinics and Practice*, 6(2).
- Angthong, C., Chernchujit, B., Apivatgaroon, A., Chaijenkit, K., Nualon, P. dan Suchao-in, K. (2015). The Anterior Cruciate Ligament Reconstruction with the Peroneus Longus Tendon: A Biomechanical and Clinical Evaluation of the Donor Ankle Morbidity. *Journal of the Medical Association of Thailand*, 98(6), pp.555-60.
- Asif, S. dan Choon, D.S. (2005). Midterm results of cemented Press Fit Condylar Sigma total knee arthroplasty system. *Journal of Orthopaedic Surgery (Hong Kong)*, 13(3), pp.280-284.
- Azar, F.M., Beaty, J.H. dan Canale, S.T. (2017). *Campbell's Operative Orthopaedics*. 13th ed. Philadelphia: Elsevier, pp.2460-2485.
- Bentley G., Biant, L.C., Carrington, R.W., Akmal, M., Goldberg, A., Williams, A.M., Skinner, J.A. dan Pringle, J. A. (2003). Prospective, randomised comparison of autologous chondrocyte implantation versus mosaicplasty for osteochondral defects in the knee. *Journal of Bone and Joint Surgery - British Volume*, 85(2), pp.223-230.
- Briggs, K.K., Lysholm, J., Tegner, Y., Rodkey, W.G., Kocher, M.S. dan Steadman, J.R. (2009). The reliability, validity, and responsiveness of the Lysholm score and Tegner activity scale for anterior cruciate ligament injuries of the knee: 25 years later. *The American Journal of Sports Medicine*, 37(5), pp.890-897.
- Carter, T. R. dan Edinger, S. (1999). Isokinetic evaluation of anterior cruciate ligament reconstruction: Hamstring versus patellar tendon. *Arthroscopy*, 15, pp.169-172.
- Ceccarelli, F., Calderazzi, F. and Pedrazzi, G. (2014). Is There a Relation between AOFAS Ankle-Hindfoot Score and SF-36 in Evaluation of Achilles Ruptures Treated by Percutaneous Technique?. *The Journal of Foot & Ankle Surgery*, 53, pp.16-21.

- Chen, G. dan Wang, S. (2015). Comparison of single-bundle versus double-bundle anterior cruciate ligament reconstruction after a minimum of 3-year follow-up: a meta-analysis of randomized controlled trials. *International Journal of Clinical and Experimental Medicine*, 8(9), pp.14604–14614.
- Corry, I.S., Webb, J.M., Clingeleffer, A.J. dan Pinczewski, L.A. (1999). Arthroscopic reconstruction of the anterior cruciate ligament. A comparison of patellar tendon autograft and four-strand hamstring tendon autograft. *The American Journal of Sports Medicine*, 27, pp.444-454.
- de Cassia Marqueti, R., Vieira de Sousa Neto, I., Reichert Barin, F. dan Vieira Ramos, G. (2019). Exercise nad Tendon Remodeling Mechanism. *Tendons [Working Title]*.
- Ellis, S., Williams, B., Wagshul, A., Pavlov, H. and Deland, J. (2010). Deltoid Ligament Reconstruction with Peroneus Longus Autograft in Flatfoot Deformity. *Foot & Ankle International*, 31(9), pp.781-789.
- Farlex Partner Medical Dictionary. (2012). *Morbidity*. [online] Available at: <https://medical-dictionary.thefreedictionary.com/morbidity> [Accessed 23 Apr. 2019].
- Feagin, J.A. dan Blake, Jr., W.P. (1983). Postoperative evaluation and result recording in the anterior cruciate ligament reconstructed knee. *Clinical Orthopaedics and Related Research*, 172, pp.143-147.
- Frank, C.B. dan Jackson D.W. (1997). The science of reconstruction of the anterior cruciate ligament. *The Journal of Bone and Joint Surgery. American Volume.*, 79, pp.1556-76.
- Freedman, K.B., D’Amato, M.J., Nedeff, D.D., Kaz, A. dan Bach, Jr., B.R. (2003). Arthroscopic Anterior Cruciate Ligament Reconstruction: A Metaanalysis Comparing Patellar Tendon and Hamstring Tendon Autografts. *The American Journal of Sports Medicine*, 31(1), pp.2-11.
- Gianotti, S.M., Marshall, S.W., Hume, P.A. dan Bunt, L. (2009). Incidence of anterior cruciate ligament injury and other knee ligament injuries: A national population-based study. *Journal of Science and Medicine in Sport*, 12(6), pp.622-627.
- Gottlob, C.A., Baker, Jr., C.R., Pellissier, J.M. dan Colvin, L. (1999). Cost Effectiveness of Anterior Cruciate Ligament Reconstruction in Young Adults. *Clinical Orthopaedics and Related Research*, 367, pp.272-282.

- Haas, A., Schepsis, A., Hornstein, J. and Edgar, C. (2005). Meniscal repair using the FasT-Fix all-inside meniscal repair device. *Arthroscopy: The Journal of Arthroscopic & Related Surgery*, 21(2), pp.167-175.
- Hale, S.A. dan Hertel, J. (2005). Reliability and Sensitivity of the Foot and Ankle Disability Index in Subjects with Chronic Ankle Instability. *Journal of Athletic Training*, 40(1), pp.35 – 40.
- Hansen, J.T. dan Netter, F.H. (2014). *Netter's Clinical Anatomy*. 3rd ed. Philadelphia: Elsevier
- Higgins, L.D., Taylor, M.K., Park, D., Ghodadra, N., Marchant, M., Pietrobon, R. dan Cook, C. (2007). Reliability and validity of the International Knee Documentation Committee (IKDC) Subjective Knee Form. *Joint Bone Spine*, 74(6), pp.594-599.
- Insall, J.N., Dorr, L.D., Scott, R.D. dan Scott W.N. (1989). Rationale of the Knee Society clinical rating system. *Clinical Orthopaedic and Related Research*, 248, pp.13-14.
- Irrgang, J., Anderson, A., Boland, A., Harner, C., Kurosaka, M., Neyret, P., Richmond, J. and Shelborne, K. (2001). Development and Validation of the International Knee Documentation Committee Subjective Knee Form. *The American Journal of Sports Medicine*, 29(5), pp.600-613.
- Jost, P.W., Dy, C.J., Robertson, C.M. dan Kelly, A.M. (2011). Allograft Use in Anterior Cruciate Ligament Reconstruction. *HSS Journal*, 7(3), pp.251-256.
- Kartus, J., Movin, T. dan Karlsson, J. (2001). Donor-Site Morbidity and Anterior Knee Problems After Anterior Cruciate Ligament Reconstruction Using Autografts. *The Journal of Arthroscopic and Related Surgery*, 17(9), pp.971–980.
- Kerimoglu, S., Aynaci, O., Saracoğlu, M., Aydin, H. dan Turhan, A.U. (2008). Anterior cruciate ligament reconstruction with the peroneus longus tendon. *Acta Orthopaedica et Traumatologica Turcica*, 42(1), pp.38-43.
- Kitaoka, H.B., Alexander, I.J., Adelaar, R.S., Nunley, J.A., Myerson, M.S. dan Sanders, M. (1994). Clinical rating systems for the ankle-hindfoot, midfoot, hallux, and lesser toes. *Foot & Ankle International*, 15(7), pp.349-53.
- Kubo, K., Kanehisa, H., Kawakami, Y. Fukanaga, T. (2001). Growth changes in the elastic properties of human tendon structures. *International Journal of Sports Medicine*, 22, 138–143.

Laporan Hasil Riset Kesehatan Dasar (Riskesdas) Provinsi DI Yogyakarta Tahun 2007. (2009). 2nd ed. [ebook] Jakarta: Badan Penelitian dan Pengembangan Kesehatan Departemen Kesehatan RI. Available at: <http://terbitan.litbang.depkes.go.id/penerbitan/index.php/lpb/catalog/download/63/92/239-1> [Accessed 10 Jan. 2019].

Laporan Hasil Riset Kesehatan Dasar (Riskesdas) Provinsi Jawa Tengah Tahun 2007. (2009). 2nd ed. [ebook] Jakarta: Badan Penelitian dan Pengembangan Kesehatan Departemen Kesehatan RI. Available at: <http://terbitan.litbang.depkes.go.id/penerbitan/index.php/lpb/catalog/download/63/92/238-1> [Accessed 10 Jan. 2019].

Mall, N.A., Chalmers, P.N., Moric, M., Tanaka, M.J., Cole, B.J., Bach, Jr., B.R. dan Paletta, Jr., G.A. (2014). Incidence and Trends of Anterior Cruciate Ligament Reconstruction in the United States. *The American Journal of Sports Medicine*, 42(10), pp.2363-2370.

Mariscalco, M.W., Flanigan, D.C., Mitchell, J., Pedroza, A.D., Jones, M.H., Andrish, J.T., Parker, R.D., Kaeding, C.C. dan Magnussen, R.A. (2013). The influence of hamstring autograft size on patient-reported outcomes and risk of revision after anterior cruciate ligament reconstruction: a Multicenter Orthopaedic Outcomes Network (MOON) Cohort Study. *Arthroscopy*, 29, pp.1948–1953.

Martin, R.L., Burdett, R.G. dan Irrgang, J.J. (1999). Development of the Foot and Ankle Disability Index (FADI) [abstract]. *Journal of Orthopaedic and Sports Physical Therapy*, 29, pp.A32–A33.

McCrum, C., Leow, P., Epro, G., Konig, M., Meijer, K. dan Karamanidis, K. (2018). Alterations in Leg extensor Muscle-Tendon Unit Biomechanical Properties with Ageing and Mechanical Loading. *Frontiers in Physiology*, 9(150), pp.

Miller, M.D. dan Thompson, S.R. (2016). *Miller's Review of Orthopaedics*. 7th ed. Philadelphia: Elsevier, pp.335-356.

Mohtadi, N.G., Chan, D.S., Dainty, K.N. dan Whelan, D.B. (2011). Patellar tendon versus hamstring tendon autograft for anterior cruciate ligament rupture in adults. *Cochrane Database of Systematic Reviews*, (9).

Mooney, J. (2009). *Illustrated Dictionary of Podiatry and Foot Science*. Philadelphia: Elsevier.

Moore, K.L., Agur, A.M.R. dan Dalley, A.F. (2015). *Essential Clinical Anatomy*. 5th ed. Philadelphia: Wolters Kluwer, pp.350-351

- Murawski C.D., van Eck, C.F., Irrgang, J.J., Tashman, S., Fu, F.H. (2014). Operative treatment of primary anterior cruciate ligament rupture in adults. *The Journal of Bone and Joint Surgery*, 96(8), pp.685-94.
- Nakamura, N., Horibe, S., Sasaki, S., Kitaguchi, T., Tagami, M., Mitsuoka, T., Toritsuka, Y., Hamada, M. dan Shino, K. (2002). Evaluation of active knee flexion and hamstring strength after anterior cruciate ligament reconstruction using hamstring tendons. *Arthroscopy*, 18(6), pp.598-602.
- Noyes, F.R., Butler, D.L., Grood, E.S., Zernicke, R.F., Hefzy, M.S. (1984). Biomechanical analysis of human ligament grafts used in knee ligament repairs and reconstructions. *The Journal of Bone and Joint Surgery*, 66(3), pp.344-352.
- Otis, J.C., Deland, J.T., Lee, S. dan Gordon, J. (2004). Peroneus brevis is a more effective evolver than peroneus longus. *Foot & Ankle International*, 25(4), pp.242-246.
- Pereira, R.N., Karam, F.C., Schwanke, L.R., Millman, R., Foletto, Z.M. dan Schwanke C.H.A. (2016). Correlation between anthropometric data and length and thickness of tendons of the semitendinosus and gracilis muscles used for grafts in reconstruction of the anterior cruciate ligament. *Revista Brasileira De Ortopedia*, 51(2):175-180.
- Rhatomy, S., Asikin, A.I.Z., Wardani, A.E., Rukmoyo, T., Lumban-Gaol, I. dan Budhiparama N.C. (2019). Peroneus longus autograft can be recommended as a superior graft to hamstring tendon in single-bundle ACL reconstruction. *Knee Surgery, Sports Traumatology, Arthroscopy*.
- Risberg, M., Holm, I., Steen, H. dan Beynnon, B. (1999). Sensitivity to changes over time for the IKDC form, the Lysholm score, and the Cincinnati knee score. *Knee Surgery, Sports Traumatology, Arthroscopy*, 7(3), pp.152-159.
- Rudy, Mustamsir, E. dan Phatama, K.Y. (2017). Tensile strength comparison between peroneus longus and hamstring tendons: A biomechanical study. *International Journal of Surgery Open*, 9, pp.41-44.
- Sanders, T.L., Kremers, H.M, Bryan, A.J., Larson, D.R., Dahm, D.L., Levy, B.A., Stuart, M.J. dan Krych, A.J. (2016). Incidence of Anterior Cruciate Ligament Tears and Reconstruction. *The American Journal of Sports Medicine*, 44(6), pp.1502-1507.
- Sastoasmoro, S. dan Ismael, S. (2014). *Dasar-dasar Metodologi Penelitian Klinis*. 5th ed. Jakarta: Sagung Seto.

- Shelbourne, K. D. dan Nitz, P. (1990). Accelerated rehabilitation after anterior cruciate ligament reconstruction. *The American Journal of Sports Medicine*, 18(3), pp.292-299.
- Shi, F., Zuo, J., Liu, S., Wang, X., Zhang, Y., Meng, X., Cui, Z., Zhao, S., Li, C., Hu, W. dan Hess, D. E. (2019). Peroneus Longus Tendon Autograft is a Safe and Effective Alternative for Anterior Cruciate Ligament Reconstruction. *The Journal of Knee Surgery*, 32(8), pp.804-811.
- Song, X., Li, Q., Wu, Z., Xu, Q., Chen, D. dan Jiang, Q. (2018). Predicting the graft diameter of the peroneus longus tendon for anterior cruciate ligament reconstruction. *Medicine*, 97(44), pp.e12672.
- Spragg, L., Chen, J., Mirzayan, R., Love, R. dan Maletis, G. (2016). The effect of autologous hamstring graft diameter on the likelihood for revision of anterior cruciate ligament reconstruction. *The American Journal of Sports Medicine*, 44(6), pp.1475–1481.
- Sustiwi, R. (2018). *Efektivitas Program Terapi Rehabilitasi Cedera terhadap Peningkatan ROM dan Penurunan Bengkak Pasca Rekonstruksi ACL di Jogja Sports Clinic*. Undergraduate. Universitas Negeri Yogyakarta.
- Tas, S., Yilmaz, S., Onur, M.R., Soylu, A.R., Altuntas, O. dan Korkusuz, Feza. (2016). *Acta Orthopaedica et Traumatologica Turcica*, 51(1), pp.54-59
- Tegner, Y. dan Lysholm, J. (1985). Rating system in the evaluation of knee ligament injuries. *Clinical Orthopaedics and Related Research*, 198, pp.43-49.
- van Dijk, P., Lubberts, B., Verheul, C., DiGiovanni, C. and Kerkhoffs, G. (2016). Rehabilitation after surgical treatment of peroneal tendon tears and ruptures. *Knee Surgery, Sports Traumatology, Arthroscopy*, 24(4), pp.1165-1174.
- Vellet A. D., Marks, P. dan Fowler, P. (1989). Accuracy of nonorthogonal magneticresonance imaging in acute disruption of the anterior cruciate ligament. *Arthroscopy*, 5, pp.287.
- Wang, D., Jones, M.H., Khair, M.M. dan Miniaci, A. (2010). Patient-reported outcome measures for the knee. *Journal of Knee Surgery*, 23(3), pp. 137–51.
- Waugh, C.M., Blazeovich, A.J., Fath, F. dan Korff, T. (2012). Age-related changes in mechanical properties Achilles tendon. *Journal of Anatomy*, 220, pp.144-155.
- Wearing, S.C., Hooper, S.L., Grigg, N.L., Nolan, G. dan Smeathers, J.E. (2013). Overweight and obesity alters the cumulative transverse strain in Achilles

tendon immediately following exercise. *Journal of Bodywork and Movement Therapies*, 17(3), pp.316-321.

Wera, J.C., Nyland, J., Ghazi, C., MacKinlay, K.G.W., Henzman, R.C., Givens, J. dan Brand, J.C. International knee documentation committee knee survey use after anterior cruciate ligament reconstruction: a 2005-2012 systematic review and world region comparison. *Arthroscopy*, 30(11), pp.1505-1512.

West, R.V. dan Harner, C.D. (2005). Graft Selection in AnteriorCruciate Ligament Reconstruction. *Journal of the American Academy of Orthopaedic Surgeons*, 13, pp.197-207.

Westh, E., Kongsgaard, M., Bojsen-Moller, J., Aagaard, P., Hansen, M., Kjaer, M. dan Magnusson, S.P. (2008). Effect of habitual exercise on the structural and mechanical properties of human tendon, in vivo, in men and women. *Scandinavian Journal of Medicine & Science Sports*, 18(1):23–30.

WHO. (2004). Appropriate body-mass index for Asian population and its implication for policy and intervention strategies. *The Lancet*, 363(9403), pp.157-163.

Williams, R.J., III, Hyman, J., Petrigliano, F., Rozental, T. dan Wickiewicz, T.L. (2004). Anterior cruciate ligament reconstruction with a four-strand hamstring tendon autograft. *The Journal of Bone and Joint Surgery. American Volume*, 86(2), pp.225-32.

Xu, C., Zhao, J. and Xie, G. (2016). Medial patella-femoral ligament reconstruction using the anterior half of the peroneus longus tendon as a combined procedure for recurrent patellar instability. *Asia-Pacific Journal of Sports Medicine, Arthroscopy, Rehabilitation and Technology*, 4, pp.21-26.

Zein, A., Ali, M., Mahmoud, A.Z. and Omran, K. (2017). Autogenous Hamstring-Bone Graft Preparation for Anterior Cruciate Ligament Reconstruction. *Arthroscopy Techniques*, 6(4), pp.e1253-e1262.

Zhu, Y., Hsueh, P., Zeng, B., Chai, Y., Zhang, C., Chen, Y., Wang, Y. and Maimaitiaili, T. (2018). A prospective study of coracoclavicular ligament reconstruction with autogenous peroneus longus tendon for acromioclavicular joint dislocations. *Journal of Shoulder and Elbow Surgery*, 27(6), pp.e178-e188.