

DAFTAR PUSTAKA

- Anonim, 1995, *Keputusan Menteri Negara Lingkungan Hidup Republik Indonesia Nomor 51 tentang Baku Mutu Limbah Cair*.
- Ajmal, A., Majeed, I., Malik, R. N., Idriss, H., dan Nadeem M. A., 2014, Principles and Mechanisms of Photocatalytic Dye Degradation on TiO₂ Based Photocatalyst: a comparative overview, *RSC Adv.*, 4, 37003
- Ao, B., Zhang, Z., Tang, T., and Zhao, Y., 2015, Roles of Cu concentration in the photocatalytic activities of Cu-doped TiO₂ from GGA_PU calculations, *Solid State Communications*, 204 pp.23–27.
- Bagheri, S., and Julkapli, N. M., 2015, Magnetite Hybrid Photocatalysis: Advance Environmental Remediation, *Rev. Inor. Chem.*, 36(2), 1-16.
- Banisharif, A., Elahi, S.H., Firooz, A.A., Khodadadi, A. A., and Mortazavi, Y., 2013, TiO₂/Fe₃O₄ Nanocomposite Photocatalysts for Enhanced Photo-Decolorization of Congo Red Dye, *Int. J. Nanosci. Nanotechnol.*, 9(4), 193-202.
- Bilinska, L., Blus, K., Gmurek, M., Zilla, R., and Ledakowicz, L., 2019, Coupling of electrocoagulation and ozone treatment for textile wastewater reuse, *Chemical Engineering Journal*, 358, 992-1001.
- Byrne, J. A.; Eggins, B. R.; Brown, N. M. D.; McKinney, B.; Rouse, M., 1998, Immobilization of TiO₂ Powder of Polluted Water, *Applied Catalyst B: Environmental*, 17, 25–36.
- Cheng, J.P., Ma, R., Chen, X., Shi, D., Liu, F. And Zhang, X. B., 2011, Effect of ferric ions on the morphology and size of magnetite nanocrystal synthesized by ultrasonic irradiation, *Cryst. Res. Technol.*, 46 (7), 723-730.
- Choi, J., Park, H., and Hofmann, M.R., 2010, Effect of Single Metal-Ion Doping on The Visible-Light Photoreactivity of TiO₂, *J. Phys. Chem.*, 114, 783-792.
- Choudhury, B., Dey, M., dan Choudhury, A., 2013, Defect Generation, d-d Transition, and Band Gap Reduction in Cu-Doped TiO₂ Nanoparticles, *International Nano Letters* 3, 3-25
- Dang, F., Enomoto, N., Hojo, J., and Anpuku, K., 2009, Sonochemical Synthesis of Monodispersed Magnetite nanoparticles by using an ethanol-water mixed solvent, *J. Ultrason. Sonochem.*, 16, 649-654.
- Fan, Y., Ma, C., Li, W. and Yin, Y., 2012, Synthesis and Properties of Fe₃O₄/SiO₂/TiO₂ Nanocomposites by Hydrothermal Synthetic Method, *Mater. Sci. Semicond. Process.*, 15, 582-585.
- Fujishima, A., Hashimoto, K., and Watanabe, T., 1996, *TiO₂ Photocatalysis Fundamental and Applications*, BKC inc., Tokyo.
- Hamdaoui, O., and Chiha, M., 2006, Removal of Methylene Blue from Aqueous Solution

by Wheat Bran, *Act. Chim. Slo.*, 54(2), 407-418.

- Hernandez, J. Z., Coste, S., Murillo, A. G., Romo, F. C., and Kassiba A., 2017, Effects of metal doping (Cu, Ag, Eu) on the electronic and optical behavior of nanostructured TiO₂, *Journal of Alloys and Compounds*, 710 pp.355-363
- Hoffmann, M.R., Martin, S.T., Choi, W., and Behremann, D. W., 1995, Environmental Applications of Semiconductor Photocatalysis, *Chem. Rev.*, 95, 69-96.
- Hong, R.Y., Li, J.H., Ding, J., Zheng, Y., and Wei, D.G., 2008, Synthesis of Fe₃O₄ nanoparticles without inert gas protection used as precursors of magnetic fluids, *J. Mag. Mat.*, 320, 1605-1614.
- Houas, A., Lacheb, H., Ksibi, M., Elaloui, E., Guillard, C. Dan Herman, J.M., 2001, Photocatalytic Degradation Pathway of Methylene Blue in Water, *J. Appl. Catal. B. Environ.*, 31(2), 145-157.
- Huang, J., and Waclawik, E.R., 2014, Colloidal Semiconductor Nanocrystals: Controlled Synthesis and Surface Chemistry in Organic Media, *RSC Adv.*, 45, 23505-23527.
- Kandasamy, G. and Maity, D., 2015, Recent Advances in Superparamagnetic Iron Oxide Nanoparticles (SPIONs) for In Vitro and In Vivo Cancer Nanotheranostics, *Int. J. Pharm.*, 496, 191-218.
- Kunarti, E. S., Roto, R., and Pradipta, A. R., 2017, Fe₃O₄/SiO₂/TiO₂ core-shell nanoparticles as catalyst for Ag(I) ions, *Oriental Jurnal of Chemistry*, 33 pp.1933-1940.
- Kurniawan, C., 2008, Studi tentang sifat luminensi nanopartikel (Ca_xSr_{1-x}) TiO₂: RE (RE:Pr³⁺, Eu³⁺, dan Tb³⁺) yang dipreparasi dengan metode sonokimia, *Tesis*, Departemen Kimia FMIPA ITB, Bandung.
- Li, X. M., Xu, G., Liu, Y., and He, T., 2011, Magnetic Fe₃O₄ nanoparticles: synthesis and Application in water treatment, *J. Nanosci. Nanotechnol.*, 1, 14-24.
- Linsebigler, A. L., Lu G., Yates, J. T., 1995, Photocatalysis on TiO₂ Surface: Principle, Mechanism, and Selected Result, *Chem. Rev.*, 735-758
- Mahdavi, M., Ahmad, M., Haron, M., and Namwar, F., 2013, Synthesis, Surface Modification and Characterisation of Biocompatible Magnetic Iron Oxide Nanoparticles for Biomedical Applications, *J. Mol.*, 18, 7533-7548.
- Makovec, D., Sajko, M., Selisnik, A., dan Drofenik, M., 2012, low temperature synthesis of magnetically recoverable, superparamagnetic, photocatalytic, nanocomposite particles, *Mater. Chem. Phys.*, 136, 230-240
- Matthew, R. W., 1987, Photooxidation of Organic Impurities in Water Using Thin Films of Titanium Dioxide, *J. Phys. Chem.*, 91, 3328-3333
- Mills, A., and Leहुnte, S., 1997 An overview of semiconductor photocatalysis. *Chem. Soc. Rev.*, 22, 417-425.

- Mital, G. S. dan Manoj, T., 2011, A Review of TiO_2 Nanoparticles, *Chin. Sci. Bull.*, 56, 1639-1657. Niu, Y
- Monshi, A., Foroughi, M.R, and Monshi, M.R., 2012, Modified Scherrer Equation to Estimate More Accurately Nano-Crystallite Size Using XRD, *J. Nano Sci. Eng.*, 2, 154-160.
- Musawwa, M., 2016, Preparasi Fotokatalis $\text{Fe}_3\text{O}_4/\text{SiO}_2/\text{TiO}_2\text{-Cu}$ dan Uji Aktivitasnya untuk Degradasi Metilen Biru, *Tesis*, FMIPA Kimia UGM, Yogyakarta.
- Nogueira, R.F.P., and Jardim, W.F., 1993, Photodegradation of Methylene Blue Using Solar Light and Semiconductor (TiO_2), *J. Chem. Ed.*, 70, 10, 861-862.
- Noor, F., 2019, Sintesis $\text{Fe}_3\text{O}_4/\text{TiO}_2\text{-Cu}$ dan Uji Aktivitasnya sebagai Fotokatalis, *Skripsi*, FMIPA Kimia UGM, Yogyakarta.
- Paschoalino, F.C.S., Paschoalino, M.P. dan Jordão, E., 2012, Evaluation of TiO_2 , ZnO , CuO and Ga_2O_3 on The Photocatalytic Degradation of Phenol using an Annular-Flow Photocatalytic Reactor, *J. Sci. Res.*, 2, 135-140.
- Pauzan, M., Kato, T., Iwata, S., dan Suharyadi, E., 2013, Pengaruh Ukuran Butir dan Struktur Kristal terhadap Sifat Kemagnetan pada Nanopartikel Magnetit (Fe_3O_4), *Prosiding Pertemuan Ilmiah XXVII HFI Jateng & DIY*, 23 Maret 2013, 24-28.
- Pavia, D.L., Lampman, G.M., Kriz, G.S. dan Vyvyan, J.R., 2009, *Introduction to Spectroscopy*, 4th Edition, Cengage Learning, Washington DC.
- Petrucchi, R. H., Hardwood, W. S., Herring, F.G., dan Madura, J.D., 2011, *Kimia Dasar: Prinsip-prinsip dan Aplikasi Modern*, edisi kesembilan, jilid1, Penerbit Erlangga, Jakarta.
- Rashid, M.H., Shahtahmasebi, N., and Roknabadi, M.R., 2013, Study of Structural and magnetic properties of superparamagnetic $\text{Fe}_3\text{O}_4/\text{TiO}_2$ core-shell nanocomposites synthesized with hydrophilic citrate-modified Fe_3O_4 seeds via a sol-gel approach, *phys. E. Low-dimensional Syst. Nano.*, 53, 207-216.
- Rajendan, V., Rajendran G., andmKaruppatevhar, N., 2017, Photocatalytic Degradation of Methylen Blue by Cu Doped TiO_2 Thin Films Under Visible Light Irradiation, *J Mech Mater. Sci. Eng.*, 9,1-6
- Rauta, A. V., Yadavb, H. M., Gnanamanic, A., Pushpavanamd, S., and Pawara, S. H., 2016, Synthesis and characterization of chitosan- $\text{TiO}_2\text{:Cu}$ nanocompositeand their enhanced antimicrobial activity with visible light, *Colloids and Surfaces B: Biointerfaces* 148, pp.566–575
- Ray, S.K., Dhakal, D., Kshetri, Y.K., and Lee S.W., 2017, Cu-a-NiMoO4 photocatalyst for degradation of Methylene blue with pathways and antibacterial performance, *J. Pho. Pho. A: Chem.*, 348, 18-32.
- Riaz, N., Chong, F. K., Man, Z.B., Dutta, B.K., Ramli, R.M., and Khan, M.S., 2014, Visible Light Photodegradation of Azo Dye by Cu/TiO_2 , *Adv. Mater. Res.*, 917, 151-159.

- Riyani, K., dan Setyaningtyas, T., 2011, Pengaruh Karbon Aktif terhadap Aktivitas Fotodegradasi Zat Warna pada Limbah Cair Industri Tekstil Menggunakan Fotokatalis TiO₂, *Molekul*, 6(2), 113-122.
- Riyani, K., Setyaningtyas, T., dan Dwiasi, D. W., 2015, Sintesis dan Karakterisasi Fotokatalis TiO₂-Cu, *Molekul*, 2, 10, 104-111
- Sahu, M., dan Biswas, P., 2011, Single-Step Processing of Copper-doped Nanomaterials in a Flame Aerosol Reactor, *Nanoscale Res*, 6, 441
- Sajjad, S., Leghari, S. A. K., dan Zhang, J., 2013, Copper impregnated ionic liquid assisted mesoporous titania: visible light photocatalyst, *RSC Adv.*, 3, 12678-12687.
- Salehi, M., Hashemipour, H., and Mirzaee, M., 2012, Experimental Study of Influencing Factors and Kinetics in Catalytic Removal of Methylene Blue with TiO₂ Nanopowder, *Am. J. Environ. Eng.*, 2(1), 1-7.
- Shojaie, A., Fattahi, M., Jorfi, S., and Ghasemi, B., 2018, Synthesis and evaluations of Fe₃O₄-TiO₂-Ag nanocomposites for photocatalytic degradation of 4- chlorophenol (4- CP): effect of Ag and Fe compositions, *Int. J. Industry Chem.*, 9(2), 141-151.
- Sidiras, D.K. dan Batzias, F. A., 2007, Simulation of Dye Adsorption by beech Sawdust as Affected by pH, *J. Hazard Mater.*, 141, 668-679.
- Siregar, I., 2009, Preparasi Fotokatalis TiO₂-Resin dan Uji Aktivitas pada Fotoreduksi Ion Ag(I), *Skripsi*, Jurusan Kimia FMIPA UGM, Yogyakarta.
- Slamet, H. W., Nasution, E., Purnama, J., dan Gunlazuardi, 2009, Effect of Copper Species in a Photocatalytic Synthesis of Methanol from Carbon Dioxide over Copper Doped Titania Catalysts, *World. Appl. Sci. J.*, 6, 112-122
- Sulistyaningsih, T., Santosa, S.J., Siswanta, D., dan Rusdiarso, B., 2017, Synthesis and Characterization of Magnetites Obtained from Mechanically and Sonochemically Assisted Co-Precipitation and Reverse Co-Precipitation Methods, *Int. J. Mat. Mech. Man.*, 5(1), 16-19.
- Sun, Q., Yu, H., Liu, Y., Li, J., Lu, Y., Hunt, J.F., 2010, Improvement of water resistance and dimensional stability of wood through titanium dioxide coating, *Holzforschung*, 64, 757-761.
- Tedsree, K., Temnuch, N., Sriplai, N., and Pinitsoontorn, S., 2017, Ag modified Fe₃O₄@TiO₂ magnetic core-shell nanocomposites for photocatalytic degradation of methylene blue, *J. Materials Today*, 4(5), 6576-6584.
- Tripathy, D., Adeyeye, A.O., Boothroyd, C.B. dan Piramanayagam, S.N., 2007, Magnetic and Transport Properties of Co-Doped Fe₃O₄ Films, *J. Appl. Phys.*, 101, 1-6.
- Wang, Y., Zhang, R., Li, J., dan Lin, S., 2014, First-principles study on transition metal-doped anatase TiO₂. *Nanoscale research letters*, 9, (1), 1.

- Wei, J., Leng, C., Zhang, X., Li, W., Liu, Z., dan Shi, J., 2009, Synthesis and Magnetorheological Effect of Fe₃O₄-TiO₂ Nanocomposite, *11th Conference on Electrorheological Fluids and Magnetorheological Suspensions*, 25-29 Agustus 2008, Dresden.
- Wu, C. H., and Chern, J. M., 2006, Kinetics of Photocatalytic Decomposition of Methylene Blue, *Ind. Eng. Chem. Res.*, 45(19), 6450-6457.
- Wu, M. C., Wua, P.Y., Lina, T.H., and Lin, T.F., 2017, Photocatalytic Performance of Cu-doped TiO₂ Nanofibers Treated by Hydrothermal Synthesis and Air-Thermal Treatment, *Applied Surface Science*, 9, 37114
- Xu, C., Ranjasa, G. P., dan Zhao, X. S., 2014, Photocatalytic degradation of Methylene Blue by Titanium dioxide: Experimentally and Modeling Study, *Ind. Eng. Chem. Res.*, 53, 14641-14649.
- Yang, L., Wang, F., Shu, C., Liu, P., Zhang, W., and Hu, S., 2016, An in-situ Synthesis of Ag/AgCl/TiO₂/hierarchical Porous Magnesian Material and its Photocatalytic performance, *Sci. Rep.*, 6(21617), 1-7.
- Yantasee, W., Warner, C.L., Sangvanich, T., Addleman, R.S., Carter, T.G., Wiacek, R.J., Fryxell, G.E., Timchalk, C., and Warner, M.G., 2007, Removal of Heavy Metals from Aqueous Systems with Thiol Functionalized Superparamagnetic Nanoparticles, *Environ. Sci. Technol.*, 41(14): 5114–5119.
- Zaleska, A., 2008, Doped-TiO₂: A Review, *Recent Patents on Engineering*, 2(3), 157-164.
- Zareia, S., Niada, M., and Raanaeiba, H., 2018, The removal of mercury ion pollution by using Fe₃O₄ nanocellulose: Synthesis, characterizations, and DFT studies, *Journal of Hazardous Materials*, 344 pp.258–273
- Zhan, J., Zhang, H., and Zhu, G., 2014, magnetic photocatalyst of cenospheres coated with Fe₃O₄/TiO₂ core/shell nanoparticles decorated with Ag nanoparticles, *J. Ceram. Int.*, 40(6), 8547-8559.
- Zhang, J., Zhai, S., Li, S., Xiao, Z., Song, Y., An, Q., and Tian, G., 2013, Pb(II) Removal of Fe₃O₄@SiO₂-NH₂ Core-shell Nanomaterials Prepared Via a Controllable Sol-gel Process, *Chem. Eng. J.*, 215–216, 461–471.
- Zhao, D.I., Teng, P., Xu, Y., Xia, Q.S., and zang, J.T., 2010, Magnetic and Inductive Heating Properties of Fe₃O₄/Polyethylene Glycol Composite Nanoparticles with core shell Structure, *J. Alloy Compd.*, 502, 392-395.
- Zhu, C., Zhang, M., Qiao, Y., Xiao, G., Zhang, F., and Chen, Y., 2014, Fe₃O₄/TiO₂ Core/Shell Nanotubes: Synthesis and Magnetic and Electromagnetic Wave Absorption Characteristics, *J. Phys. Chem. C.*, 114(39), 16229-16235.