



## DAFTAR PUSAKA

- Almashrafi, A., Elmontsri, M., & Aylin, P. (2016, July 29). Systematic review of factors influencing length of stay in ICU after adult cardiac surgery. *BMC Health Services Research*, Vol. 16. <https://doi.org/10.1186/s12913-016-1591-3>
- Blankstein, R., Ward, R. P., Arnsdorf, M., Jones, B., Lou, Y. B., & Pine, M. (2005, August 30). Female gender is an independent predictor of operative mortality after coronary artery bypass graft surgery: Contemporary analysis of 31 midwestern hospitals. *Circulation*, Vol. 112. <https://doi.org/10.1161/CIRCULATIONAHA.104.525139>
- Bucerius, J., Gummert, J. F., Walther, T., Doll, N., Falk, V., Schmitt, D. V., & Mohr, F. W. (2004). Predictors of prolonged ICU stay after on-pump versus off-pump coronary artery bypass grafting. *Intensive Care Medicine*, 30(1), 88–95. <https://doi.org/10.1007/s00134-003-1950-5>
- Budiarto, W. (2013). BIAYA KLAIM INA CBGS DAN BIAYA RIIL PENYAKIT KATASTROPIK RAWAT INAP PESERTA JAMKESMAS DI RUMAH SAKIT STUDI DI 10 RUMAH SAKIT MILIK KEMENTERIAN KESEHATAN JANUARI–MARET 2012 | Budiarto | Buletin Penelitian Sistem Kesehatan. Retrieved October 26, 2019, from <http://ejournal.litbang.depkes.go.id/index.php/hsr/article/view/3146>
- D'Agostino, R. S., Jacobs, J. P., Badhwar, V., Fernandez, F. G., Paone, G., Wormuth, D. W., & Shahian, D. M. (2018). The Society of Thoracic Surgeons Adult Cardiac Surgery Database: 2018 Update on Outcomes and Quality. *The Annals of Thoracic Surgery*, 105(1), 15–23. <https://doi.org/10.1016/j.athoracsur.2017.10.035>
- Davoodi, S., Karimi, A., Ahmadi, S., Marzban, M., Movahhedi, N., Abbasi, K., ... Abbasi, S. (2008). Coronary artery bypass grafting in patients with low ejection fraction: The effect of intra-aortic balloon pump insertion on early outcome. *Indian Journal of Medical Sciences*, 62(8), 314–322. <https://doi.org/10.4103/0019-5359.42482>
- Dupuis, J.-Y., Wang, F., Nathan, H., Lam, M., Grimes, S., & Bourke, M. (2001). *The Cardiac Anesthesia Risk Evaluation Score A Clinically Useful Predictor of Mortality and Morbidity after Cardiac Surgery*. Retrieved from [www.anesthesiology.org](http://www.anesthesiology.org).
- Eltheni, R., Giakoumidakis, K., Brokalaki, H., Galanis, P., Nenekidis, I., & Fildissis, G. (2012). Predictors of Prolonged Stay in the Intensive Care Unit following Cardiac Surgery. *ISRN Nursing*, 2012, 1–9. <https://doi.org/10.5402/2012/691561>
- Ettema, R. G. A., Peelen, L. M., Schuurmans, M. J., Nierich, A. P., Kalkman, C. J., & Moons, K. G. M. (2010). Prediction models for prolonged intensive care unit stay after cardiac surgery: systematic review and validation study. *Circulation*, 122(7), 682–689, 7 p following p 689. <https://doi.org/10.1161/CIRCULATIONAHA.109.926808>
- Friedrich, I., Simm, A., Köttig, J., Thölen, F., Fischer, B., & Silber, R. E. (2009, June 19). Der alte patient in der herzchirurgie. *Deutsches Arzteblatt*, Vol.



- 106, pp. 416–422. <https://doi.org/10.3238/arztebl.2009.0416>
- Gajic, O., Rana, R., Mendez, J. L., Rickman, O. B., Lymp, J. F., Hubmayr, R. D., & Moore, S. B. (2004). Acute lung injury after blood transfusion in mechanically ventilated patients. *Transfusion*, 44(10), 1468–1474. <https://doi.org/10.1111/j.1537-2995.2004.04053.x>
- Hassan, A., Anderson, C., Kypson, A., Kindell, L., Ferguson, T. B., Chitwood, W. R., & Rodriguez, E. (2012). Clinical Outcomes in Patients With Prolonged Intensive Care Unit Length of Stay After Cardiac Surgical Procedures. *ATS*, 93, 565–569. <https://doi.org/10.1016/j.athoracsur.2011.10.024>
- Head, S. J., Osnabrugge, R. L. J., Howell, N. J., Freemantle, N., Bridgewater, B., Pagano, D., & Pieter Kappetein, A. (2013, May). A systematic review of risk prediction in adult cardiac surgery: Considerations for future model development. *European Journal of Cardio-Thoracic Surgery*, Vol. 43. <https://doi.org/10.1093/ejcts/ezt044>
- Hein, O. V., Birnbaum, J., Wernecke, K., England, M., & Konertz, W. (2006). Prolonged intensive care unit stay in cardiac surgery: Risk factors and long-term-survival. *Annals of Thoracic Surgery*, 81(3), 880–885. <https://doi.org/10.1016/j.athoracsur.2005.09.077>
- Hooper, M. M., & Granton, J. (2011). Intensive Care Unit Management of Patients with Severe Pulmonary Hypertension and Right Heart Failure. *American Journal of Respiratory and Critical Care Medicine*, 184(10), 1114–1124. <https://doi.org/10.1164/rccm.201104-0662CI>
- Hote, M. (2018). Cardiac surgery risk scoring systems: In quest for the best. *Heart Asia*, 10(1), e011017. <https://doi.org/10.1136/heartasia-2018-011017>
- Hunter, A., Johnson, L., & Coustasse, A. (2014). Reduction of intensive care unit length of stay: The case of early mobilization. *Health Care Manager*, 33(2), 128–135. <https://doi.org/10.1097/HCM.0000000000000006>
- Kapadohos, T., Angelopoulos, E., Vasileiadis, I., Nanas, S., Kotanidou, A., Karabinis, A., ... Routsi, C. (2017). Determinants of prolonged intensive care unit stay in patients after cardiac surgery: A prospective observational study. *Journal of Thoracic Disease*, 9(1), 70–79. <https://doi.org/10.21037/jtd.2017.01.18>
- Mahesh, B., Choong, C. K., Goldsmith, K., Gerrard, C., Nashef, S. A. M., & Vuylsteke, A. (2012). Prolonged stay in intensive care unit is a powerful predictor of adverse outcomes after cardiac operations. *Annals of Thoracic Surgery*, 94(1), 109–116. <https://doi.org/10.1016/j.athoracsur.2012.02.010>
- Marshall, J. C., Bosco, L., Adhikari, N. K., Connolly, B., Diaz, J. V., Dorman, T., ... Zimmerman, J. (2017). What is an intensive care unit? A report of the task force of the World Federation of Societies of Intensive and Critical Care Medicine. *Journal of Critical Care*, 37, 270–276. <https://doi.org/10.1016/j.jcrc.2016.07.015>
- Nicolini, F., Vezzani, A., Fortuna, D., Contini, G. A., Pacini, D., Gabbieri, D., ... Gherli, T. (2016). Gender differences in outcomes following isolated coronary artery bypass grafting: Long-term results. *Journal of Cardiothoracic Surgery*, 11(1). <https://doi.org/10.1186/s13019-016-0538-4>
- Shah, A. C., Ma, K., Faraoni, D., Oh, D. C. S., Rooke, G. A., & Van Norman, G.



**UJI VALIDASI SKOR CARE (Cardiac Anesthesia Risk Evaluation) UNTUK MEMPREDIKSI  
PEMANJANGAN LAMA  
TINGGAL DI ICU PADA PASIEN POST OPERASI BEDAH JANTUNG TERBUKA DEWASA DI RSUP DR.  
SARDJITO**

UNIVERSITAS  
GADJAH MADA

RYFDA NANDYAWATI A, dr. Juni Kurniawaty, M.Sc, Sp. An, KAKV; dr.YunitaWidyastuti, M.Kes, Sp.An, KAP, P.hD;  
Universitas Gadjah Mada, 2019 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- A. (2018). Self-reported functional status predicts post-operative outcomes in non-cardiac surgery patients with pulmonary hypertension. *PLOS ONE*, 13(8), e0201914. <https://doi.org/10.1371/journal.pone.0201914>
- Tunç, M., Şahutoğlu, C., Karaca, N., Kocababaş, S., & Aşkar, F. Z. (2018). Risk factors for prolonged intensive care unit stay after open heart surgery in adults. *Turk Anesteziyoloji ve Reanimasyon Derneği Dergisi*, 46(4), 283–291. <https://doi.org/10.5152/TJAR.2018.92244>