

DAFTAR PUSTAKA

- Al-Saidan, S.M., Krishnaiah, Y.S.R., Chandrasekhar, D.V., Lalla, J.K., Rama, B., Jayaram, B., dkk., 2004. Formulation of an HPMC gel drug reservoir system with ethanol-water as a solvent system and limonene as a penetration enhancer for enhancing in vitro transdermal delivery of nicorandil. *Skin Pharmacology and Physiology*, **17**: 310–320.
- Alves, M.C., Almeida, P.A. de, Polonini, H.C., Raposo, N.R.B., Ferreira, A. de O., dan Brandão, M.A.F., 2014. Green Tea in Transdermal Formulation; HPLC Method for Quality Control and In vitro Drug Release Assay. *Química Nova*, **37**: 728–735.
- Ansel, H., Allen, L., dan Popovich, N., 2011. *Ansel's Pharmaceutical Dosage Forms and Drug Delivery System*, 9th ed. Lippincot Williams & Wilkins, Philadelphia, USA.
- AOAC, 2002. *Official Methods of Analysis of AOAC International*. AOAC International.
- Aulton, M., 1988. *Pharmaceutics: The Science of Dosage Form Design*, 2nd ed. Churchill Livingstone.
- Baba, S., Osakabe, N., Natsume, M., Muto, Y., Takizawa, T., dan Terao, J., 2001. In vivo comparison of the bioavailability of (+)-catechin, (-)-epicatechin and their mixture in orally administered rats. *The Journal of Nutrition*, **131**: 2885–2891.
- Baishya, H., Gauda, R., dan Qing, Z., 2017. Application of Mathematical Models in Drug Release Kinetics of Carbidopa and Levodopa ER Tablets. *Journal of Developing Drug*, **6**: 2–6.
- Bal, S.M., Ding, Z., van Riet, E., Jiskoot, W., dan Bouwstra, J.A., 2010. Advances in transcutaneous vaccine delivery: do all ways lead to Rome? *Journal of Controlled Release: Official Journal of the Controlled Release Society*, **148**: 266–282.
- Batchelder, R.J., Calder, R.J., Thomas, C.P., dan Heard, C.M., 2004. In vitro transdermal delivery of the major catechins and caffeine from extract of *Camellia sinensis*. *International Journal of Pharmaceutics*, **283**: 45–51.
- Blache, D., Durand, P., Prost, M., dan Loreau, N., 2002. (+)-Catechin inhibits platelet hyperactivity induced by an acute iron load in vivo. *Free Radical Biology and Medicine*, **33**: 1670–1680.
- Bolton, S., 2004. *Pharmaceutical Statistic: Practical and Clinical Application*, 4th ed. Marcel Dekker, Inc., New York, USA.
- Boschmann, M. dan Thieleckle, F., 2007. The effects of epigallocatechin-3-gallate on thermogenesis and fat oxidation in obese men: a pilot study. *Journal of American College of Nutrition*, **26**: 389–395.
- Bushani, J., Nawneet, K., dan Anandharamakrishnan, C., 2017. Nanoencapsulation of green tea catechins by electrospraying technique and its effect on controlled release and in-vitro permeability. *Journal of Food Engineering*, **199**: 82–92.
- Buxton, R., 2007. Design Expert 7.

- Cai, Y., Anavy, N.D., dan Chow, H.-H.S., 2002. Contribution of Presystemic Hepatic Extraction to the Low Oral Bioavailability of Green Tea Catechins in Rats. *Drug Metabolism and Disposition*, **30**: 1246–1249.
- Caporali, A., Davali, P., Astancolle, S., D'Arca, D., Bettuzzi, S., dan Corrti, A., 2004. The chemopreventive action of catechins in the TRAMP mouse model of prostate carcinogenesis is accompanied by clusterin over-expression. *Carcinogenesis*, **25**: 17–24.
- Chacko, S., Thambi, P., Kuttan, R., dan Nishigaki, I., 2010. Beneficial effects of green tea: a literature review. *Chinese Medicine*, **5**: 1–9.
- Chen, L., Lee, M.J., Li, H., dan Yang, C.S., 1997. Absorption, distribution, elimination of tea polyphenols in rats. *Drug Metabolism and Disposition: The Biological Fate of Chemicals*, **25**: 1045–1050.
- Costa, P., 2001. An alternative method to the evaluation of similarity factor in dissolution testing. *International Journal of Pharmaceutics*, **220**: 77–83.
- Costa, P. dan Sousa Lobo, J.M., 2001. Modeling and comparison of dissolution profiles. *European Journal of Pharmaceutical Sciences*, **13**: 123–133.
- Diembeck, W., Beck, H., Benech-Kieffer, F., Courtellemont, P., Dupuis, J., Lovell, W., dkk., 1999. Test Guidelines for In Vitro Assessment of Dermal Absorption and Percutaneous Penetration of Cosmetic Ingredients. *Food and Chemical Toxicology*, **37**: 191–205.
- Domingo, D.S., Camouse, M.M., Hsia, A.H., Matsui, M., Maes, D., Ward, N.L., dkk., 2010. Anti-angiogenic effects of epigallocatechin-3-gallate in human skin. *International Journal of Clinical and Experimental Pathology*, **3**: 705–709.
- Drugbank, 2020. 'Caffeine'. URL: <https://www.drugbank.ca/drugs/DB00201> (diakses tanggal 23/8/2020).
- Dufresne, C.J. dan Farnworth, E.R., 2001. A review of latest research findings on the health promotion properties of tea. *The Journal of Nutritional Biochemistry*, **12**: 404–421.
- Dvorakova, K., Dorr, R.T., Valcic, S., Timmermann, B., dan Alberts, D.S., 1999. Pharmacokinetics of the green tea derivative, EGCG, by the topical route of administration in mouse and human skin. *Cancer Chemotherapy and Pharmacology*, **43**: 331–335.
- Elmets, C.A., Singh, D., Tubesing, K., Matsui, M., Katiyar, S., dan Mukhtar, H., 2001. Cutaneous photoprotection from ultraviolet injury by green tea polyphenols. *Journal of the American Academy of Dermatology*, **44**: 425–432.
- El-Shahawi, M.S., Hamza, A., Bahaffi, S.O., Al-Sibaai, A.A., dan Abduljabbar, T.N., 2012. Analysis of some selected catechins and caffeine in green tea by high performance liquid chromatography. *Food Chemistry*, **134**: 2268–2275.
- Fang, J.-Y., Hwang, T.-L., Huang, Y.-L., dan Fang, C.-L., 2006. Enhancement of the transdermal delivery of catechins by liposomes incorporating anionic surfactants and ethanol. *International Journal of Pharmaceutics*, **310**: 131–138.

- Fang, J.-Y., Tsai, T.-H., Lin, Y.-Y., Wong, W.-W., Wang, M.-N., dan Huang, J.-F., 2007. Transdermal delivery of tea catechins and theophylline enhanced by terpenes: a mechanistic study. *Biological and Pharmaceutical Bulletin*, **30**: 343–349.
- Faralli, A., Shekarforoush, E., Mendes, A.C., dan Chronakis, I.S., 2019. Enhanced Transepithelial Permeation of Gallic Acid and (–)-Epigallocatechin Gallate across Human Intestinal Caco-2 Cells Using Electrospun Xanthan Nanofibers. *Pharmaceutics*, **11**: .
- FDA, 1994. Reviewer Guidance: Validation of Chromatographic Method. US FDA, USA, hal. 21–26.
- Feng, W.Y., 2006. Metabolism of green tea catechins: an overview. *Current Drug Metabolism*, **7**: 755–809.
- Fox, L.T., Gerber, M., Plessis, J.D., dan Hamman, J.H., 2011. Transdermal Drug Delivery Enhancement by Compounds of Natural Origin. *Molecules*, **16**: 10507–10540.
- Friedman, M., Levin, C., Lee, S.-U., dan Kozukue, N., 2009. Stability of green tea catechins in commercial tea leaves during storage for 6 months. *Journal of Food Science*, **74**: 47–51.
- Fujita, Y., Yamane, T., Tanaka, M., Kuwata, K., Okuzumi, J., Takahashi, T., dkk., 1989. Inhibitory effect of (–)-epigallocatechin gallate on carcinogenesis with N-ethyl-N'-nitro-N-nitrosoguanidine in mouse duodenum. *Japanese Journal of Cancer Research*, **80**: 503–505.
- Gal, P., 2007. Caffeine Therapeutic Drug Monitoring Is Necessary and Cost-effective. *The Journal of Pediatric Pharmacology and Therapeutics: JPPT*, **12**: 212–215.
- Gaspari, F. dan Bonati, M., 1987. 'Correlation between n-octanol/water partition coefficient and liquid chromatographic retention for caffeine and its metabolites, and some structure-pharmacokinetic considerations' *Journal of Pharmacy and Pharmacology*. URL: <https://onlinelibrary.wiley.com/doi/abs/10.1111/j.2042-7158.1987.tb06262.x> (diakses tanggal 4/9/2019).
- Gupta, D.A., Bhaskar, D.J., Gupta, K., Karim, B., Jain, A., dan Dalai, D.R., 2014. Green tea: A review on its natural anti-oxidant therapy and cariostatic benefits. *Issues in Biological Sciences and Pharmaceutical Research*, **2**: 8–12.
- Herrero-Martínez, J.M., Sanmartin, M., Rosés, M., Bosch, E., dan Ràfols, C., 2005. Determination of dissociation constants of flavonoids by capillary electrophoresis. *ELECTROPHORESIS*, **26**: 1886–1895.
- Hong, J., Lambert, J., Lee, S., Sinko, P., dan Yang, C., 2003. Involvement of multidrug resistance-associated proteins in regulating cellular levels of (–)-epigallocatechin-3-gallate and its methyl metabolites. *Biochemical and biophysical research communications*, **310**: 222–227.
- Hsu, S., 2005. Green tea and the skin. *Journal of the American Academy of Dermatology*, **52**: 1049–1059.

- Huiliang, L., Liang, Y., Junjie, D., dan Lu, J., 2007. Tea extraction methods in relation to control of epimerization of tea catechins. *Journal of the Science of Food and Agriculture*, **87**: 1748–1752.
- Institute of Medicine (US) Committee on Military Nutrition, 2001. *Pharmacology of Caffeine*. National Academies Press (US).
- Izishu, T., Tsutsumi, H., dan Sato, T., 2009. Interaction between galliccatechin gallate and caffeine in crystal structure of 1:2 and 2:2 complexes. *Tetrahedron Letter*, **50**: 4121–4124.
- Janle, E.M., Morré, D.M., Morré, D.J., Zhou, Q., dan Zhu, Y., 2008. Pharmacokinetics of Green Tea Catechins in Extract and Sustained-Release Preparations. *Journal of dietary supplements*, **5**: 248–263.
- Kakar, S., Singh, R., dan Rani, P., 2016. A Review on Transdermal Drug Delivery. *Innoriginal International Journal of Sciences*, **3**: 1–5.
- Katiyar, S., Elmets, C.A., dan Katiyar, S.K., 2007. Green tea and skin cancer: photoimmunology, angiogenesis and DNA repair. *The Journal of Nutritional Biochemistry*, **18**: 287–296.
- Khan, N., Afag, F., Saleem, M., Ahmad, N., dan Mukhtar, H., 2006. Targeting multiple signaling pathways by green tea polyphenol (-)-epigallocatechin-3-gallate. *Cancer Research*, **66**: 25–35.
- Kim, H.-S., Quon, M.J., dan Kim, J.-A., 2014. New insights into the mechanisms of polyphenols beyond antioxidant properties; lessons from the green tea polyphenol, epigallocatechin 3-gallate. *Redox Biology*, **2**: 187–195.
- Ko, M.-J., Cheigh, C.-I., dan Chung, M.-S., 2014. Optimization of Subcritical Water Extraction of Flavanols from Green Tea Leaves. *Journal of Agricultural and Food Chemistry*, **62**: 6828–6833.
- Komes, D., Horžić, D., Belščak, A., Ganić, K.K., dan Vulić, I., 2010. Green tea preparation and its influence on the content of bioactive compounds. *Food Research International*, **43**: 167–176.
- Kumar, R. dan Philip, A., 2007. Modified Transdermal Technologies: Breaking the Barriers of Drug Permeation via the Skin. *Tropical Journal of Pharmaceutical Research*, **6**: 633–644.
- Kusum Devi, V., Saisivam, S., Maria, G.R., dan Deepti, P.U., 2003. Design and evaluation of matrix diffusion controlled transdermal patches of verapamil hydrochloride. *Drug Development and Industrial Pharmacy*, **29**: 495–503.
- Lambert, J.D., Kim, D.H., Zheng, R., dan Yang, C.S., 2006. Transdermal delivery of (-)-epigallocatechin-3-gallate, a green tea polyphenol, in mice. *Journal of Pharmacy and Pharmacology*, **58**: 599–604.
- Lambert, J.D., Lee, M.-J., Lu, H., Meng, X., Hong, J.J.J., Seril, D.N., dkk., 2003. Epigallocatechin-3-gallate is absorbed but extensively glucuronidated following oral administration to mice. *The Journal of Nutrition*, **133**: 4172–4177.
- Lee, M.J., Prabhu, S., Meng, X., Li, C., dan Yang, C.S., 2000. An improved method for the determination of green and black tea polyphenols in biomatrices by high-performance liquid chromatography with coulometric array detection. *Analytical Biochemistry*, **279**: 164–169.

- Li, C., Lee, M.J., Sheng, S., Meng, X., Prabhu, S., Winnik, B., dkk., 2000. Structural identification of two metabolites of catechins and their kinetics in human urine and blood after tea ingestion. *Chemical Research in Toxicology*, **13**: 177–184.
- Li, Z. dan Gu, L., 2014. Fabrication of Self-Assembled (–)-epigallocatechin gallate (EGCG) ovalbumin – dextran conjugate nanoparticles and their transport across monolayers of human intestinal epithelial Caco - 2 cells. *Journal of Agricultural and Food Chemistry*, **62**: 1301–1309.
- Liang, Y., Jianliang, L., dan Zang, L., 2002. Comparative study of cream in infusions of black tea and green tea [*Camellia sinensis* (L.) O. Kuntze]. *Journal of Food Science and Technology*, **37**: 627–634.
- Liang, Y., Lin-Shiau, S., Chen, C., dan Lin, J., 1999. Inhibition of cyclin-dependent kinases 2 and 4 activities as well as induction of Cdk inhibitors p21 and p27 during growth arrest of human breast carcinoma cells by (–)-epigallocatechin-3-gallate. *Journal of Cellular and Biochemical*, **75**: 1–12.
- Limpongsa, E. dan Umprayn, K., 2008. Preparation and Evaluation of Diltiazem Hydrochloride Diffusion-Controlled Transdermal Delivery System. *AAPS PharmSciTech*, **9**: 464–470.
- Lloyd, D. dan Bergum, J., 2014. Application of quality by design (QbD) to the development and validation of analytical methods. *Spesification of Drug Substance and Product: Development and Validation Analytical Method*, 29–72.
- Nair, V.B. dan Panchagnula, R., 2004. The effect of pretreatment with terpenes on transdermal iontophoretic delivery of arginine vasopressin. *Farmaco (Societa Chimica Italiana: 1989)*, **59**: 575–581.
- Nishitani, E. dan Sagesaka, Y.M., 2004. Simultaneous determination of catechins, caffeine and other phenolic compounds in tea using new HPLC method. *Journal of Food Composition and Analysis*, **17**: 675–685.
- Patel, A., Trivedi, D., Bhatt, J., dan Shah, D., 2012. Transdermal Patch; Tecnical Note. *International Journal of Pharmaceutical Innovations*, **2**: 23–33.
- Patra, S., Rizzi, S., Silva, A., Rugina, D., dan Bettuzzi, S., 2008. Molecular targets of (–)-epigallocatechin-3-gallate (EGCG): specificity and interaction with membrane lipid rafts. *Journal of Physiology and Pharmacology*, **59**: 217–235.
- Perva-Uzunalić, A., Škerget, M., Knez, Ž., Weinreich, B., Otto, F., dan Grüner, S., 2006. Extraction of active ingredients from green tea (*Camellia sinensis*): Extraction efficiency of major catechins and caffeine. *Food Chemistry*, **96**: 597–605.
- Peter J, S., 2007. A simple model for complex dissolution kinetics: A case study of norfloxacin. *Journal of Pharmaceutical and Biomedical Analysis*, **45**: 251–256.
- Poet, T.S. dan McDougal, J.N., 2002. Skin absorption and human risk assessment. *Chemico-Biological Interactions*, **140**: 19–34.
- Prabhakar, D., Sreekanth, J., dan Jayaveera, K.N., 2013. Transdermal Drug Delivery Patches; A Review. *Journal of Drug Delivery and Therapeutics*, **3**: 231–221.

- Prausnitz, M.R. dan Langer, R., 2008. Transdermal drug delivery. *Nature biotechnology*, **26**: 1261–1268.
- Prayong, P., Weerapreeyakul, N., dan Sripanidkulchai, B., 2007. Validation of Isocratic Eluting and Stepwise Flow Rate Gradient for HPLC Determination of Catechins, Gallic Acid and Caffeine in Tea. *ScienceAsia*, **33**: .
- Proniuk, S., Liederer, B.M., dan Blanchard, J., 2002. Preformulation study of epigallocatechin gallate, a promising antioxidant for topical skin cancer prevention. *Journal of Pharmaceutical Sciences*, **91**: 111–116.
- Pubchem, 2017. '(-)-Epigallocatechin gallate | C22H18O11 - PubChem'. URL: https://pubchem.ncbi.nlm.nih.gov/compound/_-_-Epigallocatechin_gallate (diakses tanggal 2/1/2017).
- PubChem, 2020. 'Gallic acid'. URL: <https://pubchem.ncbi.nlm.nih.gov/compound/370> (diakses tanggal 23/8/2020).
- Quideau, S., Deffieux, D., Douat-Cassasus, S., dan Pouységu, L., 2011. Plant polyphenols: chemical properties, biological activities, and synthesis. *Angewandte Chemie International Edition*, **50**: 586–621.
- Ramesh, P., 1997. Transdermal delivery of drugs. *Indian Journal of Pharmacology*, **29**: 140.
- Ravi, L., Mehul, P., dan Patel, R., 2010. Modern optimization techniques in field of pharmacy. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, **1**: 148–157.
- Row, K.H. dan Jin, Y., 2006. Recovery of catechin compounds from Korean tea by solvent extraction. *Bioresource Technology*, **97**: 790–793.
- Rusak, G., Komes, D., Likić, S., Horžić, D., dan Kovač, M., 2008. Phenolic content and antioxidative capacity of green and white tea extracts depending on extraction conditions and the solvent used. *Food Chemistry*, **110**: 852–858.
- Sachan, R. dan Bajpai, M., 2013. Transdermal Drug Delivery System; Review. *International Journal of Research and Development in Pharmacy and Life Sciences*, **3**: 748–765.
- Saito, S.T., Welzel, A., Suyenaga, E.S., dan Bueno, F., 2006. A method for fast determination of epigallocatechin gallate (EGCG), epicatechin (EC), catechin (C) and caffeine (CAF) in green tea using HPLC. *Food Science and Technology (Campinas)*, **26**: 394–400.
- Schaefer, H. dan Lademann, J., 2001. The role of follicular penetration. A differential view. *Skin Pharmacology and Applied Skin Physiology*, **14 Suppl 1**: 23–27.
- Setyawan, E.I., Nugroho, A., dan Fudholi, A., 2013. 'Pengaruh kombinasi polimer HPMC dan MC terhadap karakter fisik, profil pelepasan dan transpor ketoprofen dari matrik patch transdermal', *PhD Thesis*, . Universitas Gadjah Mada.
- Shahrzad, S., Aoyagi, K., Winter, A., dan Koyama, A., 2001. Pharmacokinetics of Gallic Acid and Its Relative Bioavailability from Tea in Healthy Humans | The Journal of Nutrition | Oxford Academic **131**: 1207–1210.

- Shargel, L., Wu, S., dan Yu, A., 2012. *Applied Biopharmaceutics and Pharmacokinetics*, 6th ed. The McGraw-Hill Companies, Inc., New York, USA.
- Sharma, N., Agarwal, G., Rana, A.C., Bhat, Z.A., dan Kumar, D., 2011. A Review: Transdermal Drug Delivery System: A Tool For Novel Drug Delivery System. *International Journal of Drug Development and Research*, .
- Shibusawa, Y., Shoji, A., Yanagida, A., Shindo, H., Tagashira, M., Ikeda, M., dkk., 2005. Determination of Log Po/w for Catechins and Their Isomers, Oligomers, and Other Organic Compounds by Stationary Phase Controlled High-Speed Countercurrent Chromatography. *Journal of Liquid Chromatography & Related Technologies*, **28**: 2819–2837.
- Shim, J.-H., Su, Z.-Y., Chae, J.-I., Kim, D., Zhu, F., Ma, W.-Y., dkk., 2010. Epigallocatechin gallate suppresses lung cancer cell growth through Ras-GTPase-activating protein SH3 domain-binding protein 1. *Cancer Preventive Research*, **3**: 670–679.
- Singh, G. dan Roopa, P., 2014. Enhanced Oral Bioavailability of (+)-Catechin by a Self Double-Emulsifying Drug Delivery System (SDEDDS): A New Platform for Oral Delivery of Biopharmaceutics Classification System Class III Drugs. *Nanomedicine and Nanobiology*, **1**: 51–56.
- Sinko, P., 2006. *Martin's Physical Pharmacy And Pharmaceutical Sciences*, 6th ed. Lippincott Williams & Wilkins, Philadelphia, USA.
- Smetanova, L., Stetinova, V., Kholova, D., Kvetina, J., Smetana, J., dan Svoboda, Z., 2009. Caco-2 cells and Biopharmaceutics Classification System (BCS) for prediction of transepithelial transport of xenobiotics (model drug: caffeine). *Neuro Endocrinology Letters*, **30 Suppl 1**: 101–105.
- Snorraddóttir, B.S., Gudnason, P.I., Scheving, R., Thorsteinsson, F., dan Másson, M., 2009. Release of anti-inflammatory drugs from a silicone elastomer matrix system. *Die Pharmazie*, **64**: 19–25.
- Sugihartini, N., Fudholi, A., Pramono, S., dan Sismindari, 2014. Validasi Metode Analisa Penetapan Kadar Epigallocatekin Galat Dengan Kromatografi Cair Kinerja Tinggi. *Pharmaciana*, **4**: 111–115.
- Suwanda, H., 2011. *Desain Eksperimen Untuk Penelitian Ilmiah*. Alfabeta, Bandung.
- Swezey, R.R., Aldridge, D.E., LeValley, S.E., Crowell, J.A., Hara, Y., dan Green, C.E., 2003. Absorption, tissue distribution and elimination of 4-[(3)h]-epigallocatechin gallate in beagle dogs. *International Journal of Toxicology*, **22**: 187–193.
- Tang-Ho, C., Kun-Lin, J., dan Shahidi, F., 2008. *Tea and Tea Product: Chemistry and Health Promoting Properties*, 1st ed. CRC Press.
- Tokudome, Y. dan Sugibayashi, K., 2003. The effects of calcium chloride and sodium chloride on the electroporation-mediated skin permeation of fluorescein isothiocyanate (FITC)-dextran in vitro. *Biological & Pharmaceutical Bulletin*, **26**: 1508–1510.
- USP, 2006. *The United State Pharmacopeia*, 29th ed. United State Pharmacopeia Convention Inc, Rockville.

- Utkarsh, S., Hemant, P., Shashikant, B., Yogesh, P., Mahendra, R., Ravikiran, S., dkk., 2012. Recent advances in Transdermal Drug Delivery System. *Journal of Pharmacy Research*, **5**: 447–456.
- van't Slot, G. dan Humpf, H.-U., 2009. Degradation and metabolism of catechin, epigallocatechin-3-gallate (EGCG), and related compounds by the intestinal microbiota in the pig cecum model. *Journal of Agricultural and Food Chemistry*, **57**: 8041–8048.
- Venditti, E., Bacchetti, T., Tiano, L., Carloni, P., Greci, L., dan Damiani, E., 2010. Hot vs. cold water steeping of different teas: do they affect antioxidant activity? *Food Chemistry*, **119**: 1597–1604.
- Vuong, Q.V., Golding, J.B., Nguyen, M.H., dan Roach, P.D., 2010. Extraction and isolation of catechins from tea. *Journal of Separation Science*, **33**: 3415–3428.
- Vuong, Q.V., Golding, J.B., Stathopoulos, C.E., Nguyen, M.H., dan Roach, P.D., 2011a. Optimizing conditions for the extraction of catechins from green tea using hot water. *Journal of Separation Science*, **34**: 3099–3106.
- Vuong, Q.V., Golding, J.B., Stathopoulos, C.E., Nguyen, M.H., dan Roach, P.D., 2011b. Optimizing conditions for the extraction of catechins from green tea using hot water. *Journal of Separation Science*, **34**: 3099–3106.
- Walters, K.A., 2007. Drug Delivery: Topical and Transdermal Routes, dalam: *Encyclopedia of Pharmaceutical Technology*. Informa Healthcare USA Inc., New York, hal. 1131–1325.
- Wang, F., Gong, J., Yanfei, R., dan Zhang, J., 2017. 'Eco-dyeing with biocolourant based on natural compounds'. *Royal Society Open Science*, .
- Wang, L.Q., Meselhy, M.R., Li, Y., Nakamura, N., Min, B.S., Qin, G.W., dkk., 2001. The heterocyclic ring fission and dehydroxylation of catechins and related compounds by *Eubacterium* sp. strain SDG-2, a human intestinal bacterium. *Chemical & Pharmaceutical Bulletin*, **49**: 1640–1643.
- Wang, R., Zhou, W., dan Jiang, X., 2008. Reaction kinetics of degradation and epimerization of epigallocatechin gallate (EGCG) in aqueous system over a wide temperature range. *Journal of Agricultural and Food Chemistry*, **56**: 2694–2701.
- Wickham, K.A. dan Spriet, L.L., 2018. Administration of Caffeine in Alternate Forms. *Sports Medicine (Auckland, N.z.)*, **48**: 79–91.
- Widlansky, M., Hamburg, N., Anter, E., dan Holbrook, M., 2007. Acute EGCG supplementation reverses endothelial dysfunction in patients with coronary artery disease. *Journal of American College of Nutrition*, **26**: 95–102.
- Wiechers, J.W., 1989. The barrier function of the skin in relation to percutaneous absorption of drugs. *Pharmaceutisch Weekblad*, **11**: 185–198.
- Wójcik-Pastuszka, D., Krzak, J., Macikowski, B., Berkowski, R., Osinski, B., dan Musiał, W., 2019. Evaluation of the Release Kinetics of a Pharmacologically Active Substance from Model Intra-Articular Implants Replacing the Cruciate Ligaments of the Knee. *Materials*, **12**: .
- Yang, D., Hwang, L., dan Lin, J., 2007. Effects of different steeping methods and storage on caffeine, catechins and gallic acid in bag tea infusions. *Journal of Chromatography A*, **1156**: 312–320.

Zuo, Y., Chen, H., dan Deng, Y., 2002. Simultaneous determination of catechins, caffeine and gallic acids in green, Oolong, black and pu-erh teas using HPLC with a photodiode array detector. *Talanta*, **57**: 307–316.