

DAFTAR PUSTAKA

- Assad, M. E., Bani-Hani, E., & Khalil, M. (2017). Performace of geothermal power plants (single, dual, and binary) to compensate for LHC-CERN power consumption: comparative study. *Geotherm Energy*, 5:17.
- Avalosse, T., & Crochet, M. J. (1997). Finite-element simulation of mixing: 2. Three-dimensional fow through a Kenics mixer. *AIChEJ* 43(3), 588-597.
- Bott, T. R. (1995). *Fouling of Heat Exchangers*. Amsterdam: ELSEVIER.
- Brown, K. (2011). Thermodynamics and kinetics of silica scaling. *International Workshop on Mineral Scaling* (hal. 1-8). Manila: GEOKEM.
- Brown, K., & Dunstall, M. (2000). Silica Scaling Under Controlled Hydrodynamic Conditions. *World Geothermal Congress* (hal. 3039-3044). Piza: Geothermal Institute.
- Brown, K., & Rock, M. (2010). Test rig Experiments for Silica Scaling Inhibition. *World Geothermal Congress* (hal. 1-8). Bali: GEOKEM.
- Byrde, O., & Sawley, M. (1999). Optimization of a Kenics static mixer for non-creeping flow conditions. *Chemical Engineering Journal* 72(2), 163-169.
- Carlos, E. G., & Patricia, E. J. (2012). pH modifications for silica control in geothermal fluids. *Short Course on Geothermal Development and Geothermal Wells*. Santa Tecla: UNU-GTP and LaGeo.
- F.Zidouni, Krepper, E., Rzehak, R., Rabha, S., Schubert, M., & Hampel, U. (2015). Simulation of gas-liquid flow in a helical static mixer. *Chemical Engineering Science*, 476-486.
- Fournier, R. O. (1986). Reviews in Economic Geology Volume 2. *Geology and Geochemistry of Epithermal Systems Society of Economic Geologist*, 45-61.

- Fournier, R. O., & Rowe, J. J. (1977). The solubility of amorphous silica in water at high temperatures and high pressures. *American Mineralogist*, 1052-1056.
- Gallup, D. L. (2002). Investigations of organic inhibitors for silica scale control in geothermal brines. *Geothermics* 31, 415-430.
- Göbel, F., Golshan, S., Norouzi, H. R., Zarghami, R., & Mostoufi, N. (2019). Simulation of granular mixing in a static mixer by the discrete element method. *Powder Technology*, 171–179.
- Henley, R. W. (1983). pH and Silica Scaling Control in Geothermal. *Geothermics*, 307-321.
- Hirschberg, S., Koubek, R., Moser, F., & Schöck, J. (2009). An improvement of the Sulzer SMX static mixer. *Chemical Engineering Research and Design*, 524-532.
- Hobbs, D. M., & Muzzio, F. J. (1998). Reynolds number effects on laminar mixing in the Kenics static mixer. *Chemical Engineering Journal* 70(2), 93-104.
- Hobbs, D. M., Swanson, P. D., & Muzzio, F. J. (1998). Numerical characterization of low Reynolds number flow in the Kenics static mixer. *Chemical Engineering Science* 53(8), 1565-1584.
- IRENA. (2017). *Geothermal Power: Technology Brief*, International Renewable Energy Agency. Abu Dhabi.
- Jamero, J., Zarrouk, S. J., & Mroczek, E. (2018). Mineral scaling in two-phase geothermal pipelines: Two case studies. *Geothermics*, 1-14.
- Jones, S. C., Sotiropoulos, F., & Amirtharajah, A. (2002). Numerical Modeling of Helical Static Mixers for Water Treatment. *Journal of Environmental Engineering* 128(5), 431-440.

- Kumar, V., Shirke, V., & Nigam, K. (2008). Performance of Kenics static mixer over a wide range of Reynolds number. *Chemical Engineering Journal*, 284-295.
- Lang, E., Drtina, P., Streiff, F., & Fleischli, M. (1995). Numerical simulation of the fluid flow and the mixing process in a static mixer. *International Journal of Heat and Mass Transfer*, 2239-2250.
- Lobry, E., Theron, F., Gourdon, C., Sauze, N. L., Xuereb, C., & Lasuye, T. (2011). Turbulent liquid–liquid dispersion in SMV static mixer at high dispersed phase concentration. *Chemical Engineering Science*, 5762-5774.
- Long, M., Lewis, B., & Ralph, M. (2003). Geothermal Power Production: Steam for Free. *POWER Engineers*.
- Meijer, H. E., Singh, M. K., & Anderson, P. D. (2012). On the performance of static mixers: A quantitative comparison. *Progress in Polymer Science*, 1333–1349.
- Moody, L. F., & Princeton, N. J. (1944). Friction factors for pipe flow. *Trans. ASME*, 671-684.
- Munson, B. R., Young, D. F., & Okiishi, T. H. (2009). *Fundamentals of Fluid Mechanics*. Hoboken, NJ.
- Pambudi, N. A., Itoi, R., Yamashiro, R., Alam, B. Y., Tusara, L., Jalilinasrabady, S., & Khasani, J. (2015). The behavior of silica in geothermal brine from Dieng geothermal power plant, Indonesia. *Geothermics*, 109–114.
- Rauline, D., Tanguy, P. A., Le Blévec, J. M., & Bousquet, J. (1998). Numerical investigation of the performance of several static mixer. *The Canadian Journal of Chemical Engineering* 76(3), 527-535.
- Rothbaum, H. P., Anderton, B. H., Harrison, R. F., Rohde, A. G., & Slatter, A. (1979). Effect of silica polymerisation and pH on geothermal scaling. *Geothermic* 8, 1-20.

- Song, H.-S., & Han, S. P. (2005). A general correlation for pressure drop in a Kenics static mixer. *Chemical Engineering Science*, 5696–5704.
- TEMA. (2007). *Standards Of The Tubular Exchanger Manufacturers Association*. New York: Tubular Exchanger Manufacturers Association, Inc. New York: Tubular Exchanger Manufacturers Association, Inc.
- Thakur, R. K., Vial, C., Nigam, K. D., Nauman, E. B., & Djelveh, G. (2003). Static Mixers In The Process Industries - A Review. *Trans IChemE*, 787-826.
- Valdimarsson, P. (2011). Geothermal Power Plant Cycles And Main Components. *Short Course on Geothermal Drilling, Resource Development and Power Plants*. Santa Tecla: United Nations University.
- Versteeg, H. K., & Malalasekera, W. (2007). *An Introduction to Computational Fluid Dynamics Second Edition*. Harlow: Pearson Education Limited.
- Wahyudityo, R., Harto, A. W., & Suryopratomo, K. (2013). *Analisis Scaling Silika pada Pipa Injeksi Brine di Lapangan Panas Bumi Dieng dengan Studi Kasus di PT. Geo Dipa Energi*. Yogyakarta: TEKNOFISIKA.
- Wendt, J. F. (2009). *Computational Fluid Dynamics*. Berlin: Springer.
- Yokoyama, T., Takahashi, Y., Tarutani, T., Itoi, R., & Jinno, K. (1987). Behaviour of silica and aluminium in geothermal water in the aging tank of Hachobaru Geothermal Power Station in Japan. *Proceedings 9th NZ Geothermal Workshop*.
- Zalc, J. M., Szalai, E. S., Muzzio, F. J., & Jaffer, S. (2002). Characterization of flow and mixing in an SMX static mixer. *AIChE Journal* 48(3), 427-436.
- Zarrouk, S. J., Woodhurst, B. C., & Morris, C. (2014). Silica scaling in geothermal heat exchangers and its impact on pressure drop and performance: Wairakei binary plant, New Zealand. *Geothermics*, 445-459.