

## Daftar Pustaka

- Alio, J. L., Abbouda, A. and Peña-Garcia, P. (2013) Anterior segment optical coherence tomography of long-term phakic angle-supported intraocular lenses, *Am. J. Ophthalmol.*, 156(5). doi: 10.1016/j.ajo.2013.06.018.
- van Alphen, G. (1961) On emmetropia and ametropia., *Opt. Acta (Lond)*. England, 142(Suppl), pp. 1–92.
- Aly Adghaimy, H. (2015) Short-term outcome after artisan phakic intraocular lens implantation for treatment of high myopia, *J. Egypt. Ophthalmol. Soc.*, 108(1), pp. 6–9. doi: 10.4103/2090-0686.160329.
- Artigas, J. M. *et al.* (2009) Modulation transfer function: rigid versus foldable phakic intraocular lenses., *J. Cataract Refr. Surg.* United States, 35(4), pp. 747–752. doi: 10.1016/j.jcrs.2008.12.020.
- Asano-Kato, N. *et al.* (2005) Experience with the Artisan phakic intraocular lens in Asian eyes, *J. Cataract Refr. Surg.* Elsevier, 31(5), pp. 910–915. doi: 10.1016/j.jcrs.2004.08.057.
- Baikoff, G. *et al.* (2005) Analysis of the eye's anterior segment with optical coherence tomography. Static and dynamic study., *J. Fr. Ophthalmol.*, 28(4), p. 343—352. doi: 10.1016/s0181-5512(05)81064-2.
- Baumeister, M., Bühren, J. and Kohnen, T. (2004) Position of angle-supported, iris-fixated, and ciliary sulcus-implanted myopic phakic intraocular lenses evaluated by Scheimpflug photography, *Am. J. Ophthalmol.* Elsevier, 138(5), pp. 723–731. doi: 10.1016/j.ajo.2004.06.009.
- Behndig, A. and Lundberg, B. jör. (2002) Transient corneal edema after phacoemulsification: Comparison of 3 viscoelastic regimens, *J. Cataract Refr. Surg.* Elsevier, 28(9), pp. 1551–1556. doi: 10.1016/S0886-3350(01)01219-6.
- Benjamin, B. *et al.* (1957) Emmetropia and its aberrations; a study in the correlation of the optical components of the eye., *Spec. Rep. Ser. Med. Res. Counc. (G. B)*. England, 11(293), pp. 1–69.
- Bohac, M. *et al.* (2017) Comparison of Verisyse and Veriflex Phakic Intraocular Lenses for Treatment of Moderate to High Myopia 36 Months after Surgery, *Semin. Ophthalmol.*, 32(6), pp. 725–733. doi: 10.3109/08820538.2016.1170163.
- Bourne, W. M., Nelson, L. R. and Hodge, D. O. (1997) Central corneal endothelial cell changes over a ten-year period., *Invest. Ophthalmol. Vis. Sci.*, 38(3), pp. 779–782. Available at: <http://dx.doi.org/>.
- Budo, C. *et al.* (2000) Multicenter study of the Artisan phakic intraocular lens, *J. Cataract Refr. Surg.*, 26, pp. 1163–1171.

Chen, L.-J. *et al.* (2008) Metaanalysis of cataract development after phakic intraocular lens surgery, *J. Cataract Refr. Surg.* Elsevier, 34(7), pp. 1181–1200. doi: 10.1016/j.jcrs.2008.03.029.

Choi, B. J., Lee, J. K. and Lee, J. S. (2014) Ten-year Long-term Endothelial Cell Changes after Iris-fixed Phakic Intraocular Lens Implantation in Korean Patients, *J. Clin. Exp. Ophthalmol.*, 5(4). doi: 10.4172/2155-9570.1000352.

Coullet, J. *et al.* (2006) Iris-supported Phakic Lenses (Rigid vs Foldable Version) for Treating Moderately High Myopia: Randomized Paired Eye Comparison, *Am. J. Ophthalmol.*, 142(6). doi: 10.1016/j.ajo.2006.07.021.

El Danasoury, M. A., El Maghraby, A. and Gamali, T. O. (2002) Comparison of iris-fixed Artisan lens implantation with excimer laser in situ keratomileusis in correcting myopia between -9.00 and -19.50 diopters: a randomized study, *Ophthalmology*. Elsevier, 109(5), pp. 955–964. doi: 10.1016/S0161-6420(02)00964-8.

Delmonte, D. W. and Kim, T. (2011) Anatomy and physiology of the cornea, *J. Cataract Refr. Surg.* ASCRS and ESCRS. doi: 10.1016/j.jcrs.2010.12.037.

Dick, H. B. *et al.* (2008) Foldable Artiflex Phakic Intraocular Lens for the Correction of Myopia, *Ophthalmology*. American Academy of Ophthalmology, 116(4), pp. 671–677. doi: 10.1016/j.ophtha.2008.12.059.

Dolgin, E. (2015) The Myopia Boom, *Nat. Med.*, 519(Feature), pp. 276–279.

Doors, M. *et al.* (2008) Influence of anterior chamber morphometrics on endothelial cell changes after phakic intraocular lens implantation, *J. Cataract Refr. Surg.*, pp. 2110–2118. doi: 10.1016/j.jcrs.2008.08.023.

Doors, M. *et al.* (2010) Model to Predict Endothelial Cell Loss after Iris-Fixated Phakic Intraocular Lens Implantation, *Investig. Ophthalmol. Vis. Sci.*, 51(2). doi: 10.1167/iovs.09-3981.

Doors, M. *et al.* (2012) Artiflex Toric Foldable Phakic Intraocular Lens: Short-term Results of a Prospective European Multicenter Study, *Am. J. Ophthalmol.* Elsevier Inc., 154(4), p. 730–739.e2. doi: 10.1016/j.ajo.2012.04.006.

Edwards, M. H. and Lam, C. S. Y. (2004) The Epidemiology of Myopia in Hong Kong, *Ann. Acad. Med.*, 33, pp. 34–38.

Elbaz, U. R. I. *et al.* (2007) Comparison of Different Techniques of Anterior Chamber Depth and Keratometric Measurements, *Am. J. Ophthalmol.*, 143, pp. 48–53. doi: 10.1016/j.ajo.2006.08.031.

Fechner, P. U., van der Heijde, G. L. and Worst, J. G. F. (1989) The Correction of Myopia by Lens Implantation Into Phakic Eyes, *Am. J. Ophthalmol.* Elsevier, 107(6), pp. 659–663. doi: 10.1016/0002-9394(89)90264-X.

Feng, M. T. *et al.* (2011) Anterior chamber depth in normal subjects by rotating Scheimpflug imaging, *Saudi J. Ophthalmol.*, pp. 255–259. doi:

10.1016/j.sjopt.2011.04.005.

Fernández-Vega, L., Alfonso, J. F. and Villacampa, T. (2003) Clear lens extraction for the correction of high myopia, *Ophthalmology*. Elsevier, 110(12), pp. 2349–2354. doi: 10.1016/S0161-6420(03)00794-2.

Flitcroft, D. I. (2013) Is myopia a failure of homeostasis?, *Exp. Eye Res.*, 114, pp. 16–24. doi: <https://doi.org/10.1016/j.exer.2013.02.008>.

Forster, R. K. (1995) The Endophthalmitis Vitrectomy Study, *Arch. Ophthalmol.*, 113(12), pp. 1555–1557. doi: 10.1001/archophth.1995.01100120085015.

Geroski, D. H. *et al.* (1985) Pump Function of the Human Corneal Endothelium: Effects of Age and Cornea Guttata, *Ophthalmology*. Elsevier, 92(6), pp. 759–763. doi: 10.1016/S0161-6420(85)33973-8.

Ghoreishi, M. *et al.* (2011) Artiflex versus STAAR implantable contact lenses for correction of high myopia., *Oman J. Ophthalmol.* India, 4(3), pp. 116–119. doi: 10.4103/0974-620X.91266.

Gierek-Ciaciura, S. *et al.* (2007) Correction of high myopia with different phakic anterior chamber intraocular lenses : ICARE angle-supported lens and Verisyse iris-claw lens, *Graefe's Arch Clin Exp Ophthalmol*, (245), pp. 1–7. doi: 10.1007/s00417-006-0374-7.

Guell, J. L. *et al.* (2007) Evaluation of Verisyse and Artiflex phakic intraocular lenses during accommodation using Visante optical coherence tomography, *J. Cataract Refr. Surg.*, 33, pp. 1398–1404. doi: 10.1016/j.jcrs.2007.04.026.

Güell, J. L. *et al.* (2008a) Five-Year Follow-up of 399 Phakic Artisan-Verisyse Implantation for Myopia, Hyperopia, and/or Astigmatism, *Ophthalmology*. Elsevier, 115(6), pp. 1002–1012. doi: 10.1016/j.ophtha.2007.08.022.

Güell, J. L. *et al.* (2008b) Five-Year Follow-up of 399 Phakic Artisan-Verisyse Implantation for Myopia, Hyperopia, and/or Astigmatism, *Ophthalmology*, 115(6), pp. 1002–1012. doi: 10.1016/j.ophtha.2007.08.022.

Güell, J. L. *et al.* (2010) Phakic intraocular lenses Part 1 : Historical overview , current models , selection criteria , and surgical techniques, *J. Cataract Refr. Surg.* ASCRS and ESCRS, 36(11), pp. 1976–1993. doi: 10.1016/j.jcrs.2010.08.014.

Hedayatfar, A. *et al.* (2017) Chronic subclinical inflammation after phakic intraocular lenses implantation: Comparison between Artisan and Artiflex models, *J. Curr. Ophthalmol.*, 29(4), pp. 300–304. doi: <https://doi.org/10.1016/j.joco.2017.06.003>.

Van Der Heijde, G. L. (1989) Some Optical Aspects of Implantation of an IOL in a Myopic Eye, *Eur. J. Implant Refract. Surg.*, 1(4), pp. 245–248. doi: [https://doi.org/10.1016/S0955-3681\(89\)80082-6](https://doi.org/10.1016/S0955-3681(89)80082-6).

Hoffer, K. J. (2011) Definition of ACD, *Ophthalmology*. Elsevier, 118(7), p.

1484. doi: 10.1016/j.ophtha.2011.03.009.

Holden, B. A. *et al.* (2016) Global Prevalence of Myopia and High Myopia and Temporal Trends from 2000 through 2050, *Ophthalmology*. American Academy of Ophthalmology, 123(5), pp. 1036–1042. doi: 10.1016/j.ophtha.2016.01.006.

Holladay, J. T. (1997) Standardizing constants for ultrasonic biometry, keratometry, and intraocular lens power calculations, *J. Cataract Refr. Surg.* Elsevier, 23(9), pp. 1356–1370. doi: 10.1016/S0886-3350(97)80115-0.

Huang, D. *et al.* (2009) Phakic Intraocular Lens Implantation for the Correction of Myopia. A Report by the American Academy of Ophthalmology, *Ophthalmology*. Elsevier Inc., 116(11), pp. 2244–2258. doi: 10.1016/j.ophtha.2009.08.018.

Ikuno, Y. (2017) Overview of the Complications of High Myopia, *Retina*, 12(37), pp. 2347–51.

Ip, J. M. *et al.* (2008) Role of Near Work in Myopia : Findings in a Sample of, 49(7). doi: 10.1167/iovs.07-0804.

Jonas, J. B. *et al.* (2011) Original Article Anterior chamber depth and its associations with ocular and general parameters in adults, (November), pp. 1–7. doi: 10.1111/j.1442-9071.2011.02748.x.

de Jong, P. T. V. M. (2018) Myopia: its historical contexts, *Br. J. Ophthalmol.*, 102(8), p. 1021 LP-1027. doi: 10.1136/bjophthalmol-2017-311625.

Karimian, F. *et al.* (2014) Original Article Comparison of Three Phakic Intraocular Lenses for Correction of Myopia, 9(4), pp. 427–433. doi: 10.4103/2008-322X.150805.

Kempen, J. *et al.* (2004) The prevalence of refractive errors among adults in the united states,western europe, and australia, *Arch. Ophthalmol.*, 122(4), pp. 495–505. Available at: <http://dx.doi.org/10.1001/archophth.122.4.495>.

Kohnen, T. *et al.* (2009) AcrySof Phakic Angle-supported Intraocular Lens for the Correction of Moderate-to-High Myopia: One-Year Results of a Multicenter European Study, *Ophthalmology*. American Academy of Ophthalmology, 116(7), p. 1314–1321.e3. doi: 10.1016/j.ophtha.2009.01.041.

Kohnen, T. *et al.* (2010) Phakic intraocular lenses: Part 2: Results and complications, *J. Cataract Refr. Surg.*, 36(12), pp. 2168–2194. doi: 10.1016/j.jcrs.2010.10.007.

Kohnen, T. (2018) Phakic intraocular lenses : Where are we now ?, *J. Cataract Refr. Surg.* Elsevier Inc, 44(2), pp. 121–123. doi: 10.1016/j.jcrs.2018.03.005.

Kwitko, S. and Stolz, A. P. (2011) Iris-claw (Artisan® /Artiflex® ) phakic intraocular lenses for high myopia and high hyperopia, *Expert Rev. Ophthalmol.*, 6(5), pp. 505–512. doi: 10.1586/eop.11.57.

Lackner, B., Schmidinger, G. and Skorpik, C. (2005) Validity and Repeatability

of Anterior Chamber Depth Measurements With Pentacam and, *Optom. Vis. Sci.*, 82(9), pp. 858–861.

Lee, J. H., Ryu, G. W. and Park, B. G. (2018) Changes in Ocular Biometrics Measured after Implantation of a Phakic Intraocular Lens, *J Korean Ophthalmol*, 59(3), pp. 223–229.

Leyland, M. and Zinicola, E. (2003) Multifocal versus monofocal intraocular lenses in cataract surgery: A systematic review, *Ophthalmology*. Elsevier, 110(9), pp. 1789–1798. doi: 10.1016/S0161-6420(03)00722-X.

Li, S. *et al.* (2017) Laser-assisted subepithelial keratectomy (LASEK) versus photorefractive keratectomy (PRK) for correction of myopia, pp. 1–56. doi: 10.1002/14651858.CD009799.pub2.Laser-assisted.

Lu, D. C., Hardten, D. R. and Lindstrom, R. L. (2005) Phakic Intraocular Lenses, in Kohnen, T. (ed.) *Cataract Refract. Surgery; Essentials Ophthalmol.*, pp. 236–245.

Malecaze, F. J. *et al.* (2002) A randomized paired eye comparison of two techniques for treating moderately high myopia: LASIK and artisan phakic lens, *Ophthalmology*. Elsevier, 109(9), pp. 1622–1630. doi: 10.1016/S0161-6420(02)01164-8.

Maloney, R. ., Nguyen, L. H. and John, M. E. (2002) Artisan phakic intraocular lens for myopia: Short-term results of a prospective, multicenter study, *Ophthalmology*, 109(9), pp. 1631–1641. doi: 10.1016/S0161-6420(02)01170-3.

Maloney, R. K., Nguyen, L. H. and John, M. E. (2002) Artisan phakic intraocular lens for myopia: Short-term results of a prospective, multicenter study<sup>1</sup>, *Ophthalmology*. Elsevier, 109(9), pp. 1631–1641. doi: 10.1016/S0161-6420(02)01170-3.

Maroccos, R. *et al.* (2001) *Blendempfindlichkeit und Halos nach 'phakic IOL'-Operation zur Behandlung einer hohen Myopie*, *Der Ophthalmol.* doi: 10.1007/s003470170024.

Matsuda, L. M. *et al.* (1992) Clinical Comparison of Corneal Diameter and Curvature in Asian Eyes with Those of Caucasian Eyes, *Optom. Vis. Sci.*, 69(1), pp. 51–54. Available at: [https://journals.lww.com/optvissci/Fulltext/1992/01000/Clinical\\_Comparison\\_of\\_Corneal\\_Diameter\\_and.8.aspx](https://journals.lww.com/optvissci/Fulltext/1992/01000/Clinical_Comparison_of_Corneal_Diameter_and.8.aspx).

Mayer, D. *et al.* (2001) Cycloplegic refractions in healthy children aged 1 through 48 months, *Arch. Ophthalmol.*, 119(11), pp. 1625–1628. Available at: <http://dx.doi.org/10.1001/archopht.119.11.1625>.

Mcdonnell, C. (2010) Assessment of the anterior chamber angle and depth, *Ot Vis. Assess.*, pp. 1–3.

Menezo, J. L. *et al.* (1997) Iris Claw Phakic Intraocular Lens for High Myopia, *J.*



*Refract. Surg.*, 13(September/October), pp. 545–555.

Menezo, J. L. *et al.* (2004) Phakic intraocular lenses to correct high myopia, *J. Cataract Refr. Surg.* Elsevier, 30(1), pp. 33–44. doi: 10.1016/j.jcrs.2003.11.023.

Menezo, J. L., Cisneros, A. L. and Rodriguez-Salvador, V. (1998) Endothelial study of iris-claw phakic lens: Four year follow-up, *J. Cataract Refr. Surg.* Elsevier, 24(8), pp. 1039–1049. doi: 10.1016/S0886-3350(98)80096-5.

Meng, W. *et al.* (2011) Axial Length of Myopia: A Review of Current Research, *Ophthalmologica*, 225(3), pp. 127–134. doi: 10.1159/000317072.

Morgan, I. G., Ohno-Matsui, K. and Saw, S.-M. (2012) Myopia, *Lancet.* Elsevier, 379(9827), pp. 1739–1748. doi: 10.1016/S0140-6736(12)60272-4.

Morgan, I. G. and Rose, K. A. (2018) Myopia : is the nature-nurture debate finally over ?, *Clin. Exp. Optom.*, pp. 1–15. doi: 10.1111/cxo.12845.

Olsen, T., Corydon, L. and Gimbel, H. (1995) Intraocular lens power calculation with an improved anterior chamber depth prediction algorithm, *J. Cataract Refr. Surg.* Elsevier, 21(3), pp. 313–319. doi: 10.1016/S0886-3350(13)80140-X.

Ophthalmology, A. A. of (1999) Excimer Laser Photorefractive Keratectomy (PRK) for Myopia and Astigmatism, *Ophthalmology*, pp. 422–437.

Pan, C., Ramamurthy, D. and Saw, S. (2012) Worldwide prevalence and risk factors for myopia, *Ophthalmic Physiol. Opt.*, 32, pp. 3–16. doi: 10.1111/j.1475-1313.2011.00884.x.

Pepose, J. S. *et al.* (2007) Changes in Corneal Biomechanics and Intraocular Pressure Following LASIK Using Static, Dynamic, and Noncontact Tonometry, *Am. J. Ophthalmol.* Elsevier, 143(1), p. 39–47.e1. doi: 10.1016/j.ajo.2006.09.036.

Pérez-Santonja, J. J. *et al.* (2000) Surgical correction of severe myopia with an angle-supported phakic intraocular lens<sup>1</sup>, *J. Cataract Refr. Surg.* Elsevier, 26(9), pp. 1288–1302. doi: 10.1016/S0886-3350(00)00543-5.

Perl, T. (2009) Avoiding Complications with phakic IOLs, *Cataract Refract. Surg. TODAY*, (October), pp. 42–48.

Pineda, R. and Chauhan, T. (2016) Phakic intraocular lenses and their special indications, *J. Ophthalmic Vis. Res.*, 11(4), pp. 422–428. doi: 10.4103/2008-322X.194140.

Polse, K. A. *et al.* (1990) Hypoxic effects on corneal morphology and function., *Invest. Ophthalmol. Vis. Sci.*, 31(8), pp. 1542–1554. Available at: <http://dx.doi.org/>.

Pop, M. and Payette, Y. (2004) Initial results of endothelial cell counts after Artisan Lens for Phakic Eyes: An evaluation of the United States food and drug administration ophtec study, *Ophthalmology*, 111(2), pp. 309–317. doi: 10.1016/j.ophtha.2003.05.025.

Qasem, Q., Kirwan, C. and O'Keefe, M. (2010) 5-Year prospective follow-up of artisan phakic intraocular lenses for the correction of myopia, hyperopia and astigmatism, *Ophthalmologica*, 224(5), pp. 283–290. doi: 10.1159/000299179.

van Rijn, G. A. *et al.* (2019) Middle- and long-term results after iris-fixated phakic intraocular lens implantation in myopic and hyperopic patients: a meta-analysis, *J. Cataract Refr. Surg.*, 46, pp. 125–137.

Roszkowska, A. M. *et al.* (1999) Corneal Endothelium Evaluation in Type I and Type II Diabetes mellitus, *Ophthalmologica*, 213(4), pp. 258–261. doi: 10.1159/000027431.

Ruiz-Moreno, J. M. *et al.* (2006) Retinal detachment in myopic eyes after phakic intraocular lens implantation., *J. Refract. Surg.* United States, 22(3), pp. 247–252.

Santos, M. M. *et al.* (2019) Safety and Efficacy Outcomes of anterior Chamber Phakic Intraocular Lens Implantation and Dependency of Anterior Chamber Depth on Endothelial Cell Loss, *EC Ophthalmol.*, 3, pp. 189–194.

Sarver, E. J., Sanders, D. R. and Vukich, J. A. (2003) Image quality in myopic eyes corrected with laser in situ keratomileusis and phakic intraocular lens, *J. Refract. Surg.*, 19(4), p. 397–404. Available at: <http://europepmc.org/abstract/MED/12899469>.

Saw, S. *et al.* (2002) Prevalence Rates of Refractive Errors in Sumatra , Indonesia, *Investig. Ophthalmol. Vis. Sci.*, 43(10), pp. 3174–3180.

Saxena, R. *et al.* (2008) Long-term Follow-up of Endothelial Cell Change after Artisan Phakic Intraocular Lens Implantation, *Ophthalmology*, 115(4), pp. 7–9. doi: 10.1016/j.optha.2007.05.036.

Schultz, R. *et al.* (1986) Response of the corneal endothelium to cataract surgery, *Arch. Ophthalmol.*, 104(8), pp. 1164–1169. Available at: <http://dx.doi.org/10.1001/archopht.1986.01050200070053>.

Seiler, T. *et al.* (1994) Complications of Myopic Photorefractive Keratectomy with the Excimer Laser, *Ophthalmology*. Elsevier, 101(1), pp. 153–160. doi: 10.1016/S0161-6420(94)31371-6.

Senthil, S. *et al.* (2016) Etiology and Management of Raised Intraocular Pressure following Posterior Chamber Phakic Intraocular Lens Implantation in Myopic Eyes, *PLoS One*, (November), pp. 1–13. doi: 10.1371/journal.pone.0165469.

Shaaban, Y. M. and Badran, T. A. F. (2020) Three-year effect of phakic intraocular lenses on the corneal endothelial cell density, *Clin. Ophthalmol.*, 14, pp. 149–155. doi: 10.2147/OPTH.S236041.

Sheng, H. and Bullimore, M. A. (2007) Factors Affecting Corneal Endothelial Morphology, *Cornea*, 26(5), pp. 520–525.

Stulting, R. D. *et al.* (2008) Three-Year Results of Artisan/Verisyse Phakic Intraocular Lens Implantation. Results of the United States Food and Drug

Administration Clinical Trial, *Ophthalmology*, 115(3), pp. 464–473. doi: 10.1016/j.ophtha.2007.08.039.

Sugar, A. *et al.* (2002) Laser in situ keratomileusis for myopia and astigmatism: safety and efficacy, *Ophthalmology*. Elsevier, 109(1), pp. 175–187. doi: 10.1016/S0161-6420(01)00966-6.

Tahzib, N. G. *et al.* (2008) Higher-order aberrations after implantation of iris-fixated rigid or foldable phakic intraocular lenses, *J. Cataract Refr. Surg.* ASCRS and ESCRS, 34(11), pp. 1913–1920. doi: 10.1016/j.jcrs.2008.07.014.

Vagge, A. *et al.* (2018) Prevention of Progression in Myopia : A Systematic Review, *Diseases*, 6(92), pp. 1–25. doi: 10.3390/diseases6040092.

Verhoeven, V. *et al.* (2013) Education influences the role of genetics in myopia, *Eur. J. epidemioloy*, 28(12), pp. 973–980. doi: 10.1007/s10654-013-9856-1.

Watsky, M. A., McDermott, M. L. and Edelhauser, H. F. (1989) In vitro corneal endothelial permeability in rabbit and human: the effects of age, cataract surgery and diabetes, *Exp. Eye Res.*, 49(5), p. 751–767. doi: 10.1016/s0014-4835(89)80036-3.

Wong, Y. and Saw, S. (2016) Epidemiology of Pathologic Myopia in Asia and Worldwide, *Asia Pac J. Ophthalmol.*, 5(6), pp. 394–402. doi: 10.1097/APO.0000000000000234.

Wu, P., Huang, H. and Yu, H. (2016) Epidemiology of Myopia, *Asia Pac J. Ophthalmol.*, 5(6), pp. 386–393. doi: 10.1097/APO.0000000000000236.

Xu, L. *et al.* (2008) Anterior Chamber Depth and Chamber Angle and Their Associations with Ocular and General Parameters: The Beijing Eye Study, *Am. J. Ophthalmol.* Elsevier, 145(5), p. 929–936.e1. doi: 10.1016/j.ajo.2008.01.004.

Yamaguchi, T., Negishi, K. and Saiki, M. (2008) Alterations in the anterior chamber angle after implantation of iris-fixated phakic intraocular lenses, *J. Cataract Refr. Surg.*, 34, pp. 1300–1305. doi: 10.1016/j.jcrs.2008.04.033.

Yasa, D. and Agca, A. (2018) Verisyse versus Veriflex Phakic Intraocular Lenses : Refractive Outcomes and Endothelial Cell Density 5 Years after Surgery, *J. Ophthalmol.*, 2018.

Yip, J. L. Y. and Foster, P. J. (2006) Ethnic differences in primary angle-closure glaucoma, *Curr. Opin. Ophthalmol.*, 17(2). Available at: [https://journals.lww.com/co-ophthalmology/Fulltext/2006/04000/Ethnic\\_differences\\_in\\_primary\\_angle\\_closure.10.aspx](https://journals.lww.com/co-ophthalmology/Fulltext/2006/04000/Ethnic_differences_in_primary_angle_closure.10.aspx).

Yuan, X. *et al.* (2012) Five-year follow-up after anterior iris-fixated intraocular lens implantation in phakic eyes to correct high myopia, *Eye*. Nature Publishing Group, 26(2), pp. 321–326. doi: 10.1038/eye.2011.292.