

## BIBLIOGRAPHY

- [1] K. N. Alinsavath, L. E. Nugroho, Widyawan, and K. Hamamoto, "The Seamlessness of Outdoor and Indoor Localization Approaches Based on a Ubiquitous Computing Environment: A Survey," in *Proceedings of the 2019 2nd International Conference on Information Science and Systems*, New York, NY, USA, 2019, pp. 316–324, doi: 10.1145/3322645.3322690.
- [2] S. Thiprak and W. Kurutach, "Ubiquitous computing technologies and Context Aware Recommender Systems for Ubiquitous Learning," in *Electrical Engineering/Electronics, Computer, Telecommunications and Information Technology (ECTI-CON), 2015 12th International Conference on*, 2015, pp. 1–6.
- [3] S. He and S. H. G. Chan, "Wi-Fi Fingerprint-Based Indoor Positioning: Recent Advances and Comparisons," *IEEE Commun. Surv. Tutor.*, vol. 18, no. 1, pp. 466–490, Firstquarter 2016, doi: 10.1109/COMST.2015.2464084.
- [4] R. Gour, N. Raut, and D. Mukhopadhyay, "Context-awareness and location-awareness for mobile users using multi-level location based time stamp key," in *2016 International Conference on Internet of Things and Applications (IOTA)*, Jan. 2016, pp. 406–410, doi: 10.1109/IOTA.2016.7562761.
- [5] Y. J. Lee and K. W. Lien, "Location Based Enabled Context Awareness Information Service," in *2009 International Conference on New Trends in Information and Service Science*, Jun. 2009, pp. 944–947, doi: 10.1109/NISS.2009.160.
- [6] B. Hofmann-Wellenhof, H. Lichtenegger, and J. Collins, *Global positioning system: theory and practice*. Springer Science & Business Media, 2012.
- [7] C. Wu, Q. Mu, Z. Zhang, Y. Jin, Z. Wang, and G. Shi, "Indoor positioning system based on inertial MEMS sensors: Design and realization," in *2016 IEEE International Conference on Cyber Technology in Automation, Control, and Intelligent Systems (CYBER)*, Jun. 2016, pp. 370–375, doi: 10.1109/CYBER.2016.7574852.
- [8] S.-C. Yeh, W.-H. Hsu, M.-Y. Su, C.-H. Chen, and K.-H. Liu, "A study on outdoor positioning technology using GPS and WiFi networks," in *2009*

*International Conference on Networking, Sensing and Control*, Mar. 2009, pp. 597–601, doi: 10.1109/ICNSC.2009.4919345.

- [9] B. Schilit, N. Adams, and R. Want, “Context-Aware Computing Applications,” in *Mobile Computing Systems and Applications, 1994. WMCSA 1994. First Workshop on*, Dec. 1994, pp. 85–90, doi: 10.1109/WMCSA.1994.16.
- [10] K. NonAlinsavath, L. E. Nugroho, Widyawan, and K. Hamamoto, “Location Context Ontology Model based on Ubiquitous Computing Environment,” presented at the 2019 the 9th International Workshop on Computer Science and Engineering, 2019, doi: 10.18178/wcse.2019.06.074.
- [11] R. Aouf, A. A. Alawneh, H. A. Abboud, and M. Alwan, “Integration of location-based information into mobile learning management system to verify scientific formulas in informal learning environment,” in *2016 International Conference on Engineering MIS (ICEMIS)*, Sep. 2016, pp. 1–5, doi: 10.1109/ICEMIS.2016.7745311.
- [12] Y. Raja Vara Prasad and P. Rajalakshmi, “Context aware building energy management system with heterogeneous wireless network architecture,” in *Wireless and Mobile Networking Conference (WMNC), 2013 6th Joint IFIP*, Apr. 2013, pp. 1–8, doi: 10.1109/WMNC.2013.6548976.
- [13] W. M. Y. W. Bejuri, M. M. Mohamad, and M. Sapri, “Ubiquitous Positioning: A Taxonomy for Location Determination on Mobile Navigation System,” *CoRR*, vol. abs/1103.5035, 2011, [Online]. Available: <http://arxiv.org/abs/1103.5035>.
- [14] A. Basiri *et al.*, “Indoor location based services challenges, requirements and usability of current solutions,” *Comput. Sci. Rev.*, vol. 24, no. Supplement C, pp. 1–12, 2017, doi: <https://doi.org/10.1016/j.cosrev.2017.03.002>.
- [15] A. Basiri, P. Peltola, P. F. e Silva, E. S. Lohan, T. Moore, and C. Hill, “Indoor positioning technology assessment using analytic hierarchy process for pedestrian navigation services,” in *2015 International Conference on Location and GNSS (ICL-GNSS)*, Jun. 2015, pp. 1–6, doi: 10.1109/ICL-GNSS.2015.7217157.

- [16] W. Liu, X. Li, and D. Huang, "A survey on context awareness," in *Computer Science and Service System (CSSS), 2011 International Conference on*, Jun. 2011, pp. 144–147, doi: 10.1109/CSSS.2011.5972040.
- [17] M. Jia, Y. Yang, L. Kuang, W. Xu, T. Chu, and H. Song, "An Indoor and Outdoor Seamless Positioning System Based on Android Platform," in *2016 IEEE Trustcom/BigDataSE/ISPA*, Aug. 2016, pp. 1114–1120, doi: 10.1109/TrustCom.2016.0183.
- [18] W. Jiang, Y. Li, C. Rizos, B. Cai, and W. Shangguan, "Seamless Indoor-Outdoor Navigation based on GNSS, INS and Terrestrial Ranging Techniques," *J. Navig.*, vol. 70, no. 6, pp. 1183–1204, 2017, doi: 10.1017/S037346331700042X.
- [19] S. Rezaei and R. Sengupta, "Kalman filter-based integration of DGPS and vehicle sensors for localization," *IEEE Trans. Control Syst. Technol.*, vol. 15, no. 6, pp. 1080–1088, 2007.
- [20] Q. Zeng, J. Wang, Q. Meng, X. Zhang, and S. Zeng, "Seamless Pedestrian Navigation Methodology Optimized for Indoor/Outdoor Detection," *IEEE Sens. J.*, vol. 18, no. 1, pp. 363–374, Jan. 2018, doi: 10.1109/JSEN.2017.2764509.
- [21] M. M. Rahman, J. R. Mou, K. Tara, and M. I. Sarkar, "Real time Google map and Arduino based vehicle tracking system," in *2016 2nd International Conference on Electrical, Computer Telecommunication Engineering (ICECTE)*, Dec. 2016, pp. 1–4, doi: 10.1109/ICECTE.2016.7879577.
- [22] V. A. Windarni, E. Sedyono, and A. Setiawan, "Using GPS and Google maps for mapping digital land certificates," in *2016 International Conference on Informatics and Computing (ICIC)*, Oct. 2016, pp. 422–426, doi: 10.1109/IAC.2016.7905756.
- [23] M. S. Khan, J. Kim, E. H. Lee, and S. M. Kim, "A Received Signal Strength Based Localization Approach for Multiple Target Nodes via Bayesian Compressive Sensing," in *2019 22nd International Multitopic Conference (INMIC)*, Nov. 2019, pp. 1–6, doi: 10.1109/INMIC48123.2019.9022752.

- [24] C. S. Mouhammad, A. Allam, M. Abdel-Raouf, E. Shenouda, and M. Elsabrouty, "BLE Indoor Localization based on Improved RSSI and Trilateration," in *2019 7th International Japan-Africa Conference on Electronics, Communications, and Computations, (JAC-ECC)*, Dec. 2019, pp. 17–21, doi: 10.1109/JAC-ECC48896.2019.9051304.
- [25] K. Kaemarungsi and P. Krishnamurthy, "Modeling of indoor positioning systems based on location fingerprinting," in *IEEE INFOCOM 2004*, Mar. 2004, vol. 2, pp. 1012–1022 vol.2, doi: 10.1109/INFCOM.2004.1356988.
- [26] S. Domnitcheva, "Location modeling: State of the art and challenges," in *Proceedings of the Workshop on Location Modeling for Ubiquitous Computing*, 2001, pp. 13–19.
- [27] J. Hightower and G. Borriello, "Location systems for ubiquitous computing," *Computer*, vol. 34, no. 8, pp. 57–66, 2001.
- [28] B. Schilit, N. Adams, and R. Want, "Context-Aware Computing Applications," in *1994 First Workshop on Mobile Computing Systems and Applications*, Dec. 1994, pp. 85–90, doi: 10.1109/WMCSA.1994.16.
- [29] J. E. Bauer and R. Ehrmanntraut, "Identification and Modeling of Contexts for Different Information Scenarios in Air Traffic," 2003.
- [30] K. Henriksen, J. Indulska, and A. Rakotonirainy, "Generating Context Management Infrastructure from High-Level Context Models," in *In 4th International Conference on Mobile Data Management (MDM) - Industrial Track*, 2003, pp. 1–6.
- [31] X. H. Wang, D. Q. Zhang, T. Gu, and H. K. Pung, "Ontology based context modeling and reasoning using OWL," in *IEEE Annual Conference on Pervasive Computing and Communications Workshops, 2004. Proceedings of the Second*, Mar. 2004, pp. 18–22, doi: 10.1109/PERCOMW.2004.1276898.
- [32] H. Guermah, T. Fissaa, H. Hafiddi, M. Nassar, and A. Kriouile, "An Ontology Oriented Architecture for Context Aware Services Adaptation," *CoRR*, vol. abs/1404.3280, 2014.

- [33] H. Chen, T. Finin, and A. Joshi, "An Ontology for Context-aware Pervasive Computing Environments," *Knowl Eng Rev*, vol. 18, no. 3, pp. 197–207, Sep. 2003, doi: DOI:10.1017/S0269888904000025.
- [34] S. Mishra, S. Malik, N. K. Jain, and S. Jain, "A Realist Framework for Ontologies and the Semantic Web," *Procedia Comput. Sci.*, vol. 70, pp. 483–490, 2015, doi: <https://doi.org/10.1016/j.procs.2015.10.087>.
- [35] S. Malik and S. Jain, "Ontology based context aware model," in *2017 International Conference on Computational Intelligence in Data Science (ICCIDS)*, Jun. 2017, pp. 1–6, doi: 10.1109/ICCIDS.2017.8272632.
- [36] L. O. Bonino da Silva Santos, R. P. van Wijnen, and P. Vink, "A service-oriented middleware for context-aware applications," in *Proceedings of the 5th international workshop on Middleware for pervasive and ad-hoc computing: held at the ACM/IFIP/USENIX 8th International Middleware Conference*, 2007, pp. 37–42.
- [37] M. A. Strimpakou, I. G. Roussaki, and M. E. Anagnostou, "A context ontology for pervasive service provision," in *Advanced Information Networking and Applications, 2006. AINA 2006. 20th International Conference on*, 2006, vol. 2, pp. 5–pp.
- [38] S. Alhazbi, L. Lotfi, R. Ali, and R. Suwailih, "Ontology-based model in tourism context-aware systems," in *2013 International Conference on ICT Convergence (ICTC)*, Oct. 2013, pp. 775–779, doi: 10.1109/ICTC.2013.6675476.
- [39] A. Yassin *et al.*, "Recent Advances in Indoor Localization: A Survey on Theoretical Approaches and Applications," *IEEE Commun. Surv. Tutor.*, vol. 19, no. 2, pp. 1327–1346, Secondquarter 2017, doi: 10.1109/COMST.2016.2632427.
- [40] S. Messenger, *Wireless local area network*. Google Patents, 1991.
- [41] Y. Wang, X. Jia, H. K. Lee, and G. Li, "An indoors wireless positioning system based on wireless local area network infrastructure," in *6th Int. Symp. on Satellite Navigation Technology Including Mobile Positioning & Location Services*, 2003, vol. 54.

- [42] S. Mazuelas *et al.*, “Robust indoor positioning provided by real-time RSSI values in unmodified WLAN networks,” *IEEE J. Sel. Top. Signal Process.*, vol. 3, no. 5, pp. 821–831, 2009.
- [43] N. Thomas, D. Cruickshank, and D. Laurenson, “Performance of a TDOA-AOA hybrid mobile location system,” 2001.
- [44] S. Venkatraman and J. Caffery, “Hybrid TOA/AOA techniques for mobile location in non-line-of-sight environments,” in *Wireless Communications and Networking Conference, 2004. WCNC. 2004 IEEE*, 2004, vol. 1, pp. 274–278.
- [45] S. Hara and D. Anzai, “Experimental performance comparison of RSSI-and TDOA-based location estimation methods,” in *Vehicular Technology Conference, 2008. VTC Spring 2008. IEEE*, 2008, pp. 2651–2655.
- [46] L. Fang, W. Du, and P. Ning, “A beacon-less location discovery scheme for wireless sensor networks,” in *Proceedings IEEE 24th Annual Joint Conference of the IEEE Computer and Communications Societies.*, Mar. 2005, vol. 1, pp. 161–171 vol. 1, doi: 10.1109/INFCOM.2005.1497888.
- [47] U. Nazir, N. Shahid, M. A. Arshad, and S. H. Raza, “Classification of localization algorithms for wireless sensor network: A survey,” in *2012 International Conference on Open Source Systems and Technologies*, Dec. 2012, pp. 1–5, doi: 10.1109/ICOSST.2012.6472830.
- [48] W. M. Y. W. Bejuri, M. M. Mohamad, and M. Sapri, “Ubiquitous Positioning: A Taxonomy for Location Determination on Mobile Navigation System,” *CoRR*, vol. abs/1103.5035, 2011, [Online]. Available: <http://arxiv.org/abs/1103.5035>.
- [49] M. B. Kj\aa ergaard, “A Taxonomy for Radio Location Fingerprinting,” in *Location- and Context-Awareness: Third International Symposium, LoCA 2007, Oberpfaffenhofen, Germany, September 20-21, 2007. Proceedings*, J. Hightower, B. Schiele, and T. Strang, Eds. Berlin, Heidelberg: Springer Berlin Heidelberg, 2007, pp. 139–156.
- [50] J. Hightower and G. Borriello, “Location systems for ubiquitous computing,” *Computer*, vol. 34, no. 8, pp. 57–66, Aug. 2001, doi: 10.1109/2.940014.

- [51] S. Goswami, "Radio Frequency Positioning," in *Indoor Location Technologies*, Springer, 2013, pp. 29–49.
- [52] C. M. Roberts, "Radio frequency identification (RFID)," *Comput. Secur.*, vol. 25, no. 1, pp. 18–26, 2006.
- [53] R. Faragher and R. Harle, "Location fingerprinting with bluetooth low energy beacons," *IEEE J. Sel. Areas Commun.*, vol. 33, no. 11, pp. 2418–2428, 2015.
- [54] M. B. Kj\algergaard, "A taxonomy for radio location fingerprinting," in *International symposium on location-and context-awareness*, 2007, pp. 139–156.
- [55] C. M. Silva, B. M. Masini, G. Ferrari, and I. Thibault, "A survey on infrastructure-based vehicular networks," *Mob. Inf. Syst.*, vol. 2017, 2017.
- [56] J. Sun and Z. Wu, "Developing context-aware applications in ubiquitous computing environments," in *Sixth International Conference on Parallel and Distributed Computing Applications and Technologies (PDCAT'05)*, 2005, pp. 297–301.
- [57] B. N. Schilit *et al.*, "Challenge: Ubiquitous location-aware computing and the place lab initiative," in *Proceedings of the 1st ACM international workshop on Wireless mobile applications and services on WLAN hotspots*, 2003, pp. 29–35.
- [58] G. De Michelis, C. Simone, and K. Schmidt, "Design for Privacy in Ubiquitous Computing Environments," in *Proceedings of the Third European Conference on Computer-Supported Cooperative Work 13–17 September 1993, Milan, Italy ECSCW'93*, 2012, p. 77.
- [59] J. R. Hilera and F. Ruiz, "Ontologies in Ubiquitous Computing," 2006.
- [60] W. Lee and W. Chung, "Position estimation using multiple low-cost GPS receivers for outdoor mobile robots," in *2015 12th International Conference on Ubiquitous Robots and Ambient Intelligence (URAI)*, Oct. 2015, pp. 460–461, doi: 10.1109/URAI.2015.7358906.
- [61] J. G. McNeff, "The global positioning system," *IEEE Trans. Microw. Theory Tech.*, vol. 50, no. 3, pp. 645–652, Mar. 2002, doi: 10.1109/22.989949.



- [62] H. C. Son, J. G. Lee, and G. I. Jee, "Mobile station location using hybrid GPS and a wireless network," in *The 57th IEEE Semiannual Vehicular Technology Conference, 2003. VTC 2003-Spring.*, Apr. 2003, vol. 4, pp. 2716–2720 vol.4, doi: 10.1109/VETECS.2003.1208886.
- [63] P. Bahl and V. N. Padmanabhan, "RADAR: an in-building RF-based user location and tracking system," in *Proceedings IEEE INFOCOM 2000. Conference on Computer Communications. Nineteenth Annual Joint Conference of the IEEE Computer and Communications Societies (Cat. No.00CH37064)*, 2000, vol. 2, pp. 775–784 vol.2, doi: 10.1109/INFCOM.2000.832252.
- [64] K. Mannay, N. Benhadjyoussef, M. Machhout, and J. Ureña, "Location and Positioning Systems: Performance and comparison," in *2016 4th International Conference on Control Engineering Information Technology (CEIT)*, Dec. 2016, pp. 1–6, doi: 10.1109/CEIT.2016.7929105.
- [65] E. Özyurt, E. Aydin, and A. C. Yapici, "Indoor location finding algorithms for mobile robots carrying passive RFID tags," in *2012 6th European Conference on Antennas and Propagation (EUCAP)*, Mar. 2012, pp. 3516–3519, doi: 10.1109/EuCAP.2012.6206440.
- [66] K. Curran, E. Furey, T. Lunney, J. Santos, D. Woods, and A. McCaughey, "An Evaluation of Indoor Location Determination Technologies," *J Locat Based Serv*, vol. 5, no. 2, pp. 61–78, Jun. 2011, doi: 10.1080/17489725.2011.562927.
- [67] K. Mannay, N. Benhadjyoussef, M. Machhout, and J. Ureña, "Location and Positioning Systems: Performance and comparison," in *2016 4th International Conference on Control Engineering Information Technology (CEIT)*, Dec. 2016, pp. 1–6, doi: 10.1109/CEIT.2016.7929105.
- [68] E. Hu, Z. Deng, Q. Xu, L. Yin, and W. Liu, "Relative entropy-based Kalman filter for seamless indoor/outdoor multi-source fusion positioning with INS/TC-OFDM/GNSS," *Clust. Comput.*, pp. 1–11, 2018.



- [69] Q. Zeng, J. Wang, Q. Meng, X. Zhang, and S. Zeng, "Seamless Pedestrian Navigation Methodology Optimized for Indoor/Outdoor Detection," *IEEE Sens. J.*, vol. 18, no. 1, pp. 363–374, 2018.
- [70] X. Li *et al.*, "Accuracy and reliability of multi-GNSS real-time precise positioning: GPS, GLONASS, BeiDou, and Galileo," *J. Geod.*, vol. 89, no. 6, pp. 607–635, 2015.
- [71] Z. Farid, R. Nordin, and M. Ismail, "Recent advances in wireless indoor localization techniques and system," *J. Comput. Netw. Commun.*, vol. 2013, 2013.
- [72] J. Feng and Y. Liu, "Wifi-based indoor navigation with mobile GIS and speech recognition," *Int J Comput. Sci.*, vol. 9, no. 6, 2012.
- [73] Z. Deng, Y. Yu, X. Yuan, N. Wan, and L. Yang, "Situation and development tendency of indoor positioning," *China Commun.*, vol. 10, no. 3, pp. 42–55, 2013.
- [74] L. Yu, Y. Liu, T. Chi, and L. Peng, "An iBeacon-based indoor and outdoor positioning system for the fire emergency command," in *2017 Forum on Cooperative Positioning and Service (CPGPS #65289)*, May 2017, pp. 326–329, doi: 10.1109/CPGPS.2017.8075148.
- [75] C. E. Rosen and N. W. Palm, "Navigating the Microbiota Seas: Triangulation Finds a Way Forward," *Cell Host Microbe*, vol. 23, no. 1, pp. 1–3, 2018.
- [76] L. Asmaa, K. A. Hatim, and M. Abdelaaziz, "Localization algorithms research in wireless sensor network based on Multilateration and Trilateration techniques," in *Information Science and Technology (CIST), 2014 Third IEEE International Colloquium in*, 2014, pp. 415–419.
- [77] C. Feng, W. S. A. Au, S. Valaee, and Z. Tan, "Received-signal-strength-based indoor positioning using compressive sensing," *IEEE Trans. Mob. Comput.*, vol. 11, no. 12, pp. 1983–1993, 2011.
- [78] L. H. Nawawi, O. O. Khalifa, F. A. Rahman, and H. Nasir, "Location and Position Estimation of Wireless Devices," in *2019 IEEE International Conference on Smart Instrumentation, Measurement and Application (ICSIMA)*, Aug. 2019, pp. 1–4, doi: 10.1109/ICSIMA47653.2019.9057298.

- [79] G. Li, E. Geng, Z. Ye, Y. Xu, J. Lin, and Y. Pang, "Indoor positioning algorithm based on the improved RSSI distance model," *Sensors*, vol. 18, no. 9, p. 2820, 2018.
- [80] A. K. Dey, "Understanding and using context," *Pers. Ubiquitous Comput.*, vol. 5, no. 1, pp. 4–7, 2001.
- [81] M. Baldauf, S. Dustdar, and F. Rosenberg, "A survey on context-aware systems," *Int. J. Ad Hoc Ubiquitous Comput.*, vol. 2, no. 4, pp. 263–277, 2007.
- [82] B. Schilit, N. Adams, and R. Want, "Context-aware computing applications," in *Mobile Computing Systems and Applications, 1994. WMCSA 1994. First Workshop on*, 1994, pp. 85–90.
- [83] J. Hong, E. Suh, and S.-J. Kim, "Context-aware systems: A literature review and classification," *Expert Syst. Appl.*, vol. 36, no. 4, pp. 8509–8522, 2009, doi: <http://dx.doi.org/10.1016/j.eswa.2008.10.071>.
- [84] T. Ahmad, X. J. Li, and B. Seet, "Fuzzy-Logic Based Localization for Mobile Sensor Networks\*," in *2019 2nd International Conference on Communication, Computing and Digital systems (C-CODE)*, 2019, pp. 43–47.
- [85] Zhi Bian, Qi-hong Yang, and Tao Jiang, "A probabilistic indoor localization algorithm based on estimation of error," in *2016 IEEE Advanced Information Management, Communicates, Electronic and Automation Control Conference (IMCEC)*, 2016, pp. 1072–1076.
- [86] Y. Tella and A. Peter, "Fuzzy logic system for indoor real-time symbolic location tracking using Wi-Fi access point receive signal strength indication values," *Int. J. Artif. Intell. Mechatron.*, vol. 3, pp. 254–262, Apr. 2015.
- [87] Y. Jiang, C. Yang, and H. Ma, "A Review of Fuzzy Logic and Neural Network Based Intelligent Control Design for Discrete-Time Systems," *Discrete Dyn. Nat. Soc.*, vol. 2016, p. 7217364, Mar. 2016, doi: [10.1155/2016/7217364](https://doi.org/10.1155/2016/7217364).

- [88] V. Magudeeswaran and C. G. Ravichandran, "Fuzzy Logic-Based Histogram Equalization for Image Contrast Enhancement," *Math. Probl. Eng.*, vol. 2013, p. 891864, Aug. 2013, doi: 10.1155/2013/891864.
- [89] A. M. Alakeel, "Using Fuzzy Logic Techniques for Assertion-Based Software Testing Metrics," *Sci. World J.*, vol. 2015, p. 629430, Apr. 2015, doi: 10.1155/2015/629430.
- [90] C.-H. Chen, C.-C. Wang, Y. T. Wang, and P. T. Wang, "Fuzzy Logic Controller Design for Intelligent Robots," *Math. Probl. Eng.*, vol. 2017, p. 8984713, Sep. 2017, doi: 10.1155/2017/8984713.
- [91] H. Singh *et al.*, "Real-Life Applications of Fuzzy Logic," *Adv. Fuzzy Syst.*, vol. 2013, p. 581879, Jun. 2013, doi: 10.1155/2013/581879.
- [92] A. H. Meghdadi and M.- Akbarzadeh-T, "Probabilistic fuzzy logic and probabilistic fuzzy systems," in *10th IEEE International Conference on Fuzzy Systems. (Cat. No.01CH37297)*, 2001, vol. 3, pp. 1127–1130 vol.2.
- [93] Z. Bashir, T. Rashid, and M. Iqbal, "Hesitant Probabilistic Fuzzy Preference Relations in Decision Making," *Math. Probl. Eng.*, vol. 2018, p. 5383487, Mar. 2018, doi: 10.1155/2018/5383487.
- [94] J.-F. Zhang, "A Novel Definition of -Fuzzy Lattice Based on Fuzzy Set," *Sci. World J.*, vol. 2013, p. 678586, Jun. 2013, doi: 10.1155/2013/678586.
- [95] S. Ma and S. Li, "Complex Fuzzy Set-Valued Complex Fuzzy Measures and Their Properties," *Sci. World J.*, vol. 2014, p. 493703, Jun. 2014, doi: 10.1155/2014/493703.
- [96] S. Alkhazaleh, A. R. Salleh, and N. Hassan, "Possibility Fuzzy Soft Set," *Adv. Decis. Sci.*, vol. 2011, p. 479756, Sep. 2011, doi: 10.1155/2011/479756.
- [97] K. NonAlinsavath, L. E. Nugroho, Widyawan, and K. Hamamoto, "Integration of Indoor Localization System using Wi-Fi Fingerprint, Bluetooth Low Energy Beacon and Pedometer Based on Android Application Platform," *Int. J. Intell. Eng. Syst.*, vol. 13, no. 4, pp. 171–181, Aug. 2020, doi: 10.22266/ijies2020.0831.15.
- [98] K. NonAlinsavath, L. E. Nugroho, Widyawan, and K. Hamamoto, "Indoor Location Tracking System Based on Android Application Using Bluetooth

Low Energy Beacons for Ubiquitous Computing Environment,” *J. Commun.*, vol. 15, no. 7, p. 5, 2020.

- [99] K. NonAlinsavath, L. E. Nugroho, Widyawan, K. Hamamoto and S. Kanthavong “An Integrated System for the Seamless Localization and Specification of a Position Based on an Indoor-Outdoor Conditions in Ubiquitous Computing Environments,” *Int. J. Intell. Eng. Syst.*, vol. 13, no. 5, pp. 416–428, Oct. 2020, doi: 10.22266/ijies2020.1031.37.
- [100] Q. Zeng, J. Wang, Q. Meng, X. Zhang, and S. Zeng, “Seamless Pedestrian Navigation Methodology Optimized for Indoor/Outdoor Detection,” *IEEE Sens. J.*, vol. 18, no. 1, pp. 363–374, Jan. 2018, doi: 10.1109/JSEN.2017.2764509.
- [101] W. Jiang, Y. Li, C. Rizos, B. Cai, and W. Shangguan, “Seamless Indoor-Outdoor Navigation based on GNSS, INS and Terrestrial Ranging Techniques,” *J. Navig.*, vol. 70, no. 6, pp. 1183–1204, 2017.
- [102] Y. Gao, S. Liu, M. M. Atia, and A. Noureldin, “INS/GPS/LiDAR Integrated Navigation System for Urban and Indoor Environments Using Hybrid Scan Matching Algorithm,” 2015.