



DAFTAR PUSTAKA

- [IPPC] International Plant Protection Convention. 2016. ISPM 27 Diagnostic protocols for regulated pests DP 12: Phytoplasmas. Food and Agriculture Organization of the United Nation. James G.L. 2004. An Introduction to Sugarcane. Di dalam : Glyn James, editor. *Sugarcane, Second Edition*. Blackwell Science Ltd.
- [IRPCM] International Research Program on Comparative Mycoplasmology, Phytoplasma/ Spiroplasma Working Team–Phytoplasma Taxonomy Group. 2004. ‘*Candidatus Phytoplasma*’, a taxon for the wall-less, non-helical prokaryotes that colonize plant phloem and insects. *International Journal of Systematic and Evolutionary Microbiology* 54: 1243–1255.
- Acinas SG, Marcelino LA, Klepac-Ceraj V & Polz MF (2004) Divergence and redundancy of 16S sequences in genomes with multiple rrn operons. *J Bacteriol* 186: 2629–2635
- Agus E. P., Kikin H. M., Giyanto. 2017. Deteksi dan Identifikasi Phytoplasma yang Berasosiasi dengan Penyakit Layu Kelapa Di Pulau Derawan, Kalimantan Timur *Jurnal Fitopatologi Indonesia*. Volume 13, Nomor 3, Mei Hal.89–97. DOI: 10.14692/jfi.13.3.89
- Aldaghi, M., Massart, S., Dutrecq, O., Bertaccini, A., Jijakli, M. H., & Lepoivre, P. .2009. A simple and rapid protocol of crude DNA extraction from apple trees for PCR and real-time PCR detection of “*Candidatus Phytoplasma mali*.” *Journal of Virological Methods*, 156(1-2), 96–101. doi:10.1016/j.jviromet.2008.10.011
- Aliaga F, Hopp E, Alvarez E, Becerra Lopez-Lavalle LA, 2018. First report of a '*Candidatus Phytoplasma asteris*' isolate associated with banana elephantiasis disease in Colombia. *New Disease Reports* 37, 12. dx.doi.org/10.5197/j.2044-0588.2018.037.012
- Anabestani A, Izadpanah K, Abbà S, Galetto L, Ghorbani A, Palmano S, Siampour M, Veratti F, Marzachì C. 2017, Identification of putative effector genes and their transcripts in three strains related to '*Candidatus Phytoplasma aurantifolia*'. *Microbiol Res.*;199:57-66. doi: 10.1016/j.micres.2017.03.001.
- Anthony, K. K., George, D. S., Baldev Singh, H. K., Fung, S. M., Santhirasegaram, V., Razali, Z., & Somasundram, C. 2017. Reactive Oxygen Species Activity and Antioxidant Properties of Fusarium Infected Bananas. *Journal of Phytopathology*, 165(4), 213–222. doi:10.1111/jph.12552



Arya, M., Shergill, I. S., Williamson, M., Gommersall, L., Arya, N., & Patel, H.

R. 2005. *Basic principles of real-time quantitative PCR. Expert Review of Molecular Diagnostics*, 5(2), 209–219. doi:10.1586/14737159.5.2.209

Beard, S. S., Pitman, A. R., Kraberger, S., & Scott, I. A. W. 2012. SYBR Green real-time quantitative PCR for the specific detection and quantification of “Candidatus Liberibacter solanacearum” in field samples from New Zealand. *European Journal of Plant Pathology*, 136(1), 203–215. doi:10.1007/s10658-

Bertaccini A, Duduk B, Paltrinieri S, Contaldo N. 2014. Phytoplasmas and Phytoplasma diseases: a severe threat to agriculture. *Am J Plant Sci.* 5:1763–1788. doi:10.4236/ajps.2014.512191.

Blomme G, Dita M, Jacobsen KS, Pérez Vicente L, Molina A, Ocimati W, Poussier S and Prior P (2017) Bacterial Diseases of Bananas and Enset: Current State of Knowledge and Integrated Approaches Toward Sustainable Management. *Front. Plant Sci.* 8:1290. doi: 10.3389/fpls.2017.01290

Broeders, S.; Huber, I.; Grohmann, L.; Berben, G.; Taverniers, I.; Mazzara, M.; Roosens, N.; Morisset, D. (2014). Guidelines for validation of qualitative real-time PCR methods. *Trends in Food Science & Technology*, 37(2), 115–126. doi:10.1016/j.tifs.2014.03.008

Bustin, S., & Huggett, J. 2017. qPCR primer design revisited. *Biomolecular Detection and Quantification*, 14, 19–28. doi:10.1016/j.bdq.2017.11.001

Buxa, S. V., Degola, F., Polizzotto, R., De Marco, F., Loschi, A., Kogel, K.-H., Musetti, R. 2015. Phytoplasma infection in tomato is associated with re-organization of plasma membrane, ER stacks, and actin filaments in sieve elements. *Frontiers in Plant Science*, 6. doi:10.3389/fpls.2015.00650

Chang SH, Tan CM, Wu CT, Lin TH, Jiang SY, Liu RC, Tsai MC, Su LW and Yang JY 2018. Alterations of plant architecture and phase transition by the phytoplasma virulence factor SAP11. *Journal of Experimental Botany*, 69(22): 5389-5401.

Cho, S. T., Kung, H. J., Huang, W., Hogenhout, S. A., & Kuo, C. H. 2020. Species Boundaries and Molecular Markers for the Classification of 16SrI



Phytoplasmas Inferred by Genome Analysis. *Frontiers in microbiology*, 11, 1531. <https://doi.org/10.3389/fmicb.2020.01531>

Chisholm ST, Coaker G, Day B and Staskawicz BJ 2006. Hostmicrobe interactions: shaping the evolution of the plant immune response. *Cell*, 124(4): 803-814.

Choisy, M. and de Roode, J.C. .2010. Mixed infections and the evolution of virulence: effects of resource competition, parasite plasticity, and impaired host immunity. *Am Nat* **175**, E105– E118.7– 204.

Chung, W. C., Chen, L. L., Lo, W. S., Lin, C. P., & Kuo, C. H. .2013. Comparative analysis of the peanut witches'-broom Phytoplasma genome reveals horizontal transfer of potential mobile units and effectors. *Plos One*. doi:10.1371/journal.pone.0062770.

Clément JA, Baldwin TK, Magalon H, Glais I, Gracianne C, Andrivon D, Jacquot E. 2013. Specific detection and quantification of virulent/avirulent *Phytophthora infestans* isolates using a real-time PCR assay that targets polymorphisms of the Avr3a gene. *Lett Appl Microbiol*. May;56(5):322-32. doi: 10.1111/lam.12047. Epub 2013 Mar 4. PMID: 23350602.

Clements, Justin; Garcia, Marjorie; Bradford, Benjamin; Crubaugh, Linda; Piper, Shannon; Duerr, Emily; Zwolinska, Agnieszka; Hogenhout, Saskia; Groves, Russell L; Tamborindeguy, Cecilia 2020. Genetic Variation Among Geographically Disparate Isolates of Aster yellows Phytoplasma in the Contiguous United States. *Journal of Economic Entomology*, (), toz356. doi:10.1093/jee/toz356

Coletta-Filho, Helvecio; Francisco, Carolina; Lopes, Joao; Muller, Christiane; Almeida, Rodrigo .2016. Homologous recombination and *Xylella fastidiosa* host-pathogen associations in South America. *Phytopathology*, (), PHYTO-09-16-0321-R-. doi:10.1094/PHYTO-09-16-0321-R

Contaldo, N., D'Amico, G., Paltrinieri, S., Diallo, H. A., Bertaccini, A., & Arocha Rosete, Y. 2019. Molecular and biological characterization of Phytoplasmas from coconut palms affected by the lethal yellowing disease in Africa. *Microbiological Research*, 223-225, 51– 57.doi:10.1016/j.micres.2019.03.011



Contaldo, N., Satta, E., Zambon, Y., Paltrinieri, S., & Bertaccini, A.

2016. Development and evaluation of different complex media for Phytoplasma isolation and growth. *Journal of Microbiological Methods*, 127, 105–110. doi:10.1016/j.mimet.2016.05.031

Cruz-Cruz, C. A., Ramírez-Tec, G., García-Sosa, K., Escalante-Erosa, F., Hill, L., Osbourn, A. E. and Peña-Rodríguez, L. M. 2009. Phytoanticipins from banana (*Musa acuminata* cv. Grande Naine) plants, with antifungal activity against *Mycosphaerella fijiensis*, the causal agent of black Sigatoka. *European Journal of Plant Pathology* 126, 459–463. doi:10.1007/s10658-009-9561-9

Curran, B., D. Jonas, H. Grundmann, T. Pitt, and C. G. Dowson. 2004. Development of a multilocus sequence typing scheme for the opportunistic pathogen *Pseudomonas aeruginosa*. *J. Clin. Microbiol.* 42:5644–5649

Daire X, Clair D, Reinert W, Boudon-Padieu E. 1997. Detection and differentiation of grapevine yellows Phytoplasmas belonging to the elm yellows group and to the stolbur subgroup by PCR amplification of non-ribosomal DNA. *Eur. J. Plant Pathol.* 103: 507-514.

Davis, R. I., and Ruabete, T. K. 2010. Records of plant pathogenic viruses and virus-like agents from twenty-two Pacific island countries/territories: a review and an update, Australas. *Plant Pathol.* 39, 265–291. doi: 10.1071/AP10047

Davis, R. I., Henderson, J., Jones, L. M., McTaggart, A. R., O'Dwyer, C., Tsatsia, F., Rossel, J. B. 2015. First record of a wilt disease of banana plants associated with Phytoplasmas in Solomon Islands. *Australasian Plant Disease Notes*, 10(1). doi:10.1007/s13314-015-0163-4

Davis, R. I., Kokoa, P., Jones, L. M., Mackie, J., Constable, E., Rodoni, B. C., et al. 2012. A new wilt disease of banana plants associated with Phytoplasmas in Papua New Guinea (PNG). *Aust. Plant Dis. Notes* 7, 91–97. doi: 10.1007/s13314-012-0056

Davis, R. I., Kokoa, P., Jones, L. M., Mackie, J., Constable, F. E., Rodoni, B. C., Rossel, J. B. 2012. A new wilt disease of banana plants associated with Phytoplasmas in Papua New Guinea (PNG). *Australasian Plant Disease Notes*, 7(1), 91–97. doi:10.1007/s13314-012-0056-8



Delic D. 2012. Polymerase chain reaction for Phytoplasmas detection. Di dalam : Hernandez-Rodriguez P dan Gomez APR, editor. *Polymerase Chain Reaction*. In Tech. hlm 91 – 118.

Deng S, Hiruki C. 1991. Amplification of 16S genes from culturable and unculturable mollicutes. *Journal of Microbiological Methods*. 14:53-61.

Dickinson M., Tuffen M., Hodgetts J. The Phytoplasmas: an Introduction. Di dalam : Dickinson M dan Hodgetts J, editor. *Phytoplasmas : methods and protocols*. Springer science+business media . hlm 1 – 14.

Dunne, E. M., E. K. Ong, R. J. Moser, P. M. Siba, S. Phuanukoonnon, A. R. Greenhill, R. M. Robins-Browne, E. K. Mulholland, and C. Satzke. 2011. Multilocus Sequence Typing of *Streptococcus pneumoniae* by Use of Mass Spectrometry. *Journal of Clinical Microbiology*. 49(11):3756–3760.

Edelstein SJ & Bollag DM. 1991. Protein methods. A John Wiley & Sons, Inc Publication, New York.

Edward J. Feil, Edward C. Holmes, Debra E. Bessen, Man Suen Chan, Nicholas P.
J. Day, MarkC. Enright, W. Hood, Awdhesh Kalia, CinE. Moore,Jiaji Zhou,
Brian G. Spratt. 2001. Recombination within natural populations of pathogenic bacteria: Short-term empirical estimates and long-term phylogenetic consequences.Proceedings of the National Academy of Sciences Jan 98 (1) 182-187; DOI: 10.1073/pnas.98.1.182

Enright, M. C. & B. G. Spratt. 1998. A multilocus sequence typing scheme for *Streptococcus pneumoniae*: identification of clones associated with serious invasive disease. *Microbiology* **144**:3049-3060.

Gao, X.; Jackson, T. A.; Lambert, K. N.; Li, S.; Hartman, G. L.; Niblack, T. L. 2004. *Detection and Quantification of <i>Fusarium solani</i> f. sp. <i>glycines</i> in Soybean Roots with Real-Time Quantitative Polymerase Chain Reaction. Plant Disease*, 88(12), 1372–1380. doi:10.1094/PDIS.2004.88.12.1372

Grosdidier, M.; Aguayo, J.; Marçais, B.; Ioos, R. 2016. Detection of plant pathogens using real-time PCR: How reliable are late Ct values?. *Plant Pathology*, (), -. doi:10.1111/ppa.12591



Harrison NA, Elliott ML. 2006. Lethal yellowing (LY) of palm. University of Florida. <http://edis.ifas.ufl.edu> [3 Sep 2009].

Harrison NA, Narvaez M, Almeyda H, Cordova I, Carpio ML, Oropeza C. 2002b. First report of group 16SrIV Phytoplasmas infecting coconut palms with yellowing symptoms on pacific coast of Mexico. *Plant Pathology* 15: 808 – 808.

Hassan, M. A. E., & Abo-Elyousr, K. A. M. .2012. Activation of tomato plant defence responses against bacterial wilt caused by *Ralstonia solanacearum* using DL-3-aminobutyric acid (BABA). *European Journal of Plant Pathology*, 136(1), 145–157. doi:10.1007/s10658-012-0149-4

Hoat T.X., Nhung L.T.T., Thanh D.V.T., Bon N.G., Duong C.A., Ha T.N. and Kumasinghe N.C. 2013. Molecular detection and identification of sugarcane white leaf Phytoplasma in Vietnam. International Sugar Journal. Vol. 115. No 1375 : 505 – 511.

Hockey JV, Saunders NA, Fry NK, Birtles RJ. 1995. Phylogeny of Legionellacea based on small subunit rRNA sequences. *NCBI Accession number NR 044953*.

Hodgetts J, Boonham N, Mumford R, Harrison N, Dickinson M. 2008. Phytoplasma phylogenetics based on analysis of secA and 23S rRNA gene sequences for improved resolution of candidate species of ‘*Candidatus Phytoplasma*’. *International Journal of Systematic and Evolutionary Microbiology* 58: 1826–1837.

Hodgetts J, Dickinson M. 2010. Phytoplasma phylogeny and detection based on genes other than 16S. Di dalam: Weintraub PG, Jones P, editor. *Phytoplasmas: Genomes, Plant Hosts and Vectors*. Wallingford, UK: CAB International. hlm 108-128.

Hogenhout SA, Music MS. 2010. Phytoplasmas genomics, from sequencing to comparative and functional genomics – what have we learnt? Di dalam : Weintraub PG dan Jones P, editor. *Phytoplasmas : Genoms, Plant Hosts and Vectors*. CAB International. Cambridge (UK) : CABI. hlm 19 – 35.



Howard, F.W. 1990. Evaluation of grasses for cultural control of *Myndus crudus*, a vector of lethal yellowing of palm. *Entomologia Experimentalis et Applicata*, 56: 131 – 137

Huelsenbeck, J. P. .2001.Bayesian Inference of Phylogeny and Its Impact on Evolutionary Biology. , 294(5550), 2310–2314. doi:10.1126/science.1065889

Ioos, R., Fourrier, C., 2011. Validation and accreditation of a duplex real-time PCR test for reliable in planta detection of Chalara fraxinea : Duplex RT-PCR for in planta detection of C. fraxinea. EPPO Bull. 41, 21–26

Johannesen, J., Foissac, X., Kehrli, P., & Maixner, M. (2012). Impact of vector dispersal and host-plant fidelity on the dissemination of an emerging plant pathogen. Plos One. doi:10.1371/journal.pone.0051809.

Justin Clements, Marjorie Garcia, Benjamin Bradford, Linda Crubaugh, Shannon Piper, Emily Duerr, Agnieszka Zwolinska, Saskia Hogenhout, Russell L Groves, Genetic Variation Among Geographically Disparate Isolates Of Aster yellows Phytoplasma In The Contiguous United States, *Journal Of Economic Entomology*, Volume 113, Issue 2, April 2020, Pages 604–611, [Https://Doi.Org/10.1093/Jee/Toz356](https://doi.org/10.1093/jee/toz356)

Kakizawa S, Oshima K, Ishii Y, Hoshi A, Maejima K, Jung HY, Yamaji Y, Namba S. 2009. Cloning of immunodominant membrane protein genes of Phytoplasmas and their in planta expression. *Federation of European Microbiological Societies (FEMS) Microbiology Letter* 293: 92–101.

Kirkpatrick BC. 1989. Strategies for characterizing plant pathogenic mycoplasma-like organism and their effect on plants. Di dalam: Kosuge T, Nester EW, editor. *Plant Microbe Interactions: Molecular and Genetic Perspective*. Ed ke-3. New York: McGraw-Hill.

Kralik P and Ricchi M.2017. A Basic Guide to Real Time PCR in Microbial Diagnostics: Definitions, Parameters, and Everything. Front. Microbiol. 8:108. doi: 10.3389/fmicb.2017.00108

Kube M, Schneider B, Kuhl H, Dandekar T, Heitmann K, Migdoll AM, Reinhardt R. Seemüller E. 2008. The linear chromosome of the plant-pathogenic mycoplasma ‘*Candidatus Phytoplasma mali*’. *BMC Genomics* 9: 306.



Kuo C-H, Ochman H. 2009. Deletional Bias across the Three Domains of Life. *Genome Biol. Evol.* 1:145–152.

Langer M, Maixner M. 2004. Molecular characterisation of grapevine yellows associated Phytoplasmas of the stolbur-group based on RFLP-analysis of nonribosomal DNA. *Vitis* 43: 191–200.

Lee CM, Sieo CC, Abdullah N, Ho YW .2008. Estimation of *16S* gene copy number in several probiotic *Lactobacillus* strains isolated from the gastrointestinal tract of chicken. *FEMS Microbiol Lett* 287: 136–141.

Lee IM, Gundersen-Rindal DE, Davis RE, Bottner KD, Marcone C, Seemüller E .2004. ‘*Candidatus Phytoplasma asteris*’, a novel phytoplasma taxon associated with aster yellows and related diseases. *International J Syst Evol Microbiol* 54:1037–1048

Loftis, A.D, and W.K. Reeves. 2012. Principle of Real-Time PCR. *Veterinary PCR Diagnostic*, 2-17

Makarova O, Contaldo N, Paltrinieri S, Kawabe G, Bertaccini A,.2012. DNA Barcoding for Identification of ‘*Candidatus Phytoplasmas*’ Using a Fragment of the Elongation Factor Tu Gene. *PLOS ONE* 7(12): e52092. <https://doi.org/10.1371/journal.pone.0052092>

Maclean, A. M., Z. Orlovskis, K. Kowitwanich, A. M. Zdziarska, G. C. Angenent, R. G. H. Immink, and S. A. Hogenhout. 2014. Phytoplasma effector SAP 54 hijacks plant reproduction by degrading MADS-box proteins and promotes insect colonization in a RAD23- dependent manner. *PLoS Biol.* 12(4).

Maddox, C. E., Laur, L. M. and Tian, L. .2010. Antibacterial activity of phenolic compounds against the phytopathogen *Xylella fastidiosa*. *Current Microbiology* 60, 53–8. doi:10.1007/s00284-009-9501-0

Maejima, K; Oshima, K.; Namba,. .2014.. Exploring the Phytoplasmas, plant pathogenic bacteria. *Journal of General Plant Pathology*, 80(3), 210–221. doi:10.1007/s10327-014-0512-8

Mahr, S. E. R. 1989. Development and aster yellows-infectivity of the aster leafhopper. PhD thesis, University of Wisconsin-Madison, Madison,



Maiden, M. J.C., J. A. Bygraves, E. Feil, G. Morelli, J. E. Russell, R. Urwin, Q. Zhang, J. J. Zhou, K. Zurth, D. A. Caugant, I. M. Feavers, M. Achtman & B. G. Spratt. 1998. Multilocus sequence typing: portable approach to the identification of clones within populations of pathogenic microorganisms. *Proceedings of the National Academy of Science* 95:3140–314

Mirmajlessi S.M., Loit E., Mänd M., Mansouripour S.M. 2015. Real-time PCR applied to study on plant pathogens: potential applications in diagnosis – a review. *Plant Protect. Sci.*, 51: 177-190.

Orlovskis, Z., and S. A. Hogenhout. 2016. A bacterial parasite effector mediates insect vector attraction in host plants independently of developmental changes. *Front. Plant Sci.* 7: 885.

Oshima, K., Miyata, S., Sawayanagi, T., Kakizawa, S., Nishigawa, H., Jung, H.-Y, Namba, S. 2002. *Minimal Set of Metabolic Pathways Suggested from the Genome of Onion Yellows Phytoplasma*. *Journal of General Plant Pathology*, 68(3), 225–236. doi:10.1007/pl00013081

Pelosi, C.S., M.V. Leurencio., M. Silva., A.Z. Santos., S.C. Franca., and M. Marins. 2013. Developmental of a Taqman Real-Time PCR Assay for Detection of Leifsonia Xyli Subsp Xyli. *Tropical Plant Pathology*. Vol 38, no. 4, pp. 343-345.

Pelt-Verkuil, E. van, Belkum, A. van, dan Hays, J.P., 2008. Principles and Technical Aspects of PCR Amplification. Springer Science & Business Media

Pfaffl, M.W., 2004. Quantification strategies in real-time PCR. AZ Quant. PCR 1, 89–113.

Podevin, An Krauss, Isabelle Henry, Rony Swennen, Serge Remy. 2012. Selection and validation of reference genes for quantitative RT-PCR expression studies of the non-model crop Musa. , 30(3), 1237–1252. doi:10.1007/s11032-012-9711-1

Puspitaningrum, Y. 2015. Deteksi DNA Gelatin Sapi dan Gelatin Babi pada Simulasi Gummy Vitamin C Menggunakan Real-Time PCR untuk Analisis Kehalalan. *Skripsi*. Universitas Islam Negeri Syarif Hidayatullah Jakarta.



Read, A.F. and Taylor, L.H. 2001. The ecology of genetically diverse infections. *Science* 292, 1099– 1102.

Ririe KM, Rasmussen RP, Wittwer CT. 1997. Product differentiation by analysis of DNA melting curves during the polymerase chain reaction. *Anal Biochem*. Feb 15;245(2):154-60. doi: 10.1006/abio.1996.9916.

Ruths, D., & Nakhleh, L. 2005. Recombination and phylogeny: effects and detection. *International Journal of Bioinformatics Research and Applications*, 1(2), 202. doi:10.1504/ijbra.2005.007578

Rolland, M., Delaunay, A., Baldwin, T.K., Kerlan, C. and Jacquot, E. .2010. Complementations and exclusions between mutated versions of a potato virus Y genotype during mixed infections of *Nicotiana* hosts. *Virus Res* 153, 19

Salipante, S. J.; Hall, B. G. 2011. Inadequacies of Minimum Spanning Trees in Molecular Epidemiology. *Journal of Clinical Microbiology*, 49(10), 3568– 3575. doi:10.1128/JCM.00919-11

Schena, L., Nigro, F., Ippolito, A., & Gallitelli, D. 2004. Real-time quantitative PCR: a new technology to detect and study phytopathogenic and antagonistic fungi. *European Journal of Plant Pathology*, 110(9), 893– 908. doi:10.1007/s10658-004-4842-9

Sears BB, Kirkpatrick BC. 1994. unveiling the evolutionary relationships of plant-pathogenic mycoplasma like organisms: phylogenetic insights may provide the key to culturing Phytoplasmas. *ASM News* 60 (6): 307-312.

Shafique, S., 2012.Polymerase Chain Reaction. Lap Lambert Academic Publishing Van Guilder, H., Vrana, K.E., dan Freeman, W.M., 2008.Twenty-five Years of Quantitative PCR for Gene Expression Analysis: A Review. *BioTechniques*,44: 619–626

Sharmilla LB, Bhasker S, Thelly MT, Edwin BT, Mohankumar C. 2004. Cloning and sequencing of Phytoplasma ribosomal DNA (rRNA) associated with kerala wilt disease of coconut palms. *Journal of Plant Biochemistry & Biotechnology* 13:1-5.



Smith, C.J. dan Osborn, A.M., 2009. Advantages and Limitations of QuantitativePCR (Q-PCR)-based Approaches in Microbial Ecology. *FEMS Microbiology Ecology*, 67: 6–20

Sullivan, C.B., M.A. Diggle dan S.C. Clarke. 2005. Multilocus Sequence Typing : Review. *Molecular Biotechnology*. 29(3), 245–254.

Sugio, A., MacLean, A.M., and Hogenhout, S.A. 2014. The small phytoplasma virulence 761 effector SAP11 contains distinct domains required for nuclear targeting and CIN-TCP 762 binding and destabilization. *New Phytol.* 202 :834-840.

Sung, W 2016. Evolution of the insertion-deletion mutation rate across the tree of life. *G3 (Bethesda)* 6, 2583–2591

Suzuki S, Oshima K, Kakizawa S, Arashida R, Jung HY, Yamaji Y, Nishigawa H, Ugaki M, Namba S. 2006. Interaction between the membrane protein of a pathogen and insect microfilament complex determines insect-vector specificity. *PNAS* 103 (11): 4253-4257.

Tang, Y.W. dan C.W. Stratton. 2006. Advanced Techniques in Diagnostic Microbiology. Springer Science+Bussiness Media, LLC. New York.

Tazehkhan SA, Pour AH, Heydarnejad J, Varsani A, Massumi H. 2010. Identification of Phytoplasmas associated with cultivated and ornamental plants in Kerman Province, Iran. *Journal of Phytopathology* 158: 713 – 720

Teixeira S. L., A., & Mendes M., B. 2020. Real-Time Quantitative PCR as a Tool for Monitoring Microbiological Quality of Food. *Synthetic Biology - New Interdisciplinary Science*. doi:10.5772/intechopen.84532

Tomkins, Melissa; Kliot, Adi; Marée, Athanasius FM; Hogenhout, Saskia A 2018. *A multi-layered mechanistic modelling approach to understand how effector genes extend beyond Phytoplasma to modulate plant hosts, insect vectors and the environment*. *Current Opinion in Plant Biology*, 44(), 39–48. doi:10.1016/j.pbi.2018.02.002

Tran-Nguyen LTT, Kube M, Schneider B, Reinhardt R, Gibb KS. 2008. Comparative genome analysis of ‘*Candidatus Phytoplasma australiense*’



(subgroup *Tuf*-Australia I; rp-A) and ‘*Ca. Phytoplasma asteris*’ strains OYM and AYWB. *Journal of Bacteriology* 190: 3979–3991.

Triki, M.A.; A. Zouba; O. Khoualdia; O.B. Mahamoud; M.L. Takrauni; M. garnier, J.M. Bove; M. Momtarone; A. Poupet; R. Flores; J.A. Daros, Z.G.N Fadda; P. Moreno dan N.D. Villa. 2003. Maladie des feuilles cassantes or brittle leaf disease of date palms in Tunisia: biotic or abiotic disease? *Journal of Plant Pathology*, 85 (2): 71 – 79.

Tymon AM, Jones P, Harrison NA. 1998. Phylogenetic relationships of coconut Phytoplasmas and the development of specific oligonucleotide PCR primers. *Annual Applied of Biology* 132: 437 – 452.

Utomo C, Susanto A. 2006. Penyakit *Phytoplasma* pada tanaman kelapa sawit. *Warta Pusat Penelitian Kelapa Sawit* 14 (1): 1-8.

Van Belkum, A. 2002. Molecular typing of microorganisms: at the centre of diagnostics, genomics, and pathogenesis of infectious diseases. *Journal of Medical Microbiology* 51:7-10.9

Větrovský, T., & Baldrian, P. 2013. The variability of the *16S* gene in bacterial genomes and its consequences for bacterial community analyses. *PloS one*, 8(2), e57923. <https://doi.org/10.1371/journal.pone.0057923>

Wang ZH, Chen QB, Yang LF, Li HC, Bai CJ. 2008. Occurrence of a 16SrII group Phytoplasma associated with crotalaria witches’ broom in Hainan, China. *Plant Pathology* 57: 364.

Wang, W., Zijlstra, R.T. & Gänzle, M.G. Identification and quantification of virulence factors of enterotoxigenic *Escherichia coli* by high-resolution melting curve quantitative PCR. *BMC Microbiol* 17, 114 (2017). <https://doi.org/10.1186/s12866-017-1023-5>

Warokka JS, Jones P, Dickson MJ. 2006. Detection of Phytoplasma associated with kalimantan wilt disease of coconut by the polymerase chain reaction. *Jurnal Littri* 12 (4): 154-160.

WI. Marzachi, C., F. Veratti, and D. Bosco. 1998. Direct PCR detection of Phytoplasma in experimentally infected insects. *Ann. Appl. Biol.* 133, 45–55.



UNIVERSITAS
GADJAH MADA

**DETEKSI DAN KARAKTERISASI MOLEKULER BERBASIS MULTIGEN PADA PHYTOPLASMA YANG
MENGINFEKSI TANAMAN
PISANG**

NUR FATHURAHMAN R, Prof. Dr. Ir Siti Subandiyah, M.Agr; Dr. Tri Joko, M.Si

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Woese CR, Maniloff J, Zablen LB. 1980. Phylogenetic analysis of the mycoplasmas. *Proceedings of the National Academy of Sciences of the USA* 77: 494–498

Woo, P. C..(2011).Analysis of multilocus sequence typing schemes for 35 different bacteria revealed that gene loci of 10 bacteria could be replaced to improve cost-effectiveness. *Diagnostic microbiology and infectious disease* 70, 316–323, doi:10.1016/j. diagmicrobio.2011.03.006

Xavier Didelot; Martin C.J. Maiden 2010. *Impact of recombination on bacterial evolution.* , 18(7), 0–322. doi:10.1016/j.tim.2010.04.002

Yanazaki, M., Kakizawa, S., Jung, H.-Y., Nishigawa, H., Sawayanagi, T., Oshima, K., Miyata, S., Ugaki, M. and Namba, S. (2002). Heterogeneity in the gene organization of two rDNA operons of onion yellows Phytoplasma. *Jpn. J. Phytopathol.* (in press) (Abstr. in Japanese)

Ziad. Soufi , S. Sakuanrungsirikul , T. Wongwarat ,T. Hamarn , S. Srisink , E. Komor . 2013. : Sugarcane yellow leaf symptomatic plants in Thailand are infected by white leaf Phytoplasma, not by leaf yellows Phytoplasma. In: *Journal of Australasian Plant Pathology* 42,723-72



**DETEKSI DAN KARAKTERISASI MOLEKULER BERBASIS MULTIGEN PADA PHYTOPLASMA YANG
MENGINFEKSI TANAMAN
PISANG**

NUR FATHURAHMAN R, Prof. Dr. Ir Siti Subandiyah, M.Agr; Dr. Tri Joko, M.Si

UNIVERSITAS
GADJAH MADA

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>