

REFERENCES

- Abebe, Y. *et al.* (2020) ‘The major factors influencing coffee quality in Ethiopia: The case of wild Arabica coffee (*Coffea arabica* L.) from its natural habitat of southwest and southeast afro-montane rainforests’, *African Journal of Plant Science*, 14(6), pp. 213–230. doi: 10.5897/ajps2020.1976.
- Angeloni, G. *et al.* (2019) ‘What kind of coffee do you drink? An investigation on effects of eight different extraction methods’, *Food Research International*, 116(October 2018), pp. 1327–1335. doi: 10.1016/j.foodres.2018.10.022.
- Asiah, N. *et al.* (2019) ‘Sensory and Chemical Changes of Cold and Hot Brew Arabica Coffee at Various Resting Time’, *Asia Pacific Journal of Sustainable Agriculture, Food and Energy*, 7(2). doi: 10.36782/apjsafe.v7i2.1948.
- Belchior, V. *et al.* (2019) ‘Attenuated Total Reflectance Fourier Transform Spectroscopy (ATR-FTIR) and chemometrics for discrimination of espresso coffees with different sensory characteristics’, *Food Chemistry*, 273(August 2017), pp. 178–185. doi: 10.1016/j.foodchem.2017.12.026.
- Bemfeito, C. M. *et al.* (2021) ‘Do consumers perceive sensory differences by knowing information about coffee quality?’, *Lwt*, 138(December 2020). doi: 10.1016/j.lwt.2020.110778.
- Carvalho, F. M. and Spence, C. (2018) ‘The shape of the cup influences aroma, taste, and hedonic judgements of specialty coffee’, *Food Quality and*

Preference, 68(April), pp. 315–321. doi: 10.1016/j.foodqual.2018.04.003.

Chambers, E. *et al.* (2016) ‘Development of a “living” lexicon for descriptive sensory analysis of brewed coffee’, *Journal of Sensory Studies*, 31(6), pp. 465–480. doi: 10.1111/joss.12237.

Chapman, K. W. (2010) *Sensory evaluation of milk, Improving the Safety and Quality of Milk: Improving Quality in Milk Products*. Woodhead Publishing Limited. doi: 10.1533/9781845699437.2.159.

Cordoba, N. *et al.* (2019) ‘Effect of grinding, extraction time and type of coffee on the physicochemical and flavour characteristics of cold brew coffee’, *Scientific Reports*, 9(1), pp. 1–12. doi: 10.1038/s41598-019-44886-w.

Córdoba, N. *et al.* (2021) ‘Chemical and sensory evaluation of cold brew coffees using different roasting profiles and brewing methods’, *Food Research International*, 141(August 2020). doi: 10.1016/j.foodres.2021.110141.

Cozzolino, D., Power, A. and Chapman, J. (2019) ‘Interpreting and Reporting Principal Component Analysis in Food Science Analysis and Beyond’, *Food Analytical Methods*, 12(11), pp. 2469–2473. doi: 10.1007/s12161-019-01605-5.

Di Donfrancesco, B., Gutierrez Guzman, N. and Chambers, E. (2014) ‘Comparison of results from cupping and descriptive sensory analysis of colombian brewed coffee’, *Journal of Sensory Studies*, 29(4), pp. 301–311. doi: 10.1111/joss.12104.

Dooley, L., Lee, Y. seung and Meullenet, J. F. (2010) ‘The application of check-all-that-apply (CATA) consumer profiling to preference mapping of vanilla ice cream and its comparison to classical external preference mapping’, *Food Quality and Preference*, 21(4), pp. 394–401. doi: 10.1016/j.foodqual.2009.10.002.

Farah, A. (2018) ‘Nutritional and health effects of coffee’, pp. 259–290. doi: 10.19103/as.2017.0022.14.

Fibrianto, K., *et al* (2018) ‘Effect of brewing technique and particle size of the ground coffee on sensory profiling of brewed Dampit robusta coffee’, *IOP Conference Series: Earth and Environmental Science*, 131(1). doi: 10.1088/1755-1315/131/1/012009.

Fibrianto, K., *et al* (2018) ‘Effect of Roasting Profiles and Brewing Methods on the Characteristics of Bali Kintamani Coffee’, 172(FANRes), pp. 194–197. doi: 10.2991/fanres-18.2018.40.

de Figueiredo Tavares, M. P. and Mourad, A. L. (2020) ‘Coffee beverage preparation by different methods from an environmental perspective’, *International Journal of Life Cycle Assessment*, 25(7), pp. 1356–1367. doi: 10.1007/s11367-019-01719-2.

Gaze, L. V. *et al.* (2015) ‘Preference mapping of dulce de leche commercialized in Brazilian markets’, *Journal of Dairy Science*, 98(3), pp. 1443–1454. doi: 10.3168/jds.2014-8470.

de Godoy, R. C. B., Chambers, E. and Yang, G. (2020) ‘Development of a

preliminary sensory lexicon for mate tea’, *Journal of Sensory Studies*, 35(3). doi: 10.1111/joss.12570.

Granato, D. *et al.* (2018) ‘Use of principal component analysis (PCA) and hierarchical cluster analysis (HCA) for multivariate association between bioactive compounds and functional properties in foods: A critical perspective’, *Trends in Food Science and Technology*, 72(December 2017), pp. 83–90. doi: 10.1016/j.tifs.2017.12.006.

Handayani, B. (2016) ‘Coffee and Its Flavor’, *Jurnal Ilmiah Rekayasa Pertanian dan Biosistem*, 4(1), pp. 217–222.

Hayakawa, F. *et al.* (2010) ‘Sensory lexicon of brewed coffee for Japanese consumers, untrained coffee professionals and trained coffee tasters’, *Journal of Sensory Studies*, 25(6), pp. 917–939. doi: 10.1111/j.1745-459X.2010.00313.x.

Heo, J. *et al.* (2019) ‘Cold brew coffee: Consumer acceptability and characterization using the check-all-that-apply (CATA) Method’, *Foods*, 8(8), pp. 1–14. doi: 10.3390/foods8080344.

Hoffmann, J. (2014). *The world atlas of coffee : from beans to brewing - coffees explored, explained and enjoyed.* United Kingdom: Hachette

Hunaefi, D. *et al.* (2020) ‘Sensory Profile of Commercial Coffee Products using QDA (Quantitative Descriptive Analysis), Flash Profile, and CATA (Check-All-That-Apply) Methods’, pp. 20–30. doi: 10.5220/0009977500200030.

ISO 8586:2012 (2014) ‘INTERNATIONAL STANDARD ISO Sensory analysis

— General guidelines for the selection , training and’, 2012. Switzerland:

ISO Copyright Office

Jolliffe, I. T. and Cadima, J. (2016) ‘Principal component analysis: A review and recent developments’, *Philosophical Transactions of the Royal Society A:*

Mathematical, Physical and Engineering Sciences, 374(2065). doi:

10.1098/rsta.2015.0202.

Jones, P. N., Macfie, H. J. H. and Beilken, S. L. (1989) ‘Use of preference mapping to relate consumer preference to the sensory properties of a processed meat product (tinned cat food)’, *Journal of the Science of Food and Agriculture*, 47(1), pp. 113–123. doi: 10.1002/jsfa.2740470113.

Kilcast, D. (2004) *Measuring consumer perceptions of texture: An overview*, *Texture in Food*. Woodhead Publishing Ltd. doi:

10.1533/978185538362.1.3.

Kim, J. H. *et al.* (2018) ‘A lexicon for descriptive sensory evaluation of blended tea’, *Preventive Nutrition and Food Science*, 23(4), pp. 364–373. doi:

10.3746/pnf.2018.23.4.364.

Köster, E. P. (2009) ‘Diversity in the determinants of food choice: A psychological perspective’, *Food Quality and Preference*, 20(2), pp. 70–82. doi: 10.1016/j.foodqual.2007.11.002.

Kumar, K., Srivastav, S. and Sharanagat, V. S. (2021) ‘Ultrasound assisted extraction (UAE) of bioactive compounds from fruit and vegetable

processing by-products: A review', *Ultrasonics Sonochemistry*,

70(September 2020), p. 105325. doi: 10.1016/j.ultsonch.2020.105325.

Kwok, R. *et al.* (2020) 'Current Challenges of Cold Brew Coffee – Roasting, Extraction, Flavor Profile, Contamination, and Food Safety', *Challenges*, 11(2), pp. 1–13. doi: 10.20944/preprints202007.0076.v1.

Lawless, H. T. and Heymann, H. (2010) *Descriptive Analysis*. doi: 10.1007/978-1-4419-6488-5_10.

Leroy, T. *et al.* (2006) 'Genetics of coffee quality', *Brazilian Journal of Plant Physiology*, 18(1), pp. 229–242. doi: 10.1590/S1677-04202006000100016.

Lim, J. (2011) 'Hedonic scaling: A review of methods and theory', *Food Quality and Preference*, 22(8), pp. 733–747. doi: 10.1016/j.foodqual.2011.05.008.

Maulana, F. (2021) 'Optimization of Ultrasound-Assisted Cold Brew Process to Develop Phenolics-Rich Coffee Beverage', Yogyakarta: Universitas Gadjah Mada

Marthia, N. (2021) 'Pemisahan Kafein dengan Metode Microwave Assisted Extraction (MAE) Terhadap 4 Jenis Biji Kopi Robusta', *Pasundan Food Technology Journal* 8(2), pp 51-55. doi: 10.23969/pftj.v8i2.4172

McCain-Keefer, H. R., Meals, S. and Drake, M. A. (2020) 'The sensory properties and consumer acceptance of cold brew coffee', *Journal of Sensory Studies*, 35(6). doi: 10.1111/joss.12604.

- Meilgaard, M. C. (no date) *Sensory Evaluation Techniques Sensory Evaluation Techniques*.
- Mussatto, S. I. *et al.* (2011) 'Production, Composition, and Application of Coffee and Its Industrial Residues', *Food and Bioprocess Technology*, 4(5), pp. 661–672. doi: 10.1007/s11947-011-0565-z.
- Muttaqien, A.Y. (2020). 'Salut! Kopi Gununghalu Meraih Award di Paris Prancis, Begini Pendapat Warga KBB', <https://bandungkita.id/2020/08/05/salut-kopi-gununghalu-meraih-award-di-paris-begini-pendapat-warga-kbb/>. Diakses tanggal 23 Desember 2021.
- Oestreich-Janzen, S. (2010). Chemistry of coffee. In L. Mander & H-W. Liu (Eds.), *Comprehensive natural products II*. Vol. 3. Berlin: Freie Universität Berlin
- Paul Mukhopadhyay, S. *et al.* (2018) 'Sensory profiling and preference mapping of Australian puffed desi chickpeas', *LWT - Food Science and Technology*, 89, pp. 229–236. doi: 10.1016/j.lwt.2017.10.040.
- Pliner, P. and Hobden, K. (1992) 'Development of a scale to measure the trait of food neophobia in humans', *Appetite*, 19(2), pp. 105–120. doi: 10.1016/0195-6663(92)90014-W.
- Portela, C. da S. *et al.* (2021) 'Brewing conditions impact on the composition and characteristics of cold brew Arabica and Robusta coffee beverages', *Lwt*, 143(February). doi: 10.1016/j.lwt.2021.111090.

- Putra, G. (2016) ‘*Coffee Community Center di Sleman*’, pp. 1–14. Yogyakarta:
Fakultas Teknik Program Studi Arsitektur Universitas Atma Jaya
Yogyakarta
- Rabadán, A. and Bernabéu, R. (2021) ‘A systematic review of studies using the Food Neophobia Scale: Conclusions from thirty years of studies’, *Food Quality and Preference*, 93(March). doi: 10.1016/j.foodqual.2021.104241.
- Reinbach, H. C. *et al.* (2014) ‘Comparison of three sensory profiling methods based on consumer perception: CATA, CATA with intensity and Napping®’, *Food Quality and Preference*, 32, pp. 160–166. doi: 10.1016/j.foodqual.2013.02.004.
- Richardson-Harman, N. J. *et al.* (2000) ‘Mapping consumer perceptions of creaminess and liking for liquid dairy products’, *Food Quality and Preference*, 11(3), pp. 239–246. doi: 10.1016/S0950-3293(99)00060-9.
- Rojas, R. *et al.* (2016) ‘Phenolic Compound Recovery from Grape Fruit and By-Products: An Overview of Extraction Methods’, *Grape and Wine Biotechnology*, (February 2017). doi: 10.5772/64821.
- Schilling, M. W. and Coggins, P. C. (2007) ‘Utilization of agglomerative hierarchical clustering in the analysis of hedonic scaled consumer acceptability data’, *Journal of Sensory Studies*, 22(4), pp. 477–491. doi: 10.1111/j.1745-459X.2007.00121.x.
- Sinesio, F. (2004) ‘Sensory Evaluation’, *Encyclopedia of Analytical Science: Second Edition*, pp. 283–290. doi: 10.1016/B0-12-369397-7/00561-6.

Suwonsichon, S. (2019) 'The Importance of Sensory Lexicons for Research and',

Foods.

Thompson, J. L. *et al.* (2004) 'S : Sensory and Nutritive Qualities of Food

Preference Mapping of Commercial Chocolate Milks', *Journal of Food*

Science, 69(9), pp. 406–413.

Trade, I. and Itc, C. (2012) *The Coffee Exporter's Guide, The Coffee Exporter's*

Guide. doi: 10.18356/a556dbd7-en.

World Coffee Research (2017) 'Sensory Lexicon', p. 54. Available at:

https://worldcoffeeresearch.org/media/documents/20170622_WCR_Sensory_Lexicon_2-0.pdf.

Yao, T. (2013) 'Brew Methods Effect On Coffee Flavor and Aroma', *Africa's*

potential for the ecological intensification of agriculture, 53(9), pp. 1689–

1699.