

## DAFTAR PUSTAKA

- Abbas, O., Pissard, A., & Baeten, V. (2020). Near-infrared, mid-infrared, and Raman spectroscopy. In *Chemical Analysis of Food* (pp. 77–134). Elsevier. <https://doi.org/10.1016/b978-0-12-813266-1.00003-6>
- Ackah, E., & Dompey, E. (2021). Effects of fermentation and drying durations on the quality of cocoa (*Theobroma cacao* L.) beans during the rainy season in the Juaboso District of the Western-North Region, Ghana. *Bulletin of the National Research Centre*, 45(1). <https://doi.org/10.1186/s42269-021-00634-7>
- Aculey, P. C., Snitkjaer, P., Owusu, M., Bassompierre, M., Takrama, J., Nørgaard, L., Petersen, M. A., & Nielsen, D. S. (2010). Ghanaian cocoa bean fermentation characterized by spectroscopic and chromatographic methods and chemometrics. *Journal of Food Science*, 75(6). <https://doi.org/10.1111/j.1750-3841.2010.01710.x>
- Afoakwa, E. O. (2012). *Chocolate and Cocoa, Flavor and Quality*.
- Afoakwa, E. O. (2014). *Cocoa Production and Processing Technology*. CRC Press.
- Afoakwa, E. O., Paterson, A., Fowler, M., & Ryan, A. (2008). Flavor formation and character in cocoa and chocolate: A critical review. *Critical Reviews in Food Science and Nutrition*, 48(9), 840–857. <https://doi.org/10.1080/10408390701719272>
- Álvarez, C., Pérez, E., Cros, E., Lares, M., Assemat, S., Boulanger, R., & Davrieux, F. (2012). The use of near infrared spectroscopy to determine the fat, caffeine, theobromine and (-)-epicatechin contents in unfermented and sun-dried beans of Criollo cocoa. *Journal of Near Infrared Spectroscopy*, 20(2), 307–315. <https://doi.org/10.1255/jnirs.990>
- Apriyanto, M., Sutardi, S., Supriyanto, S., & Harmayani, E. (2018). Fermentasi Biji Kakao Kering Menggunakan *Saccharomyces cerevisiae*, *Lactobacillus lactis*, dan *Acetobacter aceti*. *Agritech*, 37(3), 302. <https://doi.org/10.22146/agritech.17113>
- Badan Pusat Statistik Provinsi D.I Yogyakarta. (2021). Provinsi Daerah Istimewa Yogyakarta Dalam Angka 2021. *Badan Pusat Statistik Provinsi D.I Yogyakarta*.
- Barker, M., & Rayens, W. (2003). Partial least squares for discrimination. *Journal of Chemometrics*, 17(3), 166–173. <https://doi.org/10.1002/cem.785>
- Beckett, S. T., Fowler, M. S., & Ziegler, G. R. (2017). *Beckett's Industrial Chocolate Manufacture and Use* (5th ed.). John Wiley & Sons.
- Bedini, A., Zanolli, V., Zanardi, S., Bersellini, U., Dalcanale, E., & Suman, M. (2013). Rapid and Simultaneous Analysis of Xanthines and Polyphenols as Bitter Taste Markers in Bakery Products by FT-NIR Spectroscopy. *Food Analytical Methods*, 6(1), 17–27. <https://doi.org/10.1007/s12161-012-9405-7>
- Bolenz, S., Thiessenhusen, T., & Schäpe, R. (2003). Fast conching for milk chocolate. *European Food Research and Technology*, 218(1), 62–67. <https://doi.org/10.1007/s00217-003-0790-4>

- Brito, A. L. B., Brito, L. R., Honorato, F. A., Pontes, M. J. C., & Pontes, L. F. B. L. (2013). Classification of cereal bars using near infrared spectroscopy and linear discriminant analysis. *Food Research International*, 51(2), 924–928. <https://doi.org/10.1016/j.foodres.2013.02.014>
- Chen, Q., Zhao, J., Liu, M., Cai, J., & Liu, J. (2008). Determination of total polyphenols content in green tea using FT-NIR spectroscopy and different PLS algorithms. *Journal of Pharmaceutical and Biomedical Analysis*, 46(3), 568–573. <https://doi.org/10.1016/j.jpba.2007.10.031>
- Chia, K. S., Abdul Rahim, H., & Abdul Rahim, R. (2013). Evaluation of common pre-processing approaches for visible (VIS) and shortwave near infrared (SWNIR) spectroscopy in soluble solids content (SSC) assessment. *Biosystems Engineering*, 115(1), 82–88. <https://doi.org/10.1016/j.biosystemseng.2013.02.008>
- Choudhury, A. K. R. (2014). Colour measurement instruments. In *Principles of Colour and Appearance Measurement* (pp. 221–269). Elsevier. <https://doi.org/10.1533/9780857099242.221>
- Diniz, P. H. G. D., Barbosa, M. F., de Melo Milanez, K. D. T., Pistonesi, M. F., & de Araújo, M. C. U. (2016). Using UV-Vis spectroscopy for simultaneous geographical and varietal classification of tea infusions simulating a home-made tea cup. *Food Chemistry*, 192, 374–379. <https://doi.org/10.1016/j.foodchem.2015.07.022>
- Diniz, P. H. G. D., Gomes, A. A., Pistonesi, M. F., Band, B. S. F., & de Araújo, M. C. U. (2014). Simultaneous Classification of Teas According to Their Varieties and Geographical Origins by Using NIR Spectroscopy and SPA-LDA. *Food Analytical Methods*, 7(8), 1712–1718. <https://doi.org/10.1007/s12161-014-9809-7>
- Direktorat Statistik Tanaman Pangan Hortikultura dan Perkebunan. (2021). Statistik Kakao Indonesia 2020. *Badan Pusat Statistik Indonesia*.
- Fahroji. (2011). *Penanganan Pascapanen yang Baik*.
- Fu, X., Ying, Y., Lu, H., & Xu, H. (2007). Comparison of diffuse reflectance and transmission mode of visible-near infrared spectroscopy for detecting brown heart of pear. *Journal of Food Engineering*, 83(3), 317–323. <https://doi.org/10.1016/j.jfoodeng.2007.02.041>
- García-Alamilla, P., Salgado-Cervantes, M. A., Barel, M., Berthomieu, G., Rodríguez-Jimenes, G. C., & García-Alvarado, M. A. (2007). Moisture, acidity and temperature evolution during cacao drying. *Journal of Food Engineering*, 79(4), 1159–1165. <https://doi.org/10.1016/j.jfoodeng.2006.04.005>
- Hashimoto, J. C., Lima, J. C., Celeghini, R. M. S., Nogueira, A. B., Efraim, P., Poppi, R. J., & Pallone, J. A. L. (2018). Quality Control of Commercial Cocoa Beans (*Theobroma cacao* L.) by Near-infrared Spectroscopy. *Food Analytical Methods*, 11(5), 1510–1517. <https://doi.org/10.1007/s12161-017-1137-2>
- Ho, V. T. T., Zhao, J., & Fleet, G. (2014). Yeasts are essential for cocoa bean fermentation. *International Journal of Food Microbiology*, 174, 72–87. <https://doi.org/10.1016/j.ijfoodmicro.2013.12.014>

- Hue, C., Gunata, Z., Bergounhou, A., Assemat, S., Boulanger, R., Sauvage, F. X., & Davrieux, F. (2014). Near infrared spectroscopy as a new tool to determine cocoa fermentation levels through ammonia nitrogen quantification. *Food Chemistry*, 148, 240–245. <https://doi.org/10.1016/j.foodchem.2013.10.005>
- ICCO. (2021). ICCO Production\_QBCS-XLVII-No.-4. *ICCO Quarterly Bulletin of Cocoa Statistics*, XLVII.
- Ilangantileke', S. G., Wahyudi, T., & Gracia Bailon, M. A. (1991). Assessment Methodology to Predict Quality of Cocoa Beans for Export. *Journal of Food Quality*, 14(6), 481–496. <https://doi.org/https://doi.org/10.1111/j.1745-4557.1991.tb00088.x>
- Ioannone, F., di Mattia, C. D., de Gregorio, M., Sergi, M., Serafini, M., & Sacchetti, G. (2015). Flavanols, proanthocyanidins and antioxidant activity changes during cocoa (*Theobroma cacao* L.) roasting as affected by temperature and time of processing. *Food Chemistry*, 174, 256–262. <https://doi.org/10.1016/j.foodchem.2014.11.019>
- Jakubíková, M., Sádecká, J., Kleinová, A., & Májek, P. (2016). Near-infrared spectroscopy for rapid classification of fruit spirits. *Journal of Food Science and Technology*, 53(6), 2797–2803. <https://doi.org/10.1007/s13197-016-2254-4>
- Kadow, D., Bohlmann, J., Phillips, W., & Lieberei, R. (2013). Identification of main fine or flavour components in two genotypes of the cocoa tree (*Theobroma cacao* L.). *Journal of Applied Botany and Food Quality*, 86(1), 90–98. <https://doi.org/10.5073/JABFQ.2013.086.013>
- Lee, L. C., Liong, C. Y., & Jemain, A. A. (2018). Partial least squares-discriminant analysis (PLS-DA) for classification of high-dimensional (HD) data: A review of contemporary practice strategies and knowledge gaps. In *Analyst* (Vol. 143, Issue 15, pp. 3526–3539). Royal Society of Chemistry. <https://doi.org/10.1039/c8an00599k>
- Li, Z., Wang, P. P., Huang, C. C., Shang, H., Pan, S. Y., & Li, X. J. (2014). Application of Vis/NIR Spectroscopy for Chinese Liquor Discrimination. *Food Analytical Methods*, 7(6), 1337–1344. <https://doi.org/10.1007/s12161-013-9755-9>
- Lindon, J. C., & Tranter, G. E. (2017). Spatially Resolved IR. In J. C. Lindon, G. E. Tranter, & D. W. Koppenaal (Eds.), *Encyclopedia of Spectroscopy and Spectrometry (Third Edition)* (pp. 149–157). Academic Press. <https://doi.org/https://doi.org/10.1016/B978-0-12-409547-2.12145-6>
- Martelo-Vidal, M. J., & Vázquez, M. (2014). Evaluation of Ultraviolet, Visible, and Near Infrared Spectroscopy for the Analysis of Wine Compounds. In *Czech J. Food Sci* (Vol. 32, Issue 1).
- Martelo-Vidal, M. J., & Vázquez, M. (2015). Application of artificial neural networks coupled to UV-VIS-NIR spectroscopy for the rapid quantification of wine compounds in aqueous mixtures. *CYTA - Journal of Food*, 13(1), 32–39. <https://doi.org/10.1080/19476337.2014.908955>
- Masithoh, R. E., Haff, R., & Kawano, S. (2016). Determination of soluble solids content and titratable acidity of intact fruit and juice of satsuma Mandarin

- using a hand-held near infrared instrument in transmittance mode. *Journal of Near Infrared Spectroscopy*, 24(1), 83–88. <https://doi.org/10.1255/jnirs.1196>
- Masithoh, R. E., Pahlawan, M. F. R., & Wati, R. K. (2021). Non-destructive determination of SSC and pH of banana using a modular Vis/NIR spectroscopy: Comparison of Partial Least Square (PLS) and Principle Component Regression (PCR). *IOP Conference Series: Earth and Environmental Science*, 752(1). <https://doi.org/10.1088/1755-1315/752/1/012047>
- Meulemans, C. C. E., T, U. S., & Tjatjo, A. (2002). Colorimetric Measurements of Cocoa Beans (*Theobroma Cacao*). *Indonesian Journal of Agricultural Science*, 3(2), 52–57. <https://doi.org/10.21082/ijas.v3n2.2002.p52-57>
- Miller, J. N. (James N. ), & Miller, J. C. (Jane C. (2005). *Statistics and chemometrics for analytical chemistry*. Pearson/Prentice Hall.
- Misnawi, Jinap, S., Jamilah, B., & Nazamid, S. (2005). Changes in polyphenol ability to produce astringency during roasting of cocoa liquor. *Journal of the Science of Food and Agriculture*, 85(6), 917–924. <https://doi.org/10.1002/jsfa.1954>
- Morais, C. L. M., Lima, K. M. G., & Martin, F. L. (2019). Uncertainty estimation and misclassification probability for classification models based on discriminant analysis and support vector machines. *Analytica Chimica Acta*, 1063, 40–46. <https://doi.org/10.1016/j.aca.2018.09.022>
- Ndukwu, M. C., & Udofia, M. (2016). Kinetics of change in colour and some biochemical composition during fermentation of cocoa bean. *Cogent Food and Agriculture*, 2(1). <https://doi.org/10.1080/23311932.2016.1268743>
- Nicolai, B. M., Beullens, K., Bobelyn, E., Peirs, A., Saeys, W., Theron, K. I., & Lammertyn, J. (2007). Nondestructive measurement of fruit and vegetable quality by means of NIR spectroscopy: A review. In *Postharvest Biology and Technology* (Vol. 46, Issue 2, pp. 99–118). <https://doi.org/10.1016/j.postharvbio.2007.06.024>
- Pahlawan, M. F. R., Wati, R. K., & Masithoh, R. E. (2021). Development of a low-cost modular VIS/NIR spectroscopy for predicting soluble solid content of banana. *IOP Conference Series: Earth and Environmental Science*, 644(1). <https://doi.org/10.1088/1755-1315/644/1/012047>
- Randolph, T. W. (2006). Scale-based normalization of spectral data. In *Cancer Biomarkers* (Vol. 2). IOS Press.
- Rinnan, Å., Berg, F. van den, & Engelsen, S. B. (2009). Review of the most common pre-processing techniques for near-infrared spectra. In *TrAC - Trends in Analytical Chemistry* (Vol. 28, Issue 10, pp. 1201–1222). <https://doi.org/10.1016/j.trac.2009.07.007>
- Sánchez, K., Bacca, J., Arévalo-Sánchez, L., Arguello, H., & Castillo, S. (2021). Classification of Cocoa Beans Based on their Level of Fermentation using Spectral Information. *TecnoLógicas*, 24(50), e1654. <https://doi.org/10.22430/22565337.1654>
- Saputro, A. D., Muhammad, D. R. A., Sunarharum, W. B., Kusumadevi, Z., & Irmandharu, F. (2021). Physical characteristics of chocolate made from cocoa bean fermented at different duration: A preliminary study. *IOP*

- Conference Series: Earth and Environmental Science*, 653(1).  
<https://doi.org/10.1088/1755-1315/653/1/012039>
- Schaare, P. N., & Fraser, D. G. (2000). Comparison of reflectance, interactance and transmission modes of visible-near infrared spectroscopy for measuring internal properties of kiwifruit (*Actinidia chinensis*). In *Postharvest Biology and Technology* (Vol. 20). [www.elsevier.com/locate/postharvbio](http://www.elsevier.com/locate/postharvbio)
- Schneider, A., & Feussner, H. (2017). Operative (Surgical) Laparoscopy. In *Biomedical Engineering in Gastrointestinal Surgery* (pp. 269–327). Elsevier.  
<https://doi.org/10.1016/b978-0-12-803230-5.00007-5>
- Teye, E., Huang, X., Sam-Amoah, L. K., Takrama, J., Boison, D., Botchway, F., & Kumi, F. (2015). Estimating cocoa bean parameters by FT-NIRS and chemometrics analysis. *Food Chemistry*, 176, 403–410.  
<https://doi.org/10.1016/j.foodchem.2014.12.042>
- Tominaga, Y. (1999). Comparative study of class data analysis with PCA-LDA, SIMCA, PLS, ANNs, and k-NN. In *Chemometrics and Intelligent Laboratory Systems* (Vol. 49). [www.elsevier.com/locate/chemometrics](http://www.elsevier.com/locate/chemometrics)
- Trullols, E., Ruisánchez, I., & Rius, F. X. (2004). Validation of qualitative analytical methods. *TrAC - Trends in Analytical Chemistry*, 23(2), 137–145.  
[https://doi.org/10.1016/S0165-9936\(04\)00201-8](https://doi.org/10.1016/S0165-9936(04)00201-8)
- Vieira, L. S., Assis, C., de Queiroz, M. E. L. R., Neves, A. A., & de Oliveira, A. F. (2021). Building robust models for identification of adulteration in olive oil using FT-NIR, PLS-DA and variable selection. *Food Chemistry*, 345.  
<https://doi.org/10.1016/j.foodchem.2020.128866>
- Wahyuni, N. L., Sunarharum, W. B., Muhammad, D. R. A., & Saputro, A. D. (2021). Formation and development of flavour of cocoa (*Theobroma cacao* L.) cultivar Criollo and Forastero: A review. *IOP Conference Series: Earth and Environmental Science*, 733(1). <https://doi.org/10.1088/1755-1315/733/1/012078>
- Wang, J., Nakano, K., & Ohashi, S. (2011). Nondestructive detection of internal insect infestation in jujubes using visible and near-infrared spectroscopy. *Postharvest Biology and Technology*, 59(3), 272–279.  
<https://doi.org/10.1016/j.postharvbio.2010.09.017>
- Wati, R. K., Pahlawan, M. F. R., & Masithoh, R. E. (2021). Development of calibration model for pH content of intact tomatoes using a low-cost Vis/NIR spectroscopy. *IOP Conference Series: Earth and Environmental Science*, 686(1). <https://doi.org/10.1088/1755-1315/686/1/012049>