

DAFTAR PUSTAKA

- Abdipour, M., Hosseinifarahi, M. and Naseri, N., 2019. Combination method of UV-B and UV-C prevents post-harvest decay and improves organoleptic quality of peach fruit. *Scientia Horticulturae*, 256, p.108564.
- Adirahmanto, K.A., Hartanto, R., Novita, D.D. 2013. Perubahan Kimia dan Lama Simpan Buah Salak Pondoh (*Salacca edulis* REINW) dalam Penyimpanan Dinamis Udara - CO₂. *Jurnal Teknik Pertanian Lampung*. 2(3): 123-132.
- Afriani, N., 2020. Mutu Fisik dan Kimia Manggis (*Garcinia Mangotana* L.) dengan Jenis Kemasan Berbeda. *Skripsi*. Departemen Agroteknologi. Fakultas Pertanian dan Peternakan Universitas Islam Negeri Sultan Syarif Kasim Riau. Riau
- Ahmad, U. 2013. *Teknologi Penanganan Pascapanen Buah dan Sayur*. Yogyakarta: Graha Ilmu.
- Al-Baarri, A.N.M., Legowo, A.M., Wratsongko, A.C.D., Puspitoasih, A.D., Izzati, L., Auliana, E., Pangestika, W., Hadipernata, M. and Broto, W., 2019, June. Effect of hypiodous acid (HIO) treatment on color and pH changes in snake fruit (*Salacca edulis* Reinw.) during room temperature storage. In *IOP Conference Series: Earth and Environmental Science* (Vol. 292, No. 1, p. 012042). IOP Publishing.
- Alhagdow, M., Mounet, F., Gilbert, L., Nunes-Nesi, A., Garcia, V., Just, D., Petit, J., Beauvoit, B., Fernie, A.R., Rothan, C. and Baldet, P., 2007. Silencing of the mitochondrial ascorbate synthesizing enzyme L-galactono-1, 4-lactone dehydrogenase affects plant and fruit development in tomato. *Plant Physiology*, 145(4), pp.1408-1422.
- Almatsier, S. 2004. *Prinsip Dasar Ilmu Gizi*. Jakarta: Gramedia Pustaka Utama
- Arief, P.W. 2003. Analisis Preferensi Konsumen Luar Negeri terhadap Atribut Buah Salak dan Implikasinya terhadap Strategi Pengembangan Pemasaran Salak Pondoh. *Skripsi*. Institut Pertanian Bogor. Bogor

- Ariesta, D.F., 2017. Pengawetan Menggunakan Ekstrak Lengkuas, Nanozeolit dengan Pengemasan Individu Low Density Polyethylene (Ldpe) untuk Menunjang Ekspor Salak Pondok (*Salacca edulis Reinw*). *Skripsi*. Departemen Teknologi Pangan dan Hasil Pertanian. Fakultas Teknologi Pertanian Universitas Gadjah Mada. Yogyakarta
- Ashari, S. 2006. *Hortikultura Aspek Budidaya*. Jakarta: UI press. 490 pp.
- Azene, M., Workneh, T.S. and Woldetsadik, K., 2014. Effect of packaging materials and storage environment on postharvest quality of papaya fruit. *Journal of food science and technology*, 51(6), pp.1041-1055.
- Charkhi, A., Hossein, K., dan Mohammad, K., 2010, Optimized Experimental Design for Natural Clipnoptilolite Zeolite Ball Milling to Produce Nano Powder. *Powder Technology*, 203(2) : 389-396
- Charles, M.T., Arul, J., Charlebois, D., Yaganza, E.S., Rolland, D., Roussel, D. and Merisier, M.J., 2016. Postharvest UV-C treatment of tomato fruits: changes in simple sugars and organic acids contents during storage. *LWT-Food Science and Technology*, 65, pp.557-564.
- Charles, M.T., Corcuff, R., Roussel, D. and Arul, J., 2002, June. Effect of maturity and storage conditions on rishitin accumulation and disease resistance to *Botrytis cinerea* in UV-C treated tomato fruit. In *International Conference: Postharvest Unlimited 599* (pp. 573-576).
- Direktorat Gizi Departemen Kesehatan RI. 2002. *Daftar Komposisi Zat Gizi Pangan Indonesia*. Jakarta: Departemen Kesehatan RI.
- Djaafar, FR, Mudjisihono, dan Thamrin M. 1998. Pengaruh Kondisi dan Waktu Penyimpanan Terhadap Kualitas Buah Salak Pondok. *Seminar Penerapan Teknologi Spesifik Lokasi Dalam Rangka Menunjang Efisiensi Usaha Pertanian di Jateng dan di Yogyakarta*.
- Foyer, C.H. and Noctor, G., 2011. Ascorbate and glutathione: the heart of the redox hub. *Plant physiology*, 155(1), pp.2-18.
- Gharezi, M., Joshi, N. and Sadeghian, E., 2012. Effect of postharvest treatment on stored cherry tomatoes. *J. Nutr. Food Sci*, 2(8), pp.1-10.

- Hidayah, N., 2017. Pengaruh Suhu Penyimpanan dan Konsentrasi Pati Lindur (*Bruguiera Gymnorhiza*) pada Aplikasi Edible Coating terhadap Kualitas Buah Rambutan (*Nephellium lappaceum*). *Skripsi*. Universitas Islam Negeri Maulana Malik Ibrahim.
- Indrawati, I. *et al.*, 2015. Tingkat Kesejahteraan Petani Salak di Desa Tinjoman Lama Kecamatan Padangsidempuan Hutaimbaru Kota Padangsidempuan. *Tesis*. Universitas Riau. Riau
- Islam, M.S., T Mafsui and Y. Yoshida, 1996. Physical Chemical and physiological Changes in storage tomatoes under various temperatures. *Tech. Bull. Faculty Agric.*, 110: 1207-1214.
- Jackman, R. L., & Stanley, D. W. (1995). Review: Perspective in the textural evaluation of plant foods. *Trends Food Sci. Technol.*, 6, 187-194
- Kader AA. 1985. Postharvest biology and technology: an overview. In Postharvest Technology of Horticultural Crops. In: Kader AA, Kasmire RF, Mitchell FG, Reid MS, Sommer WF, Thompson JF (eds) *Special Publication*. 3311, University of California, Davis, CA, , pp. 3–7.
- Khademi, O., Zamani, Z., Poor Ahmadi, E. and Kalantari, S., 2013. Effect of UV-C radiation on postharvest physiology of persimmon fruit (*Diospyros kaki* Thunb.) cv. 'Karaj' during storage at cold temperature. *International Food Research Journal*, 20(1).
- Kishore, K., Pathak, K.A., Shukla, R. and Bharali, R., 2011. Effect of storage temperature on physico-chemical and sensory attributes of purple passion fruit (*Passiflora edulis* Sims). *Journal of food science and technology*, 48(4), pp.484-488.
- Lestari, R., Ebert, G. and Huyskens-Keil, S., 2013. Fruit Quality Changes of Salak "Pondoh" Fruits (*Salacca zalacca* (Gaertn.) Voss) during Maturation and Ripening. *Journal of Food Research*, 2(1), p.204.
- Li, P., Yu, X. and Xu, B., 2017. Effects of UV-C light exposure and refrigeration on phenolic and antioxidant Profiles of subtropical fruits (Litchi, Longan, and Rambutan) in different fruit forms. *Journal of Food Quality*, 2017.

- Lichtscheidl-Schultz, I., 1985. Effects of UV-C and UV-B on cytomorphology and water permeability of inner epidermal cells of *Allium cepa*. *Physiologia Plantarum*, 63(3), pp.269-276.
- Lin, Q., Xie, Y., Liu, W., Zhang, J., Cheng, S., Xie, X., Guan, W., Wang, Z., 2017. UV-C treatment on physiological response of potato (*Solanum tuberosum* L.) during low temperature storage. *J. Food Sci. Technol.* 54, 55–61.
- Liu, J., Li, F., Li, T., Yun, Z., Duan, X. and Jiang, Y., 2019. Fibroin treatment inhibits chilling injury of banana fruit via energy regulation. *Scientia Horticulturae*, 248, pp.8-13.
- Manzocco, L., Nicoli, M.C., 2015. Surface Processing: Existing and Potential Applications of Ultraviolet Light. *Crit. Rev. Food Sci. Nutr.* 55, 469–484
- Marlina, L., Purwanto, Y.A. and Ahmad, U., 2014. Aplikasi pelapisan kitosan dan lilin lebah untuk meningkatkan umur simpan salak pondoh. *Jurnal Keteknik Pertanian*, 2(1).
- Mathooko, F.M., 2003. A comparison of modified atmosphere packaging under ambient conditions and low temperatures storage on quality of tomato fruit. *Article*. University of Toronto.
- Muchtadi, D. 1992. *Fisiologi Pasca Panen Sayuran dan Buah-buahan*. Bogor : Departemen Pendidikan Dan Kebudayaan Direktorat Jenderal Pendidikan Tinggi Pusat Antar Universitas Pangan Dan Gizi IPB.
- Nasution, S., dan Warsiki, E., 2011. Pengaruh Jenis Kemasan dan Suhu Penyimpanan Terhadap. Kesegaran dan Kualitas Buah Salak Padang Sidimpuan (*Salacca sumatrana*). *Skripsi*. Fakultas Teknologi Pertanian Institut Pertanian Bogor.
- Pataro, G., Sinik, M., Capitoli, M.M., Donsi, G. and Ferrari, G., 2015. The influence of post-harvest UV-C and pulsed light treatments on quality and antioxidant properties of tomato fruits during storage. *Innovative Food Science & Emerging Technologies*, 30, pp.103-111.

- Prihatman, K. 2000. *Tentang Budidaya Pertanian*. Jakarta: Kantor Deputi Menegristek Bidang Pendayagunaan dan Pemasyarakatan Ilmu Pengetahuan dan Teknologi.
- Putra, B.S. 2011. Kajian Pelapisan dan Suhu Penyimpanan untuk Mencegah Busuk Buah pada Salak Pondoh (*Salacca edulis* Reinw). *Tesis*. Institut Pertanian Bogor. Bogor
- Putra, B.S. and Agustina, R., 2014. Sistem penyimpanan salak Sabang (*Salacca edulis* sp) dalam rangka peningkatan potensi komoditi daerah Sabang (Aceh). *Rona Teknik Pertanian*, 7(2), pp.150-160.
- Putra, T.T. 2016. Nilai Tambah Produk Olahan Berbahan Baku Salak Pondoh Skala Industri Rumah Tangga di Desa Donokerto Kecamatan Turi Kabupaten Sleman. *Skripsi*. Universitas Muhammadiyah Yogyakarta. Yogyakarta
- Rabelo, M.C., Bang, W.Y., Nair, V., Alves, R.E., Jacobo-Velázquez, D.A., Sreedharan, S., de Miranda, M.R.A. and Cisneros-Zevallos, L., 2020. UV-C light modulates vitamin C and phenolic biosynthesis in acerola fruit: role of increased mitochondria activity and ROS production. *Scientific reports*, 10(1), pp.1-14.
- Rameshkumar, A., Sivasudha, T., Jeyadevi, R., Ananth, D.A. and Pradeepha, G., 2012. Effect of environmental factors [air and UV-C irradiation] on some fresh fruit juices. *European Food Research and Technology*, 234(6), pp.1063-1070.
- Rooban, R., Shanmugam, M., Venkatesan, T. and Tamilmani, C., 2016. Physiochemical changes during different stages of fruit ripening of climacteric fruit of mango (*Mangifera indica* L.) and non-climacteric of fruit cashew apple (*Anacardium occidentale* L.). *J Appl Adv Res*, 1(2), pp.53-8.
- Setyaning, U. 2012. Pengaruh lama penyinaran UV-C terhadap mutu dan umur simpan tomat (*Lycopersicon esculentum* Mill.). *Skripsi*. Jurusan Budidaya Pertanian, Fakultas Pertanian UGM.
- Silaban, S.D., Prihastanti, E. and Saptiningsih, E., 2013. Pengaruh Suhu dan Lama Penyimpanan Terhadap Kandungan Total Asam, Kadar Gula serta

- Kematangan Buah Terung Belanda (*Cyphomandra betacea* Sent.). *Buletin Anatomi Dan Fisiologi Dh Sellula*, 21(1), pp.55-63.
- Siregar, M.S., 2014. Pengaruh Suhu dan Waktu Penyimpanan terhadap Kadar Gula Reduksi yang Terkandung dalam Buah Salak Padangsidempuan. *AGRIUM: Jurnal Ilmu Pertanian*, 16(2), pp.86-93.
- Sosrodiharjo, S., dan Daryono, M., 1986. The practical method of harvest time on mangosteen fruits and its characteristics in storage. *Buletin Penelitian Hortikultura*.
- Suhardi, T. and Santosa, U., 1997. Perubahan kimia dan sensoris buah salak pondok selama penyimpanan dalam termodifikasi. *Agritech*, 17(1997).
- Suter, I.K. 1988. Telaah Sifat Buah Salak Bali sebagai Dasar Pembinaan Mutu Akhir. *Disertasi*. Institut Pertanian Bogor. Bogor
- Sutoyo dan Suprpto. 2010. *Budidaya Tanaman Salak*. Ungaran: Balai Pengkajian Teknologi Pertanian Jawa Tengah.
- Tranggono, T., Raharjo, B., and Dethan, J.S., 1998. Textural Behavior of Ripening Sapota. Fruits. *Indonesian Food and Nutrition Progress*, 5(2), pp.43-48.
- Wen H, Chung HP, Chou FI, Lin IH, Hsieh PC (2006) Effect of gamma irradiation on microbial decontamination and chemical and sensory characteristic of lycium fruit. *Radiat Phys Chem*. 75:596–603
- Widayanti, S. M. 2016. Desain Penyerap Etilen Berbahan Nano Zeolit- KmnO_4 sebagai Kemasan Aktif untuk Penyimpanan Buah Klimakterik. *Tesis*. Sekolah Pascasarjana, IPB.
- Winarno, FG. 2002. *Kimia Pangan dan Gizi*. Jakarta: Gramedia.
- Wills, R. B. H., McGlasson, B., Graham, D. dan Joyce, D. 1998. *Postharvest. Introduction to the Physiology and Handling of Fruit, Vegetables and Ornamentals*. 4th ed. University of New South Wales. Sydney.
- Yunika, R. 2009. Kajian Jenis Kemasan Selama Transportasi dan Pengaruh Suhu Penyimpanan terhadap Umur Simpan dan Mutu Buah Manggis (*Garcinia mangostana* L.). *Skripsi*. Departemen Teknik Pertanian. Fakultas Teknologi Pertanian Institut Pertanian Bogor.
- Zhou, D., Chen, L., Wu, F., Wang, J., Yang, F. 2012. Debromination of

Hexabromocyclododecane in Aqueous Solution by UV-C Irradiation.

Fresenius Environmental Bulletin. 21(1): 107-111.