



DAFTAR PUSTAKA

- Agelet, L. E., & Hurlburgh, C. R. (2010). A tutorial on near infrared spectroscopy and its calibration. *Critical Reviews in Analytical Chemistry*, 40(4), 246–260. <https://doi.org/10.1080/10408347.2010.515468>
- Aklimawati, L., & Mawardi, S. (2014). *Karakteristik Mutu dan Agribisnis Kopi Robusta di Lereng Gunung Tambora , Sumbawa Characteristics of Quality Profile and Agribusiness of Robusta Coffee in Tambora Mountainside , Sumbawa*. 30(2), 159–180.
- Ariyanti, M. (2017). Quality Characteristics Of Cocoa Beans (*Theobroma cacao L*) With Time Fermentation Treatment Based on ISO 2323-2008. *Jurnal Industri Hasil Perkebunan*, 12(1), 34. <https://doi.org/10.33104/jihp.v12i1.2757>
- Caporaso, N., Whitworth, M. B., Grebby, S., & Fisk, I. D. (2018). Rapid prediction of single green coffee bean moisture and lipid content by hyperspectral imaging. *Journal of Food Engineering*. <https://doi.org/10.1016/j.jfoodeng.2018.01.009>
- Cruz-Tirado, J. P., Fernández Pierna, J. A., Rogez, H., Barbin, D. F., & Baeten, V. (2020). Authentication of cocoa (*Theobroma cacao*) bean hybrids by NIR-hyperspectral imaging and chemometrics. *Food Control*, 118, 107445. <https://doi.org/10.1016/j.foodcont.2020.107445>
- Edem, J., Hinneh, M., Walle, D. Van De, Ohene, E., Boeckx, P., & Dewettinck, K. (2016). Factors influencing quality variation in cocoa (*Theobroma cacao*) bean flavour profile A review. *FRIN*, 82, 44–52. <https://doi.org/10.1016/j.foodres.2016.01.012>
- Fachrurrazi, S., & Burhanuddin. (2018). Penggunaan Metode Support Vector Machine Untuk Mengklasifikasi Dan Memprediksi Angkutan Udara Jenis Penerbangan Domestik Dan Penerbangan Internasional di Banda Aceh. *Jurnal Sistem Informasi*, 2(2), 1–10.
- Hayati, R., Yusmanizar, Mustafrial, & Fauzi, H. (2012). Kajian Fermentasi dan Suhu Pengeringan pada Mutu Kakao (*Theobroma cacao L*). *Jurnal Teknik Pertanian*, 26(2), 129–135.
- Indarti, E., Widayat, H. P., & Zuhri, N. (2011). Effect of fermentation container and thickness of bean mass during fermentation process of cocoa bean (*Theobroma cacao L*). *Proceedings of The Annual International Conference Syiah Kuala University 2011*, 1(1), 64–69.
- Jespersen, L., Nielsen, D. S., Hønholt, S., & Jakobsen, M. (2005). Occurrence and diversity of yeasts involved in fermentation of West African cocoa beans. *FEMS Yeast Research*, 5(4–5), 441–453. <https://doi.org/10.1016/j.femsyr.2004.11.002>
- Karlinasari, L., Sabed, M., Wistara, Nyoman, J., Purwanto, Y. A., & Wijayanto, H. (2014). Karakteristik Spektra Absorbansi NIR (Near Infra Red) Spektroskopi Kayu Acacia mangium WILLD pada 3 Umur Berbeda. *Karakteristik Spektra Absorbansi NIR (Near Infra Red) Spektroskopi Kayu Acacia Mangium WILLD Pada 3 Umur Berbeda*, 6(1), 45–52. <https://doi.org/10.22146/jik.3310>
- Knippling, E. B. (1970). Physical and physiological basis for the reflectance of visible and near-infrared radiation from vegetation. *Remote Sensing of*



- Environment*, 1(3), 155–159. [https://doi.org/10.1016/S0034-4257\(70\)80021-9](https://doi.org/10.1016/S0034-4257(70)80021-9)
- Lasch, P. (2012). Spectral pre-processing for biomedical vibrational spectroscopy and microspectroscopic imaging. *Chemometrics and Intelligent Laboratory Systems*, 117, 100–114. <https://doi.org/10.1016/j.chemolab.2012.03.011>
- Li, J., Huang, W., Zhao, C., & Zhang, B. (2012). A comparative study for the quantitative determination of soluble solids content , pH and firmness of pears by Vis / NIR spectroscopy. *Journal of Food Engineering*. <https://doi.org/10.1016/j.jfoodeng.2012.11.007>
- Li, M., Han, D., & Liu, W. (2019). ScienceDirect Non-destructive measurement of soluble solids content of three melon cultivars using portable visible / near infrared spectroscopy. *Biosystems Engineering*, 188, 31–39. <https://doi.org/10.1016/j.biosystemseng.2019.10.003>
- Masithoh, R. E., Pahlawan, M. F. R., & Wati, R. K. (2021). Non-destructive determination of SSC and pH of banana using a modular Vis/NIR spectroscopy: Comparison of Partial Least Square (PLS) and Principle Component Regression (PCR). *IOP Conference Series: Earth and Environmental Science*, 752(1). <https://doi.org/10.1088/1755-1315/752/1/012047>
- Masithoh, R. E., & Yuliyanda, I. (2019). NIR reflectance spectroscopy and SIMCA for classification of crops flour. *IOP Conference Series: Earth and Environmental Science*, 355(1). <https://doi.org/10.1088/1755-1315/355/1/012004>
- Messai, H., Farman, M., Sarraj-Laabidi, A., Hammami-Semmar, A., & Semmar, N. (2016). Chemometrics methods for specificity, authenticity and traceability analysis of olive oils: Principles, classifications and applications. *Foods*, 5(4), 1–35. <https://doi.org/10.3390/foods5040077>
- Misnawi, Jinap, S., Jamilah, B., & Nazamid, S. (2003). Effects of incubation and polyphenol oxidase enrichment on colour, fermentation index, procyandins and astringency of unfermented and partly fermented cocoa beans. *International Journal of Food Science and Technology*, 38(3), 285–295. <https://doi.org/10.1046/j.1365-2621.2003.00674.x>
- Mite-Baidal, K., Solís-Avilés, E., Martínez-Carriel, T., Marcillo-Plaza, A., Cruz-Ibarra, E., & Baque-Bustamante, W. (2019). Analysis of Computer Vision Algorithms to Determine the Quality of Fermented Cocoa (*Theobroma Cacao*): Systematic Literature Review. *Advances in Intelligent Systems and Computing*, 901, 79–87. https://doi.org/10.1007/978-3-030-10728-4_9
- Multin, C., Munawar, A., & Zulfahrizal, Z. (2016). Prediksi Kadar Air Bubuk Biji Kakao Menggunakan NIRS Dengan Metode PLS. *Jurnal Ilmiah Mahasiswa Pertanian*, 1(1), 1037–1045. <https://doi.org/10.17969/jimfp.v1i1.1179>
- Munawar, A. A., & Hasanuddin. (2020). *Analisis Data Multivariat Menggunakan The Unscrambler X*. Syiah Kuala University Press.
- Nielsen, D. S., Teniola, O. D., Ban-Koffi, L., Owusu, M., Andersson, T. S., & Holzapfel, W. H. (2007). The microbiology of Ghanaian cocoa fermentations analysed using culture-dependent and culture-independent methods. *International Journal of Food Microbiology*, 114(2), 168–186. <https://doi.org/10.1016/j.ijfoodmicro.2006.09.010>



- Nielsen, Dennis S., Snitkjaer, P., & van den Berg, F. (2008). Investigating the fermentation of cocoa by correlating Denaturing Gradient Gel Electrophoresis profiles and Near Infrared spectra. *International Journal of Food Microbiology*, 125(2), 133–140.
- Nugraha, D. T., Zaukuu, J. Z., Vitalis, F., Kovacs, Z., Pablo, J., Aguinaga, B., & Bodor, Z. (2021). *Mung Bean (Vigna radiata) Sprout Growth and Validation of Ascorbic Acid Content*.
- Olatunde, F. A., Oaikhena, I. G., Olorunfemi, A., & Ojo, S. (2014). Effects of Plantain (Musa species) as Shade on the Growth Performance of Cocoa Seedlings in the Nursery at Ibadan. *Natural Science, April*, 447–453.
- Pacific Horticultural and Agricultural Market Access. (2018). *On-farm trials for proven cocoa fermentation and drying method* (114). AECOM Services Pty. Ltd. Brisbane. <https://phamaplus.com.au/resources/technical-reports/farm-trials-proven-cocoa-fermentation-drying-method>
- Pahlawan, M. F. R., Wati, R. K., & Masithoh, R. E. (2021). Development of a low-cost modular VIS/NIR spectroscopy for predicting soluble solid content of banana. *IOP Conference Series: Earth and Environmental Science*, 644(1). <https://doi.org/10.1088/1755-1315/644/1/012047>
- Pomerantsev, A. L., & Rodionova, O. Y. (2014). Concept and role of extreme objects in PCA/SIMCA. *Journal of Chemometrics*, 28(5), 429–438. <https://doi.org/10.1002/cem.2506>
- Prasetyo, T. F., Isdiana, A. F., & Sujadi, H. (2019). Implementasi Alat Pendekripsi Kadar Air pada Bahan Pangan Berbasis Internet Of Things. *SMARTICS Journal*, 5(2), 81–96. <https://doi.org/10.21067/smartics.v5i2.3700>
- Press, W. H., & Teukolsky, S. A. (1990). Savitzky-Golay Smoothing Filters. *Computers in Physics*, 4(6), 669. <https://doi.org/10.1063/1.4822961>
- Pu, H., Liu, D., Wang, L., & Sun, D. (2016). Soluble Solids Content and pH Prediction and Maturity Discrimination of Lychee Fruits Using Visible and Near Infrared Hyperspectral Imaging. 235–244. <https://doi.org/10.1007/s12161-015-0186-7>
- Ray, A., Bandyopadhyay, A., De, S., Ray, B., & Á, P. N. G. (2007). A simple scanning semiconductor diode laser source and its application in wavelength modulation spectroscopy around 825 nm. 39, 359–367. <https://doi.org/10.1016/j.optlastec.2005.07.002>
- Saputro, A. D., Muhammad, D. R. A., Sunarharum, W. B., Kusumadevi, Z., & Irmandharu, F. (2021). Physical characteristics of chocolate made from cocoa bean fermented at different duration: A preliminary study. *IOP Conference Series: Earth and Environmental Science*, 653(1). <https://doi.org/10.1088/1755-1315/653/1/012039>
- Schwanninger, M., Rodrigues, J. C., & Fackler, K. (2011). A review of band assignments in near infrared spectra of wood and wood components. *Journal of Near Infrared Spectroscopy*, 19(5), 287–308. <https://doi.org/10.1255/jnirs.955>
- Senna, A. B. (2020). *Pengolahan Pascapanen pada Tanaman Kakao untuk Meningkatkan Mutu Biji Kakao: Review Berdasarkan data Direktorat Jenderal*. 11(2), 51–57.



- Souza, D., Azevedo, J., Pallone, L., & Jesus, R. (2013). Fourier transform near-infrared spectroscopy (FT-NIRS) application to estimate Brazilian soybean [Glycine max (L .) Merril] composition. *FRIN*, 51(1), 53–58. <https://doi.org/10.1016/j.foodres.2012.09.015>
- Stan, C. (2016). CAC [Codex Alimentarius Commission], Codex Standard. 87; 1981about Chocolate Rev. 1: 2003, CAC, Rome–Italy, 2003. *CAC [Codex Alimentarius Commission], Codex Standard. 87; 1981about Chocolate Rev. 1: 2003, CAC, Rome–Italy, 2003*.
- Stringer, S., & Pin, C. (2005). Microbial risks associated with salt reduction in certain foods and alternative options for preservation. *Institute of Food Research:Norwich,April*, 1–50. https://www.3tres3.com/3tres3_common/art/3tres3/44226/fitxers/acm740a
- Suhandy, D., & Yulia, M. (2017). The Use of Partial Least Square Regression and Spectral Data in UV-Visible Region for Quantification of Adulteration in Indonesian Palm Civet Coffee. *International Journal of Food Science*, 2017. <https://doi.org/10.1155/2017/6274178>
- Sunoj, S., Igathinathane, C., & Visvanathan, R. (2016). Nondestructive determination of cocoa bean quality using FT-NIR spectroscopy. *Computers And Electronics in Agriculture.*, 124, 234–242. <https://doi.org/10.1016/j.compag.2016.04.012>
- Talbot, G. (2009). Science and Technology of Enrobed and Filled Chocolate, Confectionery and Bakery Products. In *Science and Technology of Enrobed and Filled Chocolate, Confectionery and Bakery Products*. <https://doi.org/10.1533/9781845696436>
- Teye, E., Huang, X., Sam-amoaah, L. K., Takrama, J., Boison, D., Botchway, F., & Kumi, F. (2015). Estimating cocoa bean parameters by FT-NIRS and chemometrics analysis. *Journal of Food Chemistry*, 176, 403–410. <https://doi.org/10.1016/j.foodchem.2014.12.042>
- Trognitz, B., Cros, E., Assemat, S., Davrieux, F., Forestier-Chiron, N., Ayestas, E., Kuant, A., Scheldeman, X., & Hermann, M. (2013). Diversity of Cacao Trees in Waslala, Nicaragua: Associations between Genotype Spectra, Product Quality and Yield Potential. *PLOS ONE*, 8(1). <https://doi.org/10.1371/journal.pone.0054079>
- Wahyuni, N. L., Sunarharum, W. B., Muhammad, D. R. A., & Saputro, A. D. (2021). Formation and development of flavour of cocoa (*Theobroma cacao L.*) cultivar Criollo and Forastero: A review. *IOP Conference Series: Earth and Environmental Science*, 733(1). <https://doi.org/10.1088/1755-1315/733/1/012078>
- Wati, R. K., Pahlawan, M. F. R., & Masithoh, R. E. (2021). Development of calibration model for pH content of intact tomatoes using a low-cost Vis/NIR spectroscopy. *IOP Conference Series: Earth and Environmental Science*, 686(1). <https://doi.org/10.1088/1755-1315/686/1/012049>
- Widyotomo, S., Mulato, S., & Suharyanto, E. (2007). Pengaruh Penggilingan Biji Kakao Pascasangrai Terhadap Perubahan Distribusi Ukuran Keping Biji. *Pelita Perkebunan (a Coffee and Cocoa Research Journal)*, 23(1), 73–89.
- Wustqa, D. U., Listyani, E., Subekti, R., Kusumawati, R., Susanti, M., &



UNIVERSITAS
GADJAH MADA

PENGEMBANGAN MODEL PARTIAL LEAST SQUARE REGRESSION (PLSR) UNTUK MEMPREDIKSI
KEASAMAN (pH) DAN KADAR
AIR BIJI KAKAO (*Theobroma Cacao L.*) MENGGUNAKAN SPEKTROSKOPI VISIBLE NEAR INFRARED
(VIS-NIR)

DEDE CAHYO PRIAMBODO, Dr. Rudiati Evi Masithoh, S.TP., M. Dev. Tech.; Arifin Dwi Saputro, S.TP., M.Sc., Ph.D

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Kismiantini, K. (2018). Analisis Data Multivariat Dengan Program R. *Jurnal Pengabdian Masyarakat MIPA Dan Pendidikan MIPA*, 2(2), 83–86. <https://doi.org/10.21831/jpmmp.v2i2.21913>
- Xie, L., Ying, Y., & Ying, T. (2009). Rapid determination of ethylene content in tomatoes using visible and short-wave near-infrared spectroscopy and wavelength selection. *Chemometrics and Intelligent Laboratory Systems*, 97(2), 141–145. <https://doi.org/10.1016/j.chemolab.2009.03.005>
- Yani, A. (2008). *Infeksi Cendawan pada Biji Kopi selama Proses Pengolahan Primer (Studi Kasus di Propinsi Bengkulu) Fungal Infection at Coffee Beans during Primary Processing (Case Study in Bengkulu Province)*. 11(1), 87–95.