

## DAFTAR PUSTAKA

- Acharya, S., Acharya, S., (2018) Dental Materials used in Pediatric Dentistry – A Sneak Peek. *Acta Scientific Dental Sciences*. 2(11): 129-132.
- Agha A., Parker, S., Patel, M., 2020, Polymerization shrinkage kinetics and degree of conversion of commercial and experimental resin modified glass ionomer luting cements (RMGICs), 36(7):893-904.
- Albuquerque Guedes AP, Oliveira-Reis B, Catelan A, Umeda Suzuki TY, Fraga Briso AL, Dos Santos PH. 2018, Mechanical and surface properties analysis of restorative materials submitted to erosive challenges *in situ*. *Eur J Dent*, 12:559-65.
- Aljandan, JK., Algarzai, RM., Alammar, SM., Ayad, NM., Bahgat, HA., 2019, Evaluation of Surface Hardness and Surface Roughness of Different Nano Glass Ionomer Restorative Materials, *Saudi Journal of Oral and dental Research*, 4(8): 543-554.
- Almaireh, A.I., Al-Jundi, S.H. and Alshraideh, H.A., 2019, In vitro evaluation of microleakage in primary teeth restored with three adhesive materials: ACTIVA<sup>TM</sup>, composite resin, and resin-modified glass ionomer, EAPD, p.1-9
- Alobiedy, AN., Al-Helli, AH., Hamaoy, AR., 2019, Effect of adding micro and nano-carbon particles on conventional glass ionomer cement mechanical properties, *Ain Shams Engineering Journal*, 10(2019): 785-789.
- Al-Zaidi, SH & Al Saadi, AK, 2019, Effect of immersing and immersion in Different Solutions on Surface Properties of Denture Lining Materials, *World Journal of Pharmaceutical Researsch*, 8(3): 156-1
- Antunes, DP, Melo Marinho, RM., Garakis, MCV, Bresciani, E., 2015, Buffer Capacity of Saliva as a Function of Time after Consumption of Sugary, Sugar-Free and Probiotic Chewing Gums, *Brazilian Research in Pediatric Dentistry and Integrated Clinic*, 15(1); 153-161.
- Anusavice, KJ, Shen, C,m Rawis, HR., 2013, *Phillips Science of Dental Materials*, Missouri, Elsevier Saunders, p. 325-327.
- Aprilia, Linda Rochyani, Erry Rahardiarto, 2007, Pengaruh Minuman Kopi terhadap Perubahan Warna pada Resin Komposit, *Indonesian Journal of Dentistry*, 14(3): 164-170.

- Arnold, S., 2019, *Comparative evaluation of the compressive strength, surface hardness and porosity of a selection of capsule-mixed versus hand-mixed Glass Ionomer Cements*, University of Pretoria, South Africa, p. 1-2
- Bajwa, NK, Pathak, A., 2014, Change in Surface Roughness of Esthetic Restorative Materials after Exposure to Different Immersion Regimes in a Cola Drink, *ISRN Dent*, doi:10.1155/2014/353926
- Bala O, Yikilgan I, Arise HD, Tuncer SA, 2012, Evaluation of surface roughness and hardness of different glass ionomer cements, *European Journal of Dentistry*, 6:79-86.
- Banerjee, A, & Watson, TF, 2015, *Pickard's Guide to Minimally Invasive Operative Dentistry*, 10<sup>th</sup> ed, UK: Oxford University Press, p. 11-13.
- Bebe, ZA., Susanto, HS, Martini, 2018, Faktor Risiko Kejadian Karies Gigi pada Orang Dewasa Usia 20-39 Tahun di Kelurahan Dadapsari, Kecamatan Semarang Utara, Kota Semarang, *Jurnal Kesehatan Masyarakat*, 6(1): 2356-3346.
- Berdouses EB, Sifakaki M, Lagouvardos P, Oulis CJ. Diagnosis and Restorative Management of Proximal Carious Lesions of Permanent Teeth using Elastic Separators. Description of the Technique and 2 Case Reports. *Dental Research and Oral Health* 3 (2020): 207-213.
- Carvalho FG, Sampaio CS, Fucio SBP, dkk., 2012, Effect of Chemical and Mechanical Degradation on Surface Roughness of Three Glass Ionomers and a Nanofilled Resin Composite, *Operative Dentistry*, 37(5): 509-517.
- Contreras-Guerrero P, Ortiz-Magdaleno M, Urcuyo-Alvarado MS, Cepeda-Bravo JA, Leyva-Del Rio D, Pérez-López JE, Romo-Ramírez GF, Sánchez-Vargas LO. Effect of dental restorative materials surface roughness on the in vitro biofilm formation of *Streptococcus mutans* biofilm. *Am J Dent*. 2020 Apr;33(2):59-63. PMID: 32259408.
- Cunha, CMBL, Wambier, LM., Dias, GF. Dkk., 2017, In Vitro Evaluation of the Impact of Erosive/ Abrasive Challenge in Glassi Ionomer Cements, *Journal of Scientific & Technical Research*, 1(5): 1263-1266.
- De Caluwe, T., Vercruyse, C., Fraeyman, S., Verbeeck, RMH., 2014, The influence of particle size and fluorine content of aluminosilicate glass on the glass ionomer cement properties, *Dental Materials*, 30(2014): 1029-1038.
- Deliormanli, A.M., 2017, Investigation of in vitro mineralization of silicate-based 45S5 and bioactive glasses in artificial saliva for dental applications, *Ceramics International*, 43 : 3531-3539

- Effendi, CM., Nugraeni, Y., Hartami, E., & Nurul Ummah, A. Changes in the Surface Roughness of Glass Ionomer Cement and Zirconomer after Immersion in Carbonated Beverages. *J Dent Indones.* 2020;27(2): 85-90
- Eick S (ed), Oral biofilm, *Monogr Oral Sci*, Basel, Karger, 2021, 29: 155-194, <https://doi.org/10.1159/000510191>
- El-Bialy MR, Shaalan OO, El-Zohairy AA, El-Zoghby AF. Clinical evaluation of glass ionomer with glass hybrid technology versus conventional high-viscosity glass ionomer in class I cavities in patients with high caries risk: Randomized controlled trial. *J Int Oral Health* 2020;12:203-12.
- Eriwati Y., Dhiaulfikri M., Herda E., 2020, Effect of salivary pH on water absorbtion and solubility of enhanced resin-modified glass ionomer, *Journal of Denstistry Indonesia*, 27(3): 164-169.
- Featherson, J., Gomez, FR., Crystal, Y., 2019, CAMBRA Caries Mangement by Risk Assessment A Comprehensive Caries Management Guide for Dental Professionals, *California Dental Association*. P. 7 & 19.
- Firdaus, D., Arma, U., Afriza, D., 2014, Perbedaan Rerata Keasaman Mulut berbagai Kelompok Karies Gigi pada Pasien di RSGM Baiturrahmah Padang, *Jurnal B-Dent*, 1(1): 38-42.
- Firdausy, MD., 2019, Surface Deterioration of GIC Type II Based on its Expiration Date After Immersion in Carbonated Drink, *Dental Materials Science*, 6 (2): 99-106.
- Francois, P., Fouquet, V., Attal, JP, Dursun, E., 2020, Commercially Available Fluoride-Releasing Restorative Materials: A Review and a Proposal for Classification, *Materials*, 2020(13): 1-28.
- Galic, VO., Stamenic, Z., Petrovic, V., Jokanovic, V., Zivkovic, S., 2018, Compressive strength of calcium silicate-based cement, *Serbian Dental Journal*, 65(1): 7-13.
- Garoushi, S., Vallittu, P. K. and Lassila, L., 2018, Characterization of fluoride releasing restorative dental materials, *Dent. Mater. J.*, xxx.e1-12
- Gurgan S., Bilge KZ, Cakur, FY, Esra, E., 2020, A randomized controlled 10 years follow up of a glass ionomer restorative material in class I and clas II cavities, *Journal of Denstistry*, 94: 1-13.



Gurgan, S., Kutuk, ZB, Ozturk, C, Soleimani, R, Cakir, FY, 2019, Clinical Performance of a Glass Hybrid Restorative in Extended Size Class II Cavities, *Operative Dentistry*

Hao, Y., Huang, X., Zhou, X., Li, M., Ren, B., Peng, X., Cheng, L., 2018, Influence of Dental Prosthesis and Restorative Materials Interface on Oral Biofilm, *Int. J. Mo. Sci.*, 19: 17<sup>pgs.</sup>

Heck K., Frasher, I, Diegritz C, Manhart J., Hickel R, Fotiadou C., 2020, Six year results of a randomized controlled clinical trial of two glass ionomer cements in clas II cavities, *journal of Dentistry*, 97 (2020) 103333  
<https://doi.org/10.1016/j.jdent.2020.103333>

Hussein, TA., Wan Bakar, WZ, Ghani, ZA, Mohamad D., 2014, The assessment of surface roughness and microleakage of eroded tooth-colored dental restorative materials, *Journal of Conservative Dentistry*, 17(6):531-535

Hussin HM, Bakar WZ, Ghazali NA, Sajjad A., 2018, Microleakage assessment of a new modified glass ionomer cement-nanozirconia-silica-hydroxyapatite restorative material, *J Int Oral Health*, 10:138-42

Hutauruk, HP., Yamlean, PVY., Wiyono, W., 2020, Formulasi dan Uji Aktivitas Sabun Cair Ekstrak Etanol Herba Seledri terhadap Bakteri Staphylococcus aureus, *Pharmacon Jurnal Ilmiah Farmasi*, 9(1): 73-81.

Kelten OS, Hepdeniz OK, Tuncer Y, Kankaya DA, Gurdal O. Effect of surface characteristic of different restorative materials containing glass ionomer on Streptococcus mutans biofilm. *Niger J Clin Pract* 2020(23):957-64

Langen, EN., Rumampuk, JF., Leman, MA., 2017, Pengaruh Saliva buatan dan belimbing Wuluh terhadap Kekerasan Resin Komposit Nano Hybrid, *Pharmacon Jurnal Ilmiah Farmasi*, 6(1): 9-15.

Lima RB, Farias JF, Andrade AK, Silva F, Duarte RM., 2018, Water absorption and solubility of glass ionomer cements indicated for atraumatic restorative treatment considering the time and the pH of the storage solution. *RGO - Rev Gaúcha Odontol.*,66(1):29–34.

Made Ayu Lely Suratri, Tince A Jovina, Indirawati Tjahja N., 2017, Pengaruh (pH) Saliva terhadap Terjadinya Karies Gigi pada Anak Usia Prasekolah, *Buletin Penelitian Kesehatan*, 45(4) : 241-248.

- Nagi. S.M., Moharam, L.M. and El Hoshy, A.Z., 2018, Fluoride release and recharge of enhanced resin modified glass ionomer at different time intervals, *Future Dental Journal*, 4 : 221-224
- Najeeb S., Khursid, Z., Zafar, MS., dkk., 2016, Modifications in Glass Ionomer Cements: Nano-Sized Fillers and Bioactive Nanoceramics, *Int. J of Mol. Sci.*, 17 (1334): 1- 14.
- Neel, EAA., Aljabo, A., Strange, A., dkk., 2016, Demineralization-remineralization dynamics in teeth and bone, *Int J of Nanomedicine*, 2016(11): 4743-4763.
- Nuba, HB., 2015, Development of Self-Adhesive, *Low Shrinkage, Re-mineralising and High Strength Dental Composite*, University College, London, p. 37.
- Oliveira, GL., Carvalho, CN., Carvalho, EM., Bauer, J., Leal, AMA., 2019, The Influence of Mixing Methods on the Compressive Strength and Fluride Release of Conventional and Resin-Modified Glass Ionomer Cements., *International journal of Dentistry*, Article ID 6834931, 7 pages.
- Ong SH, Yoo SH, 2020, Surface Roughness and chemical composition changes of resin-modified glass ionomer immersed in 0.2% sodium fluoride solution, *Journal of Dental Sciences*, 16: 389-396.
- Ortiz-Ruiz, AJ, Perez-Guzman, N., Rubio-Aparicio, M., Sanchez-Meca, J., 2020, Success rate of proximal tooth-coloured direct restorations in primary teeth at 24 months: a meta-analysis. *Sci Rep* **10**, 6409. <https://doi.org/10.1038/s41598-020-63497-4>
- Overfon JD, Summitt JB., Osborne JW, 2013, Chapter 12 Amalgam Restorations in *Summitt's Fundamentals of Operative Dentistry*, Hilton, T.J., Ferracane, J.L., Broome, J.C.,4<sup>th</sup> edition, Quintessence Pub. Co., p.286.
- Patras M, 2013, Class II Composite Restorations and Proximal Concavities: Clinical Implications and Management, *Operative Dentistry*, 38(2): 119-124
- Perera D, Yu SCH, Meyers IA, Walsh LJ, 2020, Acid Resistance of Glass Ionomer Cement Restorative Materials, *Bioengineering*, 7 (150): 1-10.
- Poggio, C., Vialba, L., Marchioni, R., Colombo, M., Pietrocola, G., 2018, Esthetic restorative materials and glass ionomer cements: Influence of acidic drink exposure on bacterial adhesion, *European Journal of Dentistry*, 12: 204-209.
- Qualtrough, A.J.E, Satterthwaite, J.D., Morrow, L.A., Brunton, P.A., 2015, *Principles of Operative Dentistry*, Oxford: Blackwel Pub. P.153-154

- Rinastiti, M., 2010, *The Effect of Aging on Composite-to-composite Repair Strength*, University Medical Center Groningen, The Netherland, p. 78, 103, 155-160
- Safety Data Sheet, 2021, Products-GC Gold Label Hybrid-Safety Data Sheet, <https://www.gcindidental.com/products/glass-hybrid-restorative/gc-gold-label-hybrid/>
- Sahoo, SK., Meshram, GR, Parihar, AS., Pitalia, D., Vasudevan, H., Surana, A., 2019, Evaluation on effect of dietary solvents on Bond Strength of Compomer, Ormocer, Nanocomposite and Activa Bioactive Restorative Materials, *J Int Soc Prev Community Dent*, 9(5): 453-457.
- Sakaguchi, R., Ferracane, J., Powers, J., 2019, *Craig's Restorative Dental Materials*, 14<sup>th</sup> ed, St. Louis: Mosby Elsevier Inc. p. 99
- Savas S, Colgecen O, Yasa B, Kucukyilmaz E. Color stability, roughness, and water sorption/solubility of glass ionomer-Based restorative materials. *Niger J Clin Pract* 2019;22:824-32.
- Sayed RS., Shalaby HA., Hussein YF., Soliman, NK., 2018, Surface Durability of Newly Glass Ionomer Cement Modified with Citosan, *Researcher*, 10(5): 75-83.
- Scholtanus, Johannes D., Hyusmans, Marie-Charlotte DNJM., 2007, Clinical failure of class-II restorations of a highly viscous glass-ionomer material over a 6-year period: A retrospective study, *Journal of Dentistry*, 35(2): 156-62.
- Schwendicke, F., et al., How to intervene in the cariesprocess in adults: proximal and secondary caries? *Clin Oral Invest* (2020) 24:3315-3321.
- Sikri, V. K., 2017, *Textbook of Operative Dentistry*, 4<sup>th</sup> edition, New Delhi: CBS Ltd. P.45, 63, 404-422, 488, 495-513, 532, 557
- Sismanoglus, S., Gumustas, B., Yildirim-Bilmez, Z., 2020, Effect of Polishing Systems on Fluoride Release and Surface Roughness of Different Restorative Materials, *Int. J of Dent. Sc.*, 22(1): 81-92.
- Tanga, A., Assa, YA., Leman, MA., 2016, Pengaruh waktu perendaman terhadap bahan tumpatan glass ionomer cement dalam larutan asam asetat, *Journal e-Gigi*, 4(1).
- Valanezhad, A, Odatsu, T., Udo, K., Shiraishi, T., Sawase, T., Watanabe, I., 2016, Modification of resin modified glass ionomer cement by addition of bioactive glass nanoparticles, *J Mater Sci: Mater Med*, 27(3): 1-9



Vallittu, P.K., Boccaccini, A.R., Hupa, L. and Watts, D.C., 2018, Bioactive dental materials-Do they exist and what does bioactivity mean?, *Dental Materials*, 34 : 693-694

Van Dijken, J.W.V., Pallesen, U. and Benetti, A., 2019, A randomized controlled evaluation of posterior resin restorations of an altered resin modified glassionomer cement with claimed bioactivity, *Dental Materials*, 35 : 335-343

Yilmaz EÇ, Sadeler R. Effect of artificial aging environment and time on mechanical properties of composite materials. *J Dent Res Rev* 2018;5:111-5

Zhou, X., Wang, S., Peng, X., Hu, Y., Ren, B., Li, M., Hao, L., Feng, M., Cheng, L. and Zhou, Z., 2018, Effects of water and microbial-based aging on the performance of three dental restorative materials, *Journal of the Mechanical Behaviour of Biomedical Materials*, 80 ; 42-50