

## DAFTAR PUSTAKA

- Abdul-Razaq, R.T. & Abdulqader, N.M. 2020. Morphology and Palynology Systematic Studies of the Genus *Bellevalia* Lapeyr. (Asparagaceae) in Kurdistan-Iraq. *Tikrit Journal for Agricultural Sciences*. 20(2): 1-15.
- Amom, T. & Nongdam, P. 2017. The Use of Molecular Marker Methods in Plants: A Review. *International Journal of Cur. Res. Rev.* 9(17): 1-7.
- Angiosperm Phylogeny Group (APG). 1998. An Ordinal Classification for the Families of Flowering Plants. *Annals of the Missouri Botanical Garden*. 85: 531-553.
- Ardi, W.H. & Thomas, D.C. 2020. *Begonia tjiasmantoi*, A New Species from West Sulawesi. *Reindwardtia*. 19(1): 61-65.
- Ardi, W.H., Girmansyah, D., Zulfadli, & Thomas, D.C. 2021. *Begonia willemii*, A New Species of *Begonia* from Sulawesi, Indonesia. *Taiwania*. 66(3): 374-377.
- Arends, J.C. 1991. Biosystematics of *Begonia squamosal* Hook.f. and Affiliated Species in Section *Tetraphila* A.DC. *Wageningen Agricultural University Papers*. 91(6).
- Axmacher, J.C., Brehm, G., Hemp, A., Tunte, H., Lyaruu H.V.M., Muller-Hohenstein, K., & Fiedler, K. 2009. Determinants of Diversity in Afrotropic Herbivorous Insects (Lepidoptera: Geometridae): Pant Diversity, Vegetation Structure or Abiotic Factors?. *Journal of Biogeography*. 36: 337-349.
- Barth, S., Melchinger, A.E., & Lubberstedt, T.H. 2002. Genetic Diversity in *Arabidopsis thaliana* L. Heynh. Investigated by Cleaved Amplified Polymorphic Sequence (CAPS) and Inter Simple Sequence Repeat (ISSR) Markers. *Mol Ecol*. 11(3): 495-505.
- Bhattacharyya, B. & Johri, B.M. 1998. *Flowering Plants – Taxonomy and Phylogeny*. Berlin: Springer Verlag.
- Bickford, C.P. 2016. Ecophysiology of Leaf Trichomes. *Functional Plant Biology*. Csiro Publishing.
- Blackman, C.J., Gleason, S.M., Cook, A.M., Chang, Y., Laws, A., & Westoby, M. 2018. The Links Between Leaf Hydraulic Vulnerability to Drought and Key Aspect of Leaf Venation and Xylem Anatomy among 26 Australian Woody Angiosperms from Contrasting Climates. *Annals of Botany*, 122(1): 59-67.
- Bornet, B. & Branchard, M. 2001. Non-anchored Inter Simple Sequence Repeat (ISSR) Markers: Reproducible and Specific Tools for Genome Fingerprinting. *Plant Molecular Biology Reporter*. 19: 209-215.
- Bro, R., & Smilde, A.K. 2014. Principal Component Analysis. *Analytical Methods* 6: 2812-2831.

- Cain, A.J. & Harrison, G.A. 1960. Phyletic Weighting. *Proc Zool Soc London*, 135: 1-31.
- Chen, Y., Zhou, R., Lin, X., Wu, K., Qian, X. & Huang, S. 2008. ISSR Analysis of Genetic Diversity in Sacred Lotus Cultivars. *Aquatic Botany* 89: 311-316.
- Chen, Y.S., Chesson, P., Wu, H.W., Pao, S.H., Liu, J.W., Chien, L.F., Yong., W.H., & Sheue, C. 2017. Leaf Structure Affects a Plant's Appearance: Combined Multiple Mechanisms Intensity Remarkable Foliar Variegation. *J. Plant Res.* 130: 311-325.
- Chombe, D., & E., Bekele. 2018. Genetic diversity analysis of cultivated Korarima [*Aframomum corrorima* (Braun) P.C.M. Jansen] populations from southwestern Ethiopia using inter simple sequence repeats (ISSR) marker. *Journal of Biological Research-Thessaloniki.* 25: 1.
- Cronquist, A. 1981. *An Integrated System of Classification of Flowering Plants*. New York: Columbia University Press.
- Cui, W. & Guan, K. 2013. Diversity of Leaf Variegation in Chinese Begonias. *Plant Diversity and Resources.* 35(2): 119-127.
- Culley, T.M. & Wolfe, A.D. 2001. Population Genetic Structure of the Cleistogamous Plant Species *Viola pubescens* Aiton (Violaceae), as Indicated by Allozyme and ISSR Molecular Markers. *Heredity.* 86: 545-556.
- Dewitte, A., Twyford, A., Thomas, D., Kidner, C., & Van Huylenbroeck, J. 2011. *The Origin of Diversity in Begonia: Genome Dynamism, Population Processes and Phylogenetic Patterns*. In: *The Dynamical Processes of Biodiversity - Case Studies of Evolution and Spatial Distribution*. Intechopen. 27-52.
- Ding, H.B., Gong, Y.X., Pan, R., Lu, X.Q., & Tan, Y.H. 2020. A New Tuberos Species of *Begonia* L. (Begoniaceae) from Southern Yunnan, China. *Phytotaxa.* 474(1): 81-86.
- Doorenbos, J., Sosef, M.S.M., & De Wilde, J.J.F.E. 1998. The Section of *Begonia*: Studies in Begoniaceae VI. *Agricultural University Wageningen Paper.* 98(2): 1-266.
- Endress, P.K., Baas, P., & Gregory, M. 2000. Systematic Plant Morphology and Anatomy: 50 Years of Progress. *Taxon.* 49(3).
- Efendi, M., Azizah, N., Supriyatna, A., & Destri. 2017. Keragaman Jenis dan Preferensi Ekologi *Begonia* Liar di Kawasan Hutan Sisa Kebun Raya Cibodas. *Jurnal Ilmu-Ilmu Hayati LIPI-Berita Biologi.* 16(3): 233-241.
- Efendi, M. 2019a. Tipe Stomata Tiga Puluh Dua Jenis *Begonia* Alam Indonesia Koleksi Kebun Raya Cibodas. *Jurnal Ilmu-Ilmu Hayati LIPI-Berita Biologi.* 18(2): 175-183.
- Efendi, M. 2019b. *Begonia* Alam di Kebun Raya Baturaden, Jawa Tengah. *Pros Semnas Masy Biodiv Indo,* 5(1): 13-17.

- Ellis, B., Dali, D.C., Hickey, L.J., Mitchell, J., Johnson, K., Wilf, P., & Wing, S. 2009. *Manual of Leaf Architecture*. USA: New York Botanical Garden.
- Fang, Y., Liu, J., & Jiang, Y. 2002. Characteristics and Significance for the Delimitation of Species on the Leaf Venation of Chinese Yam in Fujian. *Nat Sci ed.*, 18: 65-79.
- Fang, D.Q. & Roose, M.L. 1997. Identification of Closely Related Citrus Cultivars with Inter-Simple Sequence Repeat Markers. *Theor. Appl. Genet.* 95: 408-417.
- Forrest, L.L. 2000. A Phylogeny of Begoniaceae Bercht. & J. Presl. *Thesis*. University of Glasglow.
- Girmansyah, D. 2008a. A Taxonomic Study of Bali and Lombok *Begonia* (Begoniaceae). *Reinwardtia*. 12(5): 419-434.
- Girmansyah, D. 2008b. Diversity of Wild *Begonia* (Begoniaceae) Species in West Java. *Jurnal Ilmu-Ilmu Hayati LIPI-Berita Biologi*. 9(2): 195-203.
- Girmansyah, D. 2017. Sinopsis *Begonia* Liar di Sumatera Barat. *Jurnal Ilmu-Ilmu Hayati LIPI-Berita Biologi*. 16(2): 219-231.
- Haider, N. 2018. A Brief Review on Pant Taxonomy and its Components. *Jour Pl Sci Res*, 34(2): 275-290.
- Harahap, A.S. 2017. Uji Kualitas dan Kuantitas DNA Beberapa Populasi Pohon Kapur Sumatera. *Journal of Animal Science and Agronomy Panca Budi*. 2(2).
- Hughes, M. 2002. Population Structure and Speciation in *Begonia* L. *Thesis*. University of Glasglow. Diakses melalui: <http://theses.gla.ac.uk/6194/>.
- Hughes, M. 2008. *An Annotated Checklist of Southeast Asian Begonia*, 1-152. Royal Botanic Garden Edinburgh. United Kingdom.
- Hughes, M., Moonlight, p.w., Jara-Munoz, A., Tebbitt, M.C., Wilson, H., & Pullan, M. 2015 – update berkelanjutan. *Begonia Resource Centre*. <http://padme.rbge.org.uk/begonia/> (diakses pada 9 Januari 2022).
- Kojima, T., Nagaoka, T., Noda, N., & Ogihara, Y. 1998. Genetic linkage map of ISSR and RAPD markers in Einkorn wheat in relation to that of RFLP markers. *Theor. Appl. Genet.* 96: 37–45.
- Kovach, W.L. 2007. *MVSP-A Multivariate Stastical Package PC Version 3.1*. Kovach Computing Service, Pentraeth, Wales.
- Kumar, M., Chaudhary, V., Sirohi, U., Singh, M.K., Malik, S. & Naresh, R.K. 2018. Biochemical and Molecular Markers for Characterization of *Chrysanthemum* Germplasm: A Review. *Journal of Pharmacognosy and Phytochemistry*. 7(5): 2641-2652.
- Leaf Architecture Working Group (LAWG). 1999. *Manual of Leaf Architecture: Morphological Description and Categorization of Dicotyledonous and Net-veined Monocotyledonous Angiosperms*. Smithsonian Institution:

Washington, DC.

- Lu, H., Jiang, W., Ghiassi, M., Lee, S. & Nitin, M. 2012. Classification of *Camellia* (Theaceae) Species Using Leaf Architecture Variations and Pattern Recognition Techniques. *PLoS ONE*. 7(1), e29704.
- Ma, M., Lei, N., Meng, H., Wang, T., Xie, L., Shen, D., Xianwang, Zhou, & Lu, B. 2017. Cluster and Principal Component Analysis Based on SSR Markers of *Ammomum tsao-ko* in Jinping Country of Yunnan Province. *AIP Conference Proceeding* 1864, 020071.
- McLellan, T. 2005. Correlated Evolution of Leaf Shape and Trichomes in *Begonia dregei* (Begoniaceae). *American Journal of Botany*. 92(10): 1616-1623.
- Morgante, M. & Olivieri, A. 1993. PCR Amplified Microsatellite as Markers in Plant Genetics. *Plant J*. 3:175-182.
- Narayanan, C., Wali, S.A., Sukhla, N., Kumar, R., Mandal, A.K., & Ansari, S.A. 2007. RAPD and ISSR Makers for Molecular Characterization of Teak (*Tectona grandis*) Plus Trees. *Journal of Tropical Forest Science*. 4: 218-225.
- Ng, W.L. & Tan, S.G. 2015. Inter-Simple Sequence Repeat (ISSR) Markers: Are We Doing It Right?. *ASM Science Journal*. 9(1): 30-39.
- Moulin, M.M., Rodrigues R., Goncalves L.S.A., Sudre C.P., & Pereira M.G. 2012. A Comparison of RAPD and ISSR Markers Reveals Genetic Diversity among Sweet Potato Landraces (*Ipomoea batatas* (L.) Lam.). *Acta Sci. Agron*. 34: 139-147.
- Najaphy, A., Parchin, R.A., & Farshadfar, E. 2011. Evaluation of Genetic Diversity in Wheat Cultivars and Breeding Lines Using Inter Simple Sequence Repeat Markers. *Biotechnol Biotechnol Equip*. 225: 2634-2638.
- Neale, S., Goodal-Copestake, W., & Kidner, C.A. 2006. The Evolution of Diversity in *Begonia*. *Journal of Floriculture, Ornamental and Plant Biotechnology*. 4(69): 606-611.
- Pao, S., Tsai, P., Peng, C., Chen, P., Tsai, C., Yang, E., Shih M., Chen, J., Chesson, P., & Sheue, C. 2018. Lamelloplasts and Minichloroplasts in Begoniaceae: Iridescence and Photosynthetic Functioning. *Journal of Plant Research*. 131: 655-670.
- Plana, V. 2002. Phylogenetics and Biogeography of African *Begonia*. *Thesis*. University of Glasglow.
- Prevost, A. & Wilkinson, M.J. 1999. A New System of Comparing PCR Primers Applied to ISSR Fingerprinting of Potato Cultivars. *Theor Appl Genet*. 98: 107-112.
- Rajbhandary, S. 2013. Traditional Uses of *Begonia* Species (Begoniaceae) in Nepal. *J. Nat. Hist. Mus*. 27: 25-34.

- Riupassa, P.A., Chikmawati, T., Miftahudin, & Suharsono. 2015. The Molecular Diversity-based ISSR of *Durio tanjungpurensis* Originating from West Kalimantan Indonesia. *Makara J. Sci.* 19: 27-33.
- Roth-Nibelsick, A., Uhl, D., Mosbrugger, V., & Kerp, H. 2001. Evolution and Function of Leaf Venation Architecture: A Review. *Annals of Botany*, 87: 553-566.
- Ruzin, S.E. 1999. *Plant Microtechnique and Microscopy*. New York: Oxford University Press.
- Sabdanawaty, F.P., Purnomo, & Daryono, B.S. 2021. Species Diversity and Phenetic Relationship Among Accessions of Api-api (*Avicennia* spp.) in Java Based on Morphological Characters and ISSR Markers. *Biodiversitas*. 22(1): 193-198.
- Sack, L., Scoffoni, C., McKown, A.D., Frole, K., Rawls, M., Havran, J.C., Tran, H., & Tran, T. 2012. Developmentally Based Scaling of Leaf Venation Architecture Explains Global Ecological Patterns. *Nature communications*, 3:837.
- Saif, R., Nadeem, S., Iftekhhar, A., Zia, S. 2020. Mathematical Understanding Sequence Alignment and Phylogenetic Algorithms: A Comprehensive Review of Methods. *Research Square*.
- Sari, V., Miftahudin, & Sobir. 2017. Keragaman Genetik Bawang Merah (*Allium cepa* L.) berdasarkan Marka Morfologi dan ISSR. *Jurnal Agronomi Indonesia*. 45(2): 175-181.
- Semagn, K., Bjornstad, A., & Ndjiondjop, M.N. 2006. An Overview of Molecular Marker Methods for Plants. *African Journal of Biotechnology*. 5: 2540-2568.
- Sheue, C.R., Pao, S.H., & Chien, L.F. 2012. Natural Foliar Variegation Without Cost? The Case of *Begonia*. *Ann Bot.* 109: 1065-1074.
- Siregar, H.M. 2005. *Begonia, Kebun Raya Bali*. LIPI Press.
- Siregar, H.M. 2008. *Mengenal dan Merawat Begonia*. Jakarta: AgroMedia Pustaka.
- Siregar, H.M., Ardaka, I.M., & Siregar, M. 2010. *Begonia* "Tuti Siregar" (*Begonia listada* Smith & Wasshausen x *Begonia acetosa* Vellozo): A New Cultivar from Bali Botanic Garden, Indonesia. *Jurnal Biodiversitas*. 11(1): 15-18.
- Siregar, H.M. & Siregar, M. 2013. Seratus Jenis *Begonia* Eksotik Kebun Raya Siap Bersaing Mendukung Bisnis Florikultura di Masa yang Akan Datang. *Prosiding Seminar Inovasi Florikultura Nasional 2013*, 79-96.
- Siregar, H.M., Wahyuni, S., & Ardaka, I.M. 2018. Karakterisasi Morfologi Daun *Begonia* Alam (Begoniaceae): Prospek Pengembangan Koleksi Tanaman Hias Daun di Kebun Raya Indonesia. *Jurnal Biologi Indonesia*. 14(2): 201-

211.

- Sneath, P.H.A. 1976. Phenetic Taxonomy at the Species Level and Above. *Taxon*, 4:437-450.
- Sokal, R.R. 1986. Phenetic Taxonomy: Theory and Methods. *Ann. Rev. Ecol. Syst.*, 17:423-442.
- Srisamoot, N. & Padsri, I. 2018. Assessing Genetic Diversity of Some *Anthurium andreanum* Hort. Cut-flower Cultivars using ISSR Markers. *Genomics and Genetics*. 11(1&2): 1-8.
- Sulasih, Sobir, & E. Santosa. 2013. Phylogenetic Analysis of Mangosteen (*Garcinia mangostana* L.) and its Relatives Based on Morphological and Inter Simple Sequence Repeat (ISSR) Markers. *SABRAO J.* 45: 478-490.
- Tagizad, A., Ahmadi, J., Haddad, R., & Zarrabi, M. 2010. A Comparative Analysis of ISSR and RAPD Markers for Studying Genetic Diversity in Iranian Pistachio Cultivars. *IJGPB*. 1:9-19.
- Tebbitt, M.C. 2005. A New Species of Fleshy-fruited *Begonia* (Begoniaceae) from Sumatra. *Blumea*. 50(1): 153-156.
- Terryana, R.T., Safina, N.D., Suryani, Nugroho, K., & Lestari, P. Analisis Keragaman Genetik Aksesori Kedelai Introduksi dari Wilayah Subtropis Berbasis Morfologi dan Molekuler. *Jurnal Imu-Imu Hayati*. 19(3B): 451-466.
- Thomas, D.C., Bour, A., & Ardi, W.H. 2018. *Begonia* of the Matarombeo karst, Southeast Sulawesi, Indonesia, Including Two New Species. *Garden's Bulletin Singapore*. 70(1): 163-176.
- Tjitrosoepomo, G. 1994. *Morfologi Tumbuhan*. Gadjah Mada University Press. Yogyakarta.
- Torre, M.P., Garcia, M., Heinz, R., & Escadon, A. 2012. Analysis of genetic Variability by ISSR Markers in *Calibrachoa caesia*. *Electron. J. Biotechnol.* 15(5).
- Undaharta, N.K.E., Sutomo, Ardaka, M., & Tirta, I.G. 2012. Autoekologi *Begonia* di Sebagian Kawasan Taman Nasional Manusela, Maluku. *Jurnal Penelitian Hutan dan Konservasi Alam*. 9(1): 001-011.
- Utari, D.S., Kardhinata, E.H., & Damanik, R.I.M. 2017. Karakter Morfologis dan Hubungan Kekerbatan Tanaman Ubi Jalar (*Ipomea batatas* L.) di Dataran Tinggi dan Dataran Rendah Sumatera Utara. *Agroekoteknologi*. 5(4): 870-881.
- Verma, V. & Aggarwal, R.K. 2019. A New Similarity Measure Based on Simple Matching Coefficient for Improving the Accuracy of Collaborative Recommendations. *IJ Information Technology and Computer Science*. 6: 37-49.

- Vijayan, K. 2005. Inter Simple Sequence Repeat (ISSR) Polymorphism and Its Application in Mulberry Genom Analysis. *International Journal Indust. Entomol.* 10: 79-86.
- Wahyuni, S. & Siregar, H.M. 2020. Keragaman dan Analisis Kekerbatan 30 Jenis *Begonia* berdasarkan Karakter Morfologi. *Buletin Kebun Raya.* 23(2): 91-103.
- Wiriadinata, H., Girmansyah, D., Hoover, S., & Hunter, J. 2002. Kekayaan *Begonia* Taman Nasional Gunung Halimun. *Berita Biologi.* 6(1): 91-97.
- Xu F., Xuan J., Zheng Y., Liu Y., & Guo Z. 2012. ISSR Analysis on Genetic Relationship of *Begonia* Germplasm. *Acta Botanica Boreali-Occidentalia Sinica.* 32(3): 471-176.
- Yadav, S. & Pandey, A. 2018. Multivariate Analysis Approach to Select Parents for Hybridization Aiming at Yield Improvement in Indian Mustard (*Brassica juncea* L.) Genotypes. *Journal of Pharmacognosy and Phytochemistry.* 7(5): 2132-2138.
- Yang, M., Abdalrahman, H., Sonia, U., Mohammed, A.I., Vestine, U., Wang, M., Ebadi, A.G., & Toughani, M. 2020. The Application of DNA Molecular Markers in the Study of *Codonopsis* Species Genetic Variation: A Review. *Cellular and Molecular Biology.* 66(2): 23-30.
- Zietkiewicz, E., Rafalski, A., & Labud, D. 1994. Genome Fingerprinting by Simple Sequence Repeat (SSR)-anchored Polymorphism Chain Reaction Amplification. *Genomics.* 20: 176-183.
- Zhang, Y., Hayashi, T., Hosokawa, M., Yazawa, S., & Li, Y. 2009. Metallic Lustre and the Optical Mechanism Generated from the eaf Surface of *Begonia rex* Putz. *Sci. Hortic.* 121(2): 213-217.
- Zhang, F., Chen, S., Chen, F., Fang., W., & Li, F. 2010. A Preliminary Genetic Linkage Map of chrysanthemum (*Chrysanthemum morifolium*) Cultivars using RAPD, ISSR, and AFLP Markers. *Scientia Horticulturae.* 125: 422-428.
- Zhang, J., Zeng, J., Wang, X., Chen, S., Albach, D.C., & Li, H. 2020. A Revised Classification of Leaf Variegation Types. *Flora.* 272: 1-14.
- Zhao, B., Mao, S., Li, J., Huang, S., & Zhong, S. 2017. Genetic Diversity of Wild *Begonia fimbristipulata* Hance Revealed by ISSR Analysis. *Southwest China Journal of Agricultural Sciences.* 30(10): 2224-2229.