

## DAFTAR PUSTAKA

- Acem, Z., Lamorlette, A., Collin, A., & Boulet, P. (2009). Analytical determination and numerical computation of extinction coefficients for vegetation with given leaf distribution. *International Journal of Thermal Sciences*, Vol. 48(8), pp. 1501–1509. doi:10.1016/j.ijthermalsci.2009.01.009
- Ahmad Reza Kasury, Joko Sujono, Rachmad Jayadi (2019). Effect of Leaf Inclination and Rainfall Intensity on Canopy Wetness Index of *Artocarpus Heterophyllus*. The 3<sup>rd</sup> International Conference of Water Resource Development and Environmental Protection (ICWERDP), Tema-4, pp. D-1 Malang, Jawa Timur
- Akram, A., Tomar, J. M., Mehta, H., Alam, N. M., & Chaturvedi, O. P. (2015). Influence of canopy architecture on stemflow in agroforestry trees in Western Himalayas. *Current Science*, Vol. 109(4), pp. 759-764.
- Aldrian, E. (2000). Pola hujan rata-rata bulanan wilayah Indonesia; tinjauan hasil kontur data penakar dengan resolusi ECHAM T-42. *Jurnal Sains & Teknologi Modifikasi Cuaca*, Vol. 1(2), pp. 113-123. Retrieved from <http://ejurnal.bppt.go.id/index.php/JSTMC/article/view/2124>
- Allen, S. T., Brooks, J. R., Keim, R. F., Bond, B. J., & McDonnell, J. J. (2013). The role of pre-event canopy storage in throughfall and stemflow by using isotopic tracers. *Ecohydrology*, Vol. 7(2), pp. 858-868. doi:10.1002/eco.1408
- Andre, F., Jonard, M., & Ponette, Q. (2008). Influence of species and rain event characteristics stemflow volume in a temperate mixed oak–beech. *Hydrological Process*, Vol. 22(22), pp. 4455-4466. doi:10.1002/hyp.7048
- Andréassian, V. (2004). Waters and forests: from historical controversy to scientific debate. *Journal of Hydrology*, Vol. 291(1-2), pp. 1-27. doi:10.1016/j.jhydrol.2003.12.015
- Andrew, P., & Cameron, J. L. (2008). The influence of canopy traits on throughfall and stemflow in five tropical trees growing in a Panamanian plantation. *Forest Ecology and Management*, Vol. 255(5-6), pp. 1915–1925. doi:10.1016/j.foreco.2007.12.025
- Aparecido, L. M., Miller, G. R., Cahill, A. T., & Moore, G. W. (2017). Leaf surface traits and water storage retention affect photosynthetic responses to leaf surface wetness among wet tropical forest and semiarid savanna plants. (H. Ishii, Ed.) *Tree Physiology*, Vol. 37(10), pp. 1285-1300. doi:10.1093/treephys/tpx092
- Archer, D. R., Climent-Soler, D., & Holman, I. P. (2010). Changes in discharge rise and fall rates applied to impact assessment of catchment land use. *Hydrology research*, Vol. 41(1), pp. 13-26. doi:10.2166/nh.2010.092
- Arnell, N. (2002). *Hydrology and global environment change*. Harlow: University of Southampton. pp. 94-114. Retrieved from <https://eprints.soton.ac.uk/15356/>.
- Asdak, C. (1995). *Hidrologi dan Pengelolaan Daerah Aliran Sungai*. Yogyakarta: Gadjah Mada University Press. pp.116-132
- Asdak, C., Jarvis, P. G., & Gardingen, P. V. (1998). Modelling rainfall interception in unlogged and logged forest areas of Central Kalimantan, Indonesia. *Hydrology and Earth*

- System Sciences, Vol. 2(2-3), pp. 211-220. Retrieved from [hal.archives-ouvertes.fr/file/index/docid/304539/filename/hess-2-211-1998.pdf](http://hal.archives-ouvertes.fr/file/index/docid/304539/filename/hess-2-211-1998.pdf)
- Atthorik, A. (2000). Pengaruh arsitektur pohon model massart dan rauh terhadap aliran batang, curahan tajuk, aliran permukaan dan erosi di hutan Pendidikan Gunung Walat Sukabumi.[tesis]. Bogor: Program Pascasarjana Institut Pertanian Bogor.
- Auridin, Y. (2014). Pengaruh Perubahan Tataguna Lahan Terhadap Karakteristik Hidrograf Banjir. Tekno Global, Vol. 3(1), pp.1-13.
- Azinoor Azida, A. B., & Minjiao, L. (2012). Evaluation of A Simple Annual Canopy Evaporation Equation. Annual Journal of Hydraulic Engineers, JSCE, Vol. 64(4), pp. 187-192.
- Azinoor, A. A., Baki, A., Atan, I., Ali, F., Yusop, Z., & Khalil, M. K. (2012). Annual Interception Loss Estimation with a simple equation. IEEE Symposium on Humanities, Science and Engineering Research, pp. 1477-1482.
- Barbier, S., Balandier, P., & Gosselin, F. (2009). Influence of several tree traits on rainfall partitioning in temperate and boreal forests: a review. Annual of Forest Science, Vol. 66(6), pp. 1-11. doi:10.1051/forest/2009041
- Bellot J, E. A. (1998). Stemflow and throughfall determination resprouted Mediterranean holm-oak forest. Annals of Forest Science Vol. 55(7), pp. 847-865.
- Beven, K. (2012). The Premier (Rainfall-Runoff Modelling). Chichester, West Sussex, United Kingdom: John Wiley & Sons, Ltd. pp.354
- Blöschl, G., Ardoin-Bardin, S., Bonell, M., Dörninger, M., Goodrich, D., Gutknecht, D., ... Szolgay, J. (2007). At what scales do climate variability and land cover change impact on flooding and low flows? Hydrological Processes, Vol. 21(9), pp. 1241–1247. doi:10.1002/hyp.6669
- Bradshaw, C. J., Sodhi, N. S., Peh, K. S.-H., & Brook, B. W. (2007). Global evidence that deforestation amplifies flood and severity in the developing world. Global Change Biology, Vol. 13(11), pp. 2379-2395. doi:10.1111/j.1365-2486.2007.01446.x
- Brandt, J. (1987). The effect of different types of forest management on the transformation of rainfall energy by the canopy in relation to soil erosion. Proceedings of the Forest Hydrology Watershed Management Conference. Vol. 167, pp. 213-222. Vancouver, BC: IAHS Publication.
- Brisson, N., Mary, B., Ripoche, D., Jeuffroy, M. H., Ruget, F., Nicoulaud, B., . . . dkk. (1998). STICS: a generic model for the simulation of crops and their water and nitrogen balances. I. Theory and parameterization applied to wheat and corn. Agronomie, EDP Sciences, Vol. 18(5-6), pp. 311-346. doi:10.1002/hyp.6235
- Brotowiryatmo, S. H. (1993). Hidrologi. pp.73-82. Jakarta: PT. Gramedia Pustaka Utama.
- Brotowiryatmo, S. H. (2000). Hidrologi (teori, masalah, penyelesaian) pp. 104-108. Jakarta: Nafiri.
- Bruijnzeel, L. (1990). Hydrology of moist tropical forests and effects of conversion: a state of knowledge review. pp. 200-203. New York: UNESCO. International Hydrological Programme.

- Bruijnzeel, L. A. (2004). Hydrological functions of tropical forests: not seeing the soil for the trees? *Agriculture, Ecosystems & Environment*, Vol. 104, pp. 185-228. doi:10.1016/j.agee.2004.01.015
- Brutsaert, W. (1982). *Evaporation Into Atmosphere: Theory, History and Application*. Dordrecht, pp.220-222. Belanda: D. Reidel Publishing.
- Calder, I. (1977). A model of transpiration and interception loss from a spruce forest in Plynlimon. *Journal of Hydrology*, Vol. 33, pp. 247-265.
- Calder, I. R. (1986). A stochastic model of rainfall interception. *Journal of Hydrology*, Vol. 89, pp. 65-71. doi:10.1016/0022-1694(86)90143-5
- Calder, I. R. (1998). *Water Resource And Land Use Issues*. pp. 230-236. Colombo: International Water Management Institute.
- Calder, I. R. (2001). Canopy processes: implications for transpiration, interception and splash induced erosion, ultimately for forest management and water resources. *Plant Ecology*, Vol. 153(203), pp. 203-214.
- Calder, I. R., & Aylward, B. (2006). Forest and Flood. *Water International*, Vol. 31, isu 1, pp. 87-99. doi:10.1080/02508060608691918
- Calder, I., & Wright, I. (1986). Gamma ray attenuation studies of interception from Sitka spruce: some evidence for an additional transport mechanism. *Water Resour Resource*, Vol. 22(4), pp. 9-17.
- Carlyle-Moses D.E. (2004). Throughfall, Stemflow, and Canopy Interception Loss Fluxes In A Semi-arid Sierra Madre Oriental Matorral Community. *Journal of Arid Environments*, Vol. 58(2), pp. 181-202.
- Carlyle-Moses, D. E., & Schooling, J. T. (2015). Tree traits and meteorological factors influencing the initiation and rate of stemflow from isolated deciduous trees. *Hydrological Processes*, Vol. 29(18), pp. 4083-4099. doi:10.1002/hyp.10519
- Carlyle-Moses, D., & Price, A. (1999). An Evaluation of The Gash Interception Model In A Northern Hardwood Stand. *Journal of Hydrology*, Vol. 214(1-4), pp. 103-110.
- Cesar Véliz-Chávez, C. A.-L.-S.-P.-S. (2014). Canopy Storage Implications on Interception Loss Modeling. *American Journal of Plant Sciences*, Vol. 5(20), pp. 3032-3048.
- Chen, S., Chen, C., Zou, C. B., Stebler, E., Zhan, S., Hou, L., & Wang, D. (2012). Application of Gash Analytical Model And Parameterized Fan Model To Estimate Canopy Interception Of A Chinese Red Pine Forest. *Journal of Forest Research*, Vol. 18(4), pp. 335-344.
- Chow, V. (1964). *Handbook of Applied Hydrology*. pp.341. New York: McGraw-Hill Book Company.
- Crockford, R. H., & Richardson, D. P. (2000). Partitioning of rainfall into throughfall, stemflow and interception : effect of forest type, ground cover and climate. *Hydrological Process*, Vol. 14(16-17), pp. 2903-2920. doi:10.1002/1099-1085(200011/12)14:16/17<2903::AID-HYP126>3.0.CO;2-6
- de Ridder, K. (2001). Rainwater storage on plant canopies. *Journal of Geophysical*

- Research, Vol. 106(D14), pp. 14819 - 14825. doi:10.1029/2001JD900128
- Delphis, F. L., & Ethan, E. F. (2006). Variability of Throughfall Volume and Solute Inputs In Wooded Ecosystems. *Physical Geography*, Vol. 30(5), pp. 602-632.
- Dunkerley, D. (2000). Measuring interception loss and canopy storage in dryland vegetation: a brief review and evaluation of available research strategies. *Hydrological Processes*, Vol. 14(4), pp. 669 - 678. doi:10.1002/(SICI)1099-1085(200003)14:4<669::AID-HYP965>3.0.CO;2-I
- Dunkerley, D. (2014). Stemflow production and intrastorm rainfall intensity variation: an experimental analysis using laboratory rainfall simulation. *Earth Surface Processes and Landforms*, Vol. 39(13), pp. 1741-1752. doi:10.1002/esp.3555
- Fathizadeh, O., Hosseini, S., Zimmermann, A., Keim, R., & Boloorani, A. D. (2017). Estimating linkages between forest structural variables and rainfall interception parameters in semi-arid deciduous oak forest stands. *Science of Total Environment*, Vol. 601-602, pp. 1824-1837. doi:10.1016/j.scitotenv.2017.05.233
- Gash, J. H. (1979). An Analytical Model of Rainfall Interception by Forest. *Quart. J. R. Met. Soc.*, Vol. 105(443), pp. 43-55.
- Gash, J. H., & Morton, A. J. (1978). An application of Rutter model to the estimation of the interception loss from Thetford forest. *Journal of Hydrology*, Vol. 38(1-4), pp. 49-58.
- Gash, J. H., Lloyd, C. R., & Lachaud, G. (1995). Estimating sparse forest rainfall interception with an analytical model. *Journal of Hydrology*, Vol. 170(1-4), pp. 79-86. doi:10.1016/0022-1694(95)02697-N
- Goesbe, P., Schmidt, K., Hardtle, W., Seitz, S., Stumpf, F., Oheimb, G. v., & Scholten, T. (2016). Rule-based analysis of throughfall kinetic energy to evaluate biotic and abiotic factor thresholds to mitigate erosive power. *Physical Geography*, Vol. 40(3), pp. 431-449. doi:10.1177/0309133315624642
- Guswa, A., & Spence, C. (2012). Effect of throughfall variability on recharge: application to hemlock and deciduous forests in western Massachusetts. *Ecohydrology*, Vol. 5(5), pp. 563-574. doi:10.1002/eco.281
- Halle F, O. R. (1978). *Tropical Trees and Forest, An Architecture Analysis*. pp.39-55. Berlin, Heidelberg, New York: Springer-Verlag.
- Hashino, M., Yao, H., & Yoshida, H. (2002). Studies And Evaluations On Interception Processes During Rainfall Based On A Tank Model. *Journal of Hydrology*, Vol. 255(1-4), pp. 1-11.
- Herbert, D. A., & Fownes, J. H. (1998). Effect of leaf aggregation in a broad-leaf canopy on estimates of leaf area index by gap-fraction method. *Forest Ecology and Management*, Vol. 97(3), pp. 277-282. doi:10.1016/S0378-1127(97)00068-6
- Herwitz, S. R. (1987). Raindrop impact and water flow on the vegetative surfaces of trees and the effects on stemflow and throughfall generation. *Earth Surface Processes and Landform*, Vol. 12(4), pp. 425-423. doi:10.1002/esp.3290120408
- Hewlett, J. (1982). *Principles of Forest Hydrology*. pp. 102-110. Athens, GA: University of Georgia Press.

- Holder, C. D., & Gibbes, C. (2016). Influence of leaf and canopy characteristics on rainfall interception and hydrology. (M. C. Acreman, Ed.) *Hydrological Sciences Journal*, Vol. 62(2), pp. 1-9. doi:10.1080/02626667.2016.1217414
- Horton, R. E. (1919). Rainfall Interception. *Monthly Weather Review* Vol. 47(9), pp. 608-623.
- Huber, A., & Iroume, A. (2001). Variability of annual rainfall partitioning for different sites and forest covers in Chile. *Journal of Hydrology*, Vol. 248(1-4), pp. 78-92. doi:10.1016/S0022-1694(01)00394-8
- Hutjes, R., Wierda, A., & Veen, A. (1990). Rainfall Interception in The Tai Forest, Ivory Coast: Application of Two Simulation Models to A Humid Tropical System. *Journal of Hydrology*, Vol. 114(3-4), pp. 259-275.
- IPCC, (P. (2014). B. Observed Changes in the Climate System, in: Summary for Policymakers (finalized version). UN, UN. Newyork: Wayback Machine.
- Kaimuddin. (1994). Kajian model pendugaan intersepsi hujan pada tegakan Pinus merkusii, Agathis loranthifolia dan Schima wallichii di hutan Pendidikan Gunung Walat Sukabumi [tesis]. Bogor: Institut Pertanian Bogor.
- Kato, H., Onda, Y., Nanko, K., Gomi, T., Yamanaka, T., & Kawaguchi, S. (2013). Effect of canopy interception on spatial variability and isotopic composition of throughfall in Japanese cypress plantations. *Journal of Hydrology*, Vol. 504, pp. 1-11. doi:10.1016/j.jhydrol.2013.09.028
- Keim, R. F. (2004). A Linier System Model of Dynamic Throughfall Rates Beneath Forest Canopies. *Water Resource Research*, Vol. 40(5), pp. 1-12.
- Keim, R., Skaugset, A., & Weiler, M. (2006). Storage of water on vegetation under simulated rainfall of varying intensity. *Advances in Water Resources*, Vol. 29(7), pp. 974-986. doi:10.1016/j.advwatres.2005.07.017
- Konrad, W., Ebner, M., Traiser, C., & Roth-Nebelsick. (2012). Leaf surface wettability and implications for drop shedding and evaporation from forest canopies. *Pure Appl Geophys*, Vol. 169(5), pp. 835-845. doi:10.1007/s00024-011-0330-2
- Kozak, J. A., Ahuja, L. R., Green, T. R., & Ma, L. (2007). Modelling crop canopy and residue rainfall interception effects on soil hydrological components for semi-arid agriculture. *Hydrology processes*, Vol. 21(2), pp. 229-241. doi:10.1002/hyp.6235
- Lane, S. N., & Millegde, D. G. (2012). Impacts of upland open drains upon runoff generation: a numerical assesment of catchment-scale impact. *Hydrological Processes*, Vol. 27(12), pp. 1701-1726. doi:10.1002/hyp.9285
- Lee, R. (1980). *Forest Hydrology*. pp.227-229. New York/Guildford: Columbia University Press.
- Levia Jr, D. F., & Frost, E. E. (2003). A review and evaluation of stemflow literature in the hydrologic and biogeochemical cycles of forested and agricultural ecosystems. *Journal of Hydrology*, Vol. 274(1-4), pp. 1-29. doi:10.1016/S0022-1694(02)00399-2
- Levia, D. F., Hudson, S. A., Llorens, P., & Nanko, K. (2017). Throughfall drop size distributions: A review and prospectus for future research. *WIREs Water*, Vol. 4(4), pp.



1-18. doi:10.1002/wat2.1225

Levia, D. F., Nanko, K., Amasaki, H., Giambelluca, T. W., Hotta, N., Iida, S., . . . Yam. (2019). Throughfall partitioning by trees. *Hydrological Processes*, Vol. 33(12), pp. 1698–1708. doi:10.1002/hyp.13432

Levia, D. F., Vanstan, J. T., Mage, S. M., & Kelley-Hauske, P. (2010). Temporal variability of stemflow volume in a beech–yellow poplar forest in relation to tree species and size. *Journal of Hydrology*, Vol. 380(1-2), pp. 112-120.

Li, H., Zhang, Y., Vaze, J., & Wang, B. (2012). Separating effects of vegetation change and climate variability using hydrological modelling and sensitivity-based approaches. *Journal of Hydrology*, Vol. 420, pp. 420-421, 403-418. doi:10.1016/j.jhydrol.2011.12.033

Li, X., & Qu, Y. (2018). Evaluation of Vegetation Responses to Climatic Factors and Global Vegetation Trends using GLASS LAI from 1982 to 2010. *Canadian Journal of Remote Sensing*, Vol. 44(4), pp. 357-372. doi:10.1080/07038992.2018.1526064

Li, X., Niu, J., & Xie, B. (2013, July). Study on hydrological Functions of litter layers in North China. (Johnson, & S. J, Eds.) *PLoS ONE*, Vol. 8(7), pp. 1-11. doi:10.1371/journal.pone.0070328

Li, X., Niu, J., Zhang, L., Xiao, Q., McPherson, G. E., van Doorn, N., . . . Luo, Z. (2016). A study on crown interception with four dominant tree species: a direct measurement. *Hydrology Research*, Vol. 47(4), pp. 857-868. doi:10.2166/nh.2015.066

Li, X., Xiao, Q., Niu, J., Dymond, S., van Doorn, N. S., Yu, X., . . . Li, J. (2016). Process-based rainfall interception by small trees in Northern China : The effect of rainfall traits and crown structure characteristics. *Agriculture and Forest Meteorology*, Vol. 218(219), pp. 65 - 73. doi:10.1016/j.agrformet.2015.11.017

Liu, S. (1997). A new model for the prediction of rainfall interception in forest canopies. *Ecological Modelling*, Vol. 99(2-3), pp. 151-159. doi:10.1016/S0304-3800(97)01948-0

Manokaran, N. (1979). Stemflow, throughfall and rainfall interception in a lowland and tropical rainforest in Peninsular Malaysia. *The Malaysian Forester*, part-2, pp. 174-201.

Montheith, J., & Unsworth, .. M. (1990). *Principles of Environmental Physics*. London: Arnold.

Mulder, J. M. (1985). Simulating interception loss using standard meteorological data. In B. A. Hutchison, & B. B. Hicks (Ed.), *Forest Environmental Measurements Conference*, pp. 177-196. Oak Ridge, Tennessee. doi:10.1007/978-94-009-5305-5

Muzylo, A., Llorens, P., Valente, F., Keizer, J., Domingo, F., & Gash, J. (2009). A Review of Rainfall Interception Modelling. *Journal of Hydrology*, Vol. 370(1-4), pp. 191-206.

Naharuddin, Bratawinata, A., Hardwinarto, S., & Pitopang, R. (2016, Juni). Curahan tajuk pada tegakan model arsitektur pohon Aubreville, Leeuwenberg dan Stone di tipe penggunaan lahan kebun hutan sub daerah aliran sungai Gumbasa. *Warta Rimba*, Vol. 4(1), pp. 28-33.

Nanko, K., Onda, Y., Kato, H., & Gomi, T. (2016). Immediate change in throughfall spatial

distribution and canopy water balance after heavy thinning in a dense mature Japanese cypress plantation. *ECOHYDROLOGY*, Vol. 9(2), pp. 300-314. doi:10.1002/eco.1636

Nanko, K., Watanabe, A., Hotta, N., Suzuki, & Masakazu. (2013). Physical interception of the difference in drop size distribution of leaf drips among tree species. *Agricultural and Forest Meteorology*, Vol. 169, pp. 74-84. doi:10.1016/j.agrformet.2013.09.018

Nash, J., & Sutcliffe, I. V. (1970). River flow forecasting through conceptual models Part 1 - A discussion of principles. *Journal of Hydrology*, Vol. 10(3), pp. 282-290. doi:10.1016/0022-1694(70)90255-6

Nautiyal, M. D. (1994). Morphometric analysis of a drainage basin using aerial photographs: A case study of Khairkuli basin, district Dehradun, U.P. *Journal of the Indian Society of Remote Sensing*, Vol. 22(4), pp. 251-261. doi:10.1007/BF03026526

Nurhidayah. (2009). Peran model arsitektur rauh dan nozeran terhadap parameter konservasi tanah dan air di hutan Pagerwojo, Tulungagung (Tesis). Bogor: Institut Pertanian Bogor.

Oyarz'un, C. E., Godoy, R., Staelens, J., Donoso, P. J., & Verhoest, N. E. (2010, September). Seasonal and annual throughfall and stemflow in Andean temperate rainforests. *Hydrological Processes*, Vol. 25(4), pp. 623-633. doi:10.1002/hyp.7850

Park, H.-T., & Hattori, S. (2002). Applicability of Stand Structural Characteristics to Stemflow Modeling. *Journal of Forest Research*, Vol. 7(2), pp. 91-98.

Pattinson, I., Lane, S. N., Hardy, R. J., & Reaney, S. M. (2014). The role of tributary relative timing and sequencing in controlling large floods. *Water Resources Research*, Vol. 50(7), pp. 5444-5458. doi:10.1002/2013WR014067

Pawitan, H. (2004). Perubahan Penggunaan Lahan dan Pengaruhnya Terhadap Hidrologi Daerah Aliran Sungai. Bogor: Laboratorium Hidrometeorologi Fakultas MIPA Institut Pertanian Bogor. Retrieved from [www.researchgate.net](http://www.researchgate.net)

Pereira, F., Gash, J., David, J., & Valente, F. (2009). Evaporation Of Intercepted Rainfall From Isolated Evergreen Oak Trees: Do The Crowns Behave As Wet Bulbs? *Agriculture and Forest Meteorology*, Vol. 149(3-4), pp. 667 - 679.

Pitman, J. I. (1989). Rainfall interception by bracken in open habitats - Relations between leaf area, canopy storage and drainage rate. *Journal of Hydrology*, Vol. 105(3-4), pp. 317-334. doi:10.1016/0022-1694(89)90111-X

Prayuda, D. D. (2012). Temporal and spatial analysis of extreme rainfall on the slope area of Mt. Merapi. *Civil Engineering Forum*, Vol. 21(3), pp. 1285-1290.

Rosado, B. H., & Holder, C. D. (2013). The significance of leaf water repellency in ecohydrological research: a review. *Ecohydrology*, Vol. 6(1), pp. 150-161. doi:10.1002/eco.1340

Rutter, A. J., Morton, A. J., & Robins, P. C. (1975, April). A Predictive Model of Rainfall Interception in Forests. II. Generalization of the Model and Comparison with Observations in Some Coniferous and Hardwood Stands. *Journal of Applied Ecology*, Vol. 12, pp. 367-380. Retrieved from <http://www.jstor.org/stable/2401739>

Rutter, A., & Morton, A. (1977). A Predictive Model Of Rainfall Interception In Forest

III. Sensitivity of The Model to Stand Parameters and Meteorological Variables. *Journal of Applied Ecology*, pp. 567-588.

Rutter, A., Kershaw, K., Robins, P., & Morton, A. (1971). A Predictive Model of Rainfall Interception in Forest, I : Derivation of the Model From Observation in a Plantations of Corsican pine. *Agric. Meteorol* Vol. 9, pp. 367-384.

Safarina, A. B. (2012). Analisis pengaruh topografi dan pola tata guna lahan terhadap abstraksi daerah aliran sungai berdasarkan model rainfall runoff. *Riset Geologi dan Pertambangan*, Vol. 22, pp. 1-10. doi:10.14203/risetgeotam2012.v22.53

Shimano, K. (1997). Analysis of the Relationship between DBH and Crown Projection Area Using a New Model. *Journal of Forest Research*, Vol. 2(4), pp. 237-242.

Shuguan, L. (1997). A New Model For The Prediction Of Rainfall Interception In Forest Canopies. *Ecological Modelling*, Vol. 99(2-3), pp. 151-159.

Singh, V. (1988). *Hydrologic systems: vol. 1. Rainfall-runoff modeling* (Vol. 1). pp. 65 Englewood Cliffs , New Jersey: Prentice-Hall.

Staelens, J., Schrijve, A. D., Verheyen, K., & Verhoes, N. (2008). Rainfall partitioning into throughfall, stemflow, and interception within a single beech (*Fagus sylvatica* L.) canopy: influence of foliation, rain event characteristics, and meteorology. *Hydrological Processes*, Vol. 22(1), pp. 33 - 45. doi:10.1002/hyp.6610

Sudibyakto. (2011). *Manajemen Bencana Indonesia Kemana?* pp. 112. Sleman, Yogyakarta: Gadjah Mada University Press.

Sugawara, M. (1979). Automatic calibration of the tank model. *Hydrological Science Bulletin*, Vol. 24(3), 375-388. doi:10.1080/002266667909491876

Swaffer, B. A., Hollad, K. L., Doody, T. M., & Hutson, J. (2014). Rainfall partitioning, tree form and measurement scale: A comparison of two co-occurring, morphologically distinct tree species in a semi-arid environment. *Ecohydrology*, Vol. 7(5), pp. 1331-1344 . doi:10.1002/eco.1461

Tallaksen, L. (1995). A Review of Baseflow Recession Analysis. *Journal of Hydrology*, Vol. 165(1-4), pp. 349-370. doi:10.1016/0022-1694(94)02540-R

Tanny, J., Cohen, S., Assouline, S., Lange, F., Grava, A., Berger, D., . . . Parlange, M. (2008). Evaporation from a small water reservoir : Direct measurements and estimates. *Journal of Hydrology*, Vol. 351(1-2), pp. 218-229.

Teklehaimanot, Z., Jarvis, P., & Ledger, D. (1991). Rainfall interception and Boundary layer conductance in relation to tree spacing. *Journal of Hydrology*, Vol. 123(3-4), pp. 261-278. doi:10.1016/0022-1694(91)90094-X,

Tomlinson, P. B. (1983, Maret - April). Tree Architecture: New approaches help to define the elusive biological property of tree form. *American Scientist*, Vol. 71(2), pp. 141-149. Retrieved from [www.jstor.org/stable/27851897](http://www.jstor.org/stable/27851897)

Uhlenbrook, S., Roser, S., & Tilch, N. (2004). Hydrological process representation at the meso-scale: the potential of a distributed, conceptual catchment model. *Journal of Hydrology*, Vol. 291(3-4), 278-296. doi:10.1016/j.jhydrol.2003.12.038

Valente, F., David, J. S., & Gash, J. H. (1997). Modelling interception loss for two sparse



eucalypt and pine forests in central Portugal using reformulated Rutter and Gash analytical model. *Journal of Hydrology*, Vol. 190(1-2), pp. 141 - 162. doi:10.1016/S0022-1694(96)03066-1

van Dijk, A. I., & Bruijnzeel, L. A. (2001). Modelling rainfall interception by vegetation of variabel density using an adapted analytical model. Part I. Model description. *Journal of Hydrology*, Vol. 247(3-4), pp. 230-238.

van Dijk, A. I., Bruijnzeel, L. A., & Rosewell, C. J. (2002). Rainfall intensity-kinetic energy relationships : a critical literature appraisal. *Journal of Hydrology*, Vol. 261(3-4), pp. 1-23.

van Dijk, A. I., van Noordwijk, M., & Calder, I. R. (2009). Forest-flood relation still tenuous – comment on ‘Global evidence that deforestation amplifies flood risk and severity in the developing world’ by C. J. A. Bradshaw, N.S. Sodi, K. S.-H. Peh and B. W. Brook. *Global Change Biology*, Vol. 15(1), pp. 110-115. doi:10.1111/j.1365-2486.2008.01708.x

van Dijk, A., & Bruijnzeel, L. (2001). Modelling rainfall interception by vegetation of variable density using an adapted analytical model. Part 2. Model validation for a tropical upland mixed cropping system. *Journal of Hydrology*, Vol. 247(3-4), pp. 239-262. doi:10.1016/S0022-1694(01)00393-6

van Noordwijk, M., Tanika, L., & Lusiana, B. (2017). Flood risk reduction and flow buffering as ecosystem services – Part 1: Theory on flow persistence, flashiness and base flow. *Hydrology and Earth System Science*, Vol. 21(5), pp. 2321-2340. doi:10.5194/hess-21-2321-2017

van Stan II, J. T., Siegert, C. M., Levia Jr, D. F., & Scheick, C. E. (2011). Effect of wind-driven rainfall on stemflow generation between codominant tree species with differing crown characteristics. *Agriculture and Forest Meteorology*, Vol. 151(9), pp.1277-1286. doi:10.1016/j.agrformet.2011.05.008

van Stan, J. T., Levia, D. F., & Jenkins, R. B. (2015). Forest Canopy Interception Loss Across Temporal Scales: Implications for Urban Greening Initiatives. *The Professional Geographer*, Vol. 67(1), pp. 41-51. doi:10.1080/00330124.2014.888628

Wang, A., Li, J., Liu, J., Pei, T., & Jin, C. (2005). A semi-theoretical model of canopy rainfall interception for *Pinus Koraiensis* Nakai. *Ecological Modelling*, Vol. 184(2-4), pp. 355-361. doi:10.1016/j.ecolmodel.2004.11.001

Wang, H., Shi, H., Li, Y., & Wang, Y. (2014). The effects of leaf roughness, surface free energy and work of adhesion on leaf water drop adhesion. *PLoS ONE*, Vol. 9(9), pp. 1-10. doi:10.1371/journal.pone.0107062

Wang, J., Endreny, T. A., & Nowak, D. J. (2008). Mechanistic Simulation of Tree Effects in an Urban Water Balance Model. *Journal of the American Water Resources Association (JAWRA)*, Vol. 44(1), pp. 75-85. doi:10.1111/j.1752-1688.2007.00139.x

Wang, W.-M., Li, Z.-L., & Su, H.-B. (2007). Comparison of leaf angle distribution functions; Effects on extinction coefficient and fraction of sunlit foliage. *Agricultural and Forest Meteorology*, Vol. 143(1-2), pp. 106-122. doi:10.1016/j.agrformet.2006.12.003

Wang, Y., & Yang, X. (2013). Land use/cover change effects on floods with different

return periods: a case study of Beijing, China. *Front. Environ. Sci. Eng*(5), Vol. 7(5), pp. 769-776. doi:10.1007/s11783-013-0542-z

Wei, X., Bi, H., & Liang, W. (2017). Factors controlling throughfall in a *Pinus tabulaeformis* forest in North China. Beijing: Springer Nature. Vol 7(1), pp 1-10, doi:10.1038/s41598-017-14464-z

Whitehead, D., & Kelliher, F. M. (1991). Modelling the water balance of a small *Pinus radiata* cathment. *Tree Physiology*, Vol. 9(1-2), pp. 17-33. doi:10.1093/treephys/9.1-2.17

Xiao, Q. F., McPherson, G. E., Simpson, J. R., & Ustin, S. L. (1998). Rainfall interception of Sacramento's Urban Forest. *Journal of Arboriculture*, Vol. 24(4), pp. 235-244.

Xiao, Q., McPherson, E. G., Ustin, S. L., & Grismer, M. E. (2000, December). A new approach to modelling tree rainfall interception. *Journal of Geophysical Research*, Vol. 105(D23), pp. 29.173-29.188.

Xiao, Q., & McPherson, E. G. (2016). Surface water storage capacity of twenty tree species in Davis, California. *Journal of Environmental Quality*, Vol. 45, pp. 188-198. doi:10.2134/jeq2015.02.0092

Yusuf, A. M. (2014). *Metode Penelitian : Kuantitatif, Kualitatif dan Penelitian Gabungan*. Jakarta: Kencana.

Zhan, W., Zhang, Z., Wu, J., & X. J. (2007, April). Spatial variability of throughfall in a Chinese Pine (*Pinus tabulaeformis*) plantation in northern China. *Frontiers of Forestry in China*, Vol. 2(2), pp. 169-173. doi:10.1007/s11461-007-0027-y

Zhang, Z.-S., Zhao, Y., Li, X.-R., Huang, L., & Tan, H.-J. (2016). Gross rainfall amount and maximum rainfall intensity in 60-minute influence on interception loss of scrub : a 10-year observation in the Tengger Desert. Chinese Academy of Sciences, Shapotou Desert Research and Experimental Station, Cold and Arid Regions Environmental and Engineering Research Institute. [www.nature.com/scientificreport](http://www.nature.com/scientificreport). Vol. 6(1), pp. 1-10, doi:10.1038/srep26030(2016)

Zimmermann, A., Zimmermann, B., & Elsenbeer, H. (2009). Rainfall redistribution in a tropical forest: Spatial and temporal patterns. *Water Resource Research*, Vol. 45(11), pp. 1 - 18. doi:10.1029/2008WR007470.