

## DAFTAR PUSTAKA

- [1] Center for Disease Control and Prevention, “How Coronavirus Spreads”, 2020. [Online]. Available : <https://www.cdc.gov/coronavirus/2019-ncov/prevent-getting-sick/how-covid-spreads.html> [Accessed : 19-Sep-2020].
- [2] T. Pro, “What happens during the eye tracker calibration?” 12-Aug-2015. [Online]. Available: <https://www.tobii.com/learn-and-support/learn/eye-tracking-essentials/what-happens-during-the-eye-tracker-calibration>. [Accessed: 20-Dec-2020].
- [3] Tobii Support, “Specifications for eye tracker 5 – tobii support.” [Online]. Available: <https://help.tobii.com/hc/en-us/articles/360012483818-Specifications-for-Eye-Tracker-5>. [Accessed: 16-Nov-2021].
- [4] L. Larsson, “Event detection in eye-tracking data for use in applications with dynamic stimuli,” Ph.D. dissertation, Lund University, 2016.
- [5] Jchristn, “JCHRISTN/WatsonWebsocket: A simple C# async websocket server and client for reliable transmission and receipt of data,” GitHub. [Online]. Available: <https://github.com/jchristn/WatsonWebsocket>. [Accessed: 18-Oct-2021].
- [6] J. de Jong, “Math.js, An extensive math library for JavaScript and Node.js,” math.js. [Online]. Available: <https://mathjs.org/>. [Accessed: 21-Oct-2021].
- [7] J. Pekkanen and O. Lappi, “A new and general approach to signal denoising and eye movement classification based on segmented linear regression,” Scientific reports, vol. 7, no. 1, p. 17726, 2017.
- [8] S. Murnani, “A Robust Object Selection Technique in Gaze Gesture Application Using Exponential Moving Average and Hidden Markov Model,” M.Eng. thesis, Dept. Electrical and Information Eng., Universitas Gadjah Mada, Yogyakarta, Indonesia, 2020.
- [9] R. Andersson, L. Larsson, K. Holmqvist, M. Stridh, and M. Nyström, “One algorithm to rule them all? an evaluation and discussion of ten eye movement event-detection algorithms,” Behavior research methods, vol. 49, no. 2, pp. 616–637, 2017.

- [10] M. Vidal, A. Bulling, and H. Gellersen, “Pursuits: spontaneous interaction with displays based on smooth pursuit eye movement and moving targets,” in Proceedings of the 2013 ACM international joint conference on Pervasive and ubiquitous computing, ACM, 2013, pp. 439–448.
- [11] M. Vidal, A. Bulling, and H. Gellersen, “Pursuits: spontaneous interaction with displays based on smooth pursuit eye movement and moving targets,” in Proceedings of the 2013 ACM international joint conference on Pervasive and ubiquitous computing, ACM, 2013, pp. 439–448.
- [12] M. Khamis, O. Saltuk, A. Hang, K. Stolz, A. Bulling, and F. Alt, “Textpursuits: using text for pursuits-based interaction and calibration on public displays,” in Proceedings of the 2016 ACM International Joint Conference on Pervasive and Ubiquitous Computing. ACM, 2016, pp. 274–285.
- [13] Ehmer, Mohd & Khan, Farmeena, “A Comparative Study of White Box, Black Box and Grey Box Testing Techniques,” International Journal of Advanced Computer Science and Applications 3, 2012.
- [14] R. S. Pressman, Software Engineering: A Practitioner’s Approach seventh edition, McGrawHill, 2009.