UNIVERSITAS
GADJAH MADA
Pemanfaatan Sentinel 5P untuk Identifikasi Pengaruh Pertumbuhan Penduduk dan Lahan Terbangun Terhadap Kualitas Udara Selama 2019-2020 di Pulau Jawa
RISMA ANGGRAENI, Wirastuti Widyatmanti, S.Si., Ph.D
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

A. Mukherjee, A. A. Kumar and P. Ramachandran, "Development of New Index-Based Methodology for Extraction of Built-Up Area From Landsat7 Imagery: Comparison of Performance With SVM, ANN, and Existing Indices," in IEEE Transactions on Geoscience and Remote Sensing, vol. 59, no. 2, pp. 1592-1603, Feb. 2021, doi: 10.1109/TGRS.2020.2996777.

All Answers Ltd. November 2018. Analysis of Land Consumption Rates. [online]. Tersedia dari : https://ukdiss.com/examples/change-detection-in-land-use-and-land-cover-using-remote-sensing-data-and-gis.php?vref=1 [Diakses pada : 8 Januari 2021].

Almeida, S. M et all. 2006. *Source apportionment of atmospheric urban aerosol based on weekdays/weekend variability: evaluation of road re-suspended dust contribution. , 40(11), 2058–2067.* doi:10.1016/j.atmosenv.2005.11.046

Amin, A dan Fazal, S. 2012. Quantification of Land Transformation Using Remote Sensing and GIS Techniques. American Journal of Geographic Information System. p-ISSN: 2163-1131 e-ISSN: 2163-114X 2012; 1(2): 17-28 doi: 10.5923/j.ajgis.20120102.01

Anyenda et all. 2016. Associations of Cough Prevalence with Ambient Polycyclic Aromatic Hydrocarbons, Nitrogen and Sulphur Dioxide: A Longitudinal Study. *Int. J. Environ. Res. Public Health*, *13*(8), 800; https://doi.org/10.3390/ijerph13080800

As-syakur, A.R. et all (2012). Enhanced Built-Up and Bareness Index (EBBI) for Mapping Built-Up and Bare Land in an Urban Area. Remote Sens. 2012, 4, pp. 2957-2970.

Baccarelli A, et al. 2007. Effects of exposure to air pollution on blood coagulation. Journal of Thrombosis & Haemostasis;5:252–260.

Bapedal. 1997. Keputusan Kepala Badan Pengendalian Dampak Lingkungan Nomor : Kep-107/Kabapedal/11/1997 Tentang Pedoman Teknis Perhitungan Dan Pelaporan Serta Informasi Indeks Standar Pencemar Udara. Nomor: Kep- 107/Kabapedal/11/1997

Barnett AG, et al. 2006. The effects of air pollution on hospitalizations for cardiovascular disease in elderly people in Australian and New Zealand cities. Environmental Health Perspectives ;114:1018–1023.

UNIVERSITAS
GADJAH MADA
Pemanfaatan Sentinel 5P untuk Identifikasi Pengaruh Pertumbuhan Penduduk dan Lahan Terbangun Terhadap Kualitas Udara Selama 2019-2020 di Pulau Jawa
RISMA ANGGRAENI, Wirastuti Widyatmanti, S.Si., Ph.D
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Baten, J. 2003. Creating firms for a new century: Determinants of firm creation around 1900. *European Review of Economic History*, Volume 7, Issue 3, December 2003, Pages 301–329, https://doi.org/10.1017/S136149160300011X

Belgian Interregional Environment Agency. 2021. Why are ozone concentrations higher in rural areas than in cities? [Online] Tersedia dari : Why are ozone concentrations higher in rural areas than in cities? — English (irceline.be) [Diakses pada : 21 Desember 2021]

BPS. 2020. Laju Pertumbuhan Penduduk [Online] Tersedia dari : https://sirusa.bps.go.id/sirusa/index.php/indikator/86 [Diakses pada : 23 November 2020]

Brauer M, et al. 2006. Traffic-related air pollution and otitis media. Environmental Health Perspectives ;114:1414–1418.

Brauer M, et al. 2007. Air pollution and development of asthma, allergy and infections in a birth cohort. European Respiratory Journal ;29:879–888.

C. O. Justice *et al*., 1998. "The Moderate Resolution Imaging Spectroradiometer (MODIS): land remote sensing for global change research," in *IEEE Transactions on Geoscience and Remote Sensing*, vol. 36, no. 4, pp. 1228-1249, July 1998, doi: 10.1109/36.701075.

Chandler, R dan Scott, M. 2011. Statistical Methods for Tren Detection and Analysis in the Environmental . Publisher : John Wiley & Sons, 2011. ISBN : 111999196X, 9781119991960

Chian, K. 2020. Exploring the Spatial and Temporal Relationship between Air Quality and Urban Land-Use Patterns Based on an Integrated Method. Sustainability, MDPI, vol. 13(9), pages 1-15

Clairborn, C., et all. 1995. Evaluation of PM10 emission rates from paved and unpaved roads using tracer techniques. Atmospheric Environment 29 (10), 1075–1089.

Corbane, C et all. 2017.. LUE User Guide: A Tool to Calculate the Land Use Efficiency and the SDG 11.3 Indicator with the Global Human Settlement Layer; Publications Office of

UNIVERSITAS
GADJAH MADA
Pemanfaatan Sentinel 5P untuk Identifikasi Pengaruh Pertumbuhan Penduduk dan Lahan Terbangun Terhadap Kualitas Udara Selama 2019-2020 di Pulau Jawa
RISMA ANGGRAENI, Wirastuti Widyatmanti, S.Si., Ph.D
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

the European Union: Luxembourg ; ISBN1 978-92-79-73631-5. ISBN2 8-92-79-73630-8.

Dadson, S. J. 2017. Statistical Analysis of Geographical Data: An Introduction. Publisher : John Wiley & Sons, 2017. ISBN : 1118525140, 9781118525142

Earth Observing System, 2021. Landsat 8 [Online] Tersedia dari : Landsat 8: Satellite Imagery, Overview, And Characteristics (eos.com) [Diakses pada : 20 Januari 2021]

Earth Observing System. 2021. MODIS MCD43A4 [Online] Tersedia dari : MODIS-MCD43A4: Satellite Imagery, Overview, And Characteristics (eos.com) [Diakses pada : 20 Januari 2021]

Enviromental Protection Agency. 2019. Basic Information about Carbon Monoxide (CO) Outdoor Air Pollution [Online] Tersedia dari : Basic Information about Carbon Monoxide (CO) Outdoor Air Pollution | Carbon Monoxide (CO) Pollution in Outdoor Air | US EPA [Diakses pada : 18 Januari 2021]

Environmental Protection Agency. 2019. Sulfur Dioxide (SO_2) Pollution [Online] Tersedia dari : Sulfur Dioxide Basics | Sulfur Dioxide (SO2) Pollution | US EPA [Diakses pada : 18 Januari 2021]

EPA, 2000 (EPA/600/R-96/084). Guidance for Data Quality Assessment: Practical methods for Data Analysis, EPA QA/G-9, QA00 Update

EPA: Assessment of the impacts of global change on regional U.S. air quality: a synthesis of climate change impacts on ground-level ozone, National Center for Environmental Assessment Washington DC, 2009.

ESA. 2020. Orbit [Online] Tersedia dari : https://sentinels.copernicus.eu/web/sentinel/missions/sentinel-5p/orbit [Diakses pada : 22 November 2020]

ESA. 2021. Sentinel-5P [Online] Tersedia dari : https://sentinel.esa.int/web/sentinel/missions/sentinel-

UNIVERSITAS
GADJAH MADA
Pemanfaatan Sentinel 5P untuk Identifikasi Pengaruh Pertumbuhan Penduduk dan Lahan Terbangun Terhadap Kualitas Udara Selama 2019-2020 di Pulau Jawa
RISMA ANGGRAENI, Wirastuti Widyatmanti, S.Si., Ph.D
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

5p;jsessionid=2306FDACC9E302844030285BAF8ED747.jvm1 [Diakses pada : 8 Januari 2021]

EPA. 2021. Ground-level Ozone Basics [Online] Tersedia dari : Ground-level Ozone Basics | US EPA [Diakses pada : 21 Desember 2021]

European Commission. 2018. Global Human Settlement. [Online] Tersedia dari : https://ghsl.jrc.ec.europa.eu/datasets.php (Diakses pada 19 Januari 2021).

Fowler, D. et all. 2009. Atmospheric composition change: Ecosystems-Atmosphere interactions, Atmos. Environ., 43, 5193–5267, doi:10.1016/j.atmosenv.2009.07.068.

Gan, C.M et all. (2011). Application of Remote Sensing Instrument in Air Quality Monitoring, Air Quality Monitoring, Assessment and Management, Dr. Nicolas Mazzeo (Ed.), ISBN: 978-953-307-317-0, InTech, Available from: http://www.intechopen.com/books/air-qualitymonitoring-assessment-and-management/application-of-remote-sensing-instrument-in-air-quality-monitoring

Ghahremanloo, M et all. 2020. Impact of the COVID-19 outbreak on air pollution levels in East Asia. Science of The Total Environment, Volume 754, 2021,142226,ISSN 0048-9697, https://doi.org/10.1016/j.scitotenv.2020.142226. (https://www.sciencedirect.com/science/article/pii/S0048969720357557)

Ghosh, D.K. 2018. ANALYSIS FOR MAPPING OF BUILT-UP AREA USING REMOTELY SENSED INDICES – A CASE STUDY OF RAJARHAT BLOCK IN BARASAT SADAR SUB-DIVISION IN WEST BENGAL (INDIA). aJournal of Landscape Ecology (2018), Vol: 11 / No. 2. DOI : 10.2478/jlecol-2018-0007

Habermann, M et all. 2015. Land use regression as method to model air pollution. Previous results for Gothenburg/Sweden. *Procedia Engineering 115 (2015) 21 – 28* doi: 10.1016/j.proeng.2015.07.350

UNIVERSITAS
GADJAH MADA
Pemanfaatan Sentinel 5P untuk Identifikasi Pengaruh Pertumbuhan Penduduk dan Lahan Terbangun Terhadap Kualitas Udara Selama 2019-2020 di Pulau Jawa
RISMA ANGGRAENI, Wirastuti Widyatmanti, S.Si., Ph.D
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

He, C., et all (2010). Improving the normalized difference built-up index to map urban built-up areas using a semiautomatic segmentation approach. Remote Sensing Letters , 2010, 1(4).

Ho, K. F., et all (2003). *Characterization of PM10 and PM2.5 source profiles for fugitive dust in Hong Kong. Atmospheric Environment, 37(8), 1023–1032.* doi:10.1016/s1352-2310(02)01028-2

Indrawati, A. 2017. Analisis Tren Kinerja Keuangan Bank Kaltim. Research Journal of Accounting and Business Management(RJABM);P-ISSN : 2580-3115 ; E-ISSN: 2580-3131 halaman 226-235

Jandacka, D et all. 2017. The contribution of road traffic to particulate matter and metals in air pollution in the vicinity of an urban road. *Transportation Research Part D: Transport and Environment, 50, 397–408.* doi:10.1016/j.trd.2016.11.024

Jarvis, D. J et all. 2010. Nitrogen dioxide. In: WHO Guidelines for Indoor Air Quality: Selected Pollutants. Geneva: World Health Organization;. 5. Tersedia dari : https://www.ncbi.nlm.nih.gov/books/NBK138707/

Kim, C. S et all. 2011. Lung Function and Inflammatory Responses in Healthy Young Adults Exposed to 0.06 ppm Ozone for 6.6 Hours, Am. J. Resp. Crit. Care Med., 183, 1215–1221, doi:10.1164/rccm.201011-1813OC.

Kong, L. et all 2016. The empirical correlations between PM2.5, PM10 and AOD in the Beijing metropolitan region and the PM2.5, PM10 distributions retrieved by MODIS. Environmental Pollution 216 (2016) 350e360. http://dx.doi.org/10.1016/j.envpol.2016.05.085

Lawton, S. J. (2011). *Change and Demographic Change and the Environment*. Printed in the UK by The Stationery Office Limited. Hal 41-41. ISBN: 978 0 10 180012 9

Levelt et all. 2006. *TROPOMI and TROPI: UV/VIS/NIR/SWIR instruments* Proceedings SPIE's Annual Meeting, San Diego (U.S.A.), 13 - 17 August 2006, Optics and Photonics 2006 (vol. 6296).

UNIVERSITAS
GADJAH MADA
Pemanfaatan Sentinel 5P untuk Identifikasi Pengaruh Pertumbuhan Penduduk dan Lahan Terbangun Terhadap Kualitas Udara Selama 2019-2020 di Pulau Jawa
RISMA ANGGRAENI, Wirastuti Widyatmanti, S.Si., Ph.D
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Lim et all. (2009). Air Pollution Determination Using Remote Sensing Technique, Advances in Geoscience and Remote Sensing, Gary Jedlovec (Ed.), ISBN: 978-953-307- 005-6, InTech, Available from: http://www.intechopen.com/books/advances-in-geoscience-and-remotesensing/air-pollution-determination-using-remote-sensing-technique

Lyapustin, A., Wang, Y., Korkin, S., and Huang, D.: MODIS Collection 6 MAIAC algorithm, Atmos. Meas. Tech., 11, 5741–5765, https://doi.org/10.5194/amt-11-5741-2018, 2018.

Martins, V. S. *et al.* (2017) 'Validation of high-resolution MAIAC aerosol product over South America', *Journal of Geophysical Research*, 122(14), pp. 7537–7559. doi: 10.1002/2016JD026301.

Mao, W et all. (2020). Comparison of Machine-Learning Methods for Urban Land-Use Mapping in Hangzhou City, China. Remote Sensing. 2020; 12(17):2817. https://doi.org/10.3390/rs12172817

Melesse, A.M., et all (2007). Remote Sensing Sensors and Applications in Environmental Resources Mapping and Modelling. Sensors (Basel, Switzerland). 2007; 7(12), pp. 3209-3241.

Melo, S. P. (2014) 'Statistical Analysis of Meteorological Data'. Florida International University FIU Digital Commons. doi: 10.25148/etd.FI14071147.

Mhawish, A. *et al.* (2019) 'Comparison and evaluation of MODIS Multi-angle Implementation of Atmospheric Correction (MAIAC) aerosol product over South Asia', *Remote Sensing of Environment*, 224(January), pp. 12–28. doi: 10.1016/j.rse.2019.01.033.

Minnesota Pollution Control Agency. 2020. Sulfur Dioxide [Online] Tersedia dari : Sulfur dioxide (SO2) | Minnesota Pollution Control Agency (state.mn.us) [Diakses pada : 18 Januari 2021]

Monks, P. S. (2005). *Gas-phase radical chemistry in the troposphere. Chemical Society Reviews, 34(5), 376.* doi:10.1039/b307982c .

UNIVERSITAS
GADJAH MADA
Pemanfaatan Sentinel 5P untuk Identifikasi Pengaruh Pertumbuhan Penduduk dan Lahan Terbangun Terhadap Kualitas Udara Selama 2019-2020 di Pulau Jawa
RISMA ANGGRAENI, Wirastuti Widyatmanti, S.Si., Ph.D
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Monks, P.S et all. 2015. Tropospheric ozone and its precursors from the urban to the global scale from air quality to short-lived climate forcer. Atmos. Chem. Phys., 15, 8889–8973, 2015 www.atmos-chem-phys.net/15/8889/2015/ doi:10.5194/acp-15-8889-2015

Morgenstern V, et al. 2008. Atopic diseases, allergic sensitization, and exposure to traffic-related air pollution in children. American Journal of Respiratory & Critical Care Medicine ;177:1331–1337.

Mountrakis, G dan Ogole, C. 2011. Support Vector Machines in Remote Sensing : A Review. *ISPRS Journal of Photogrammetry and Remote Sensing*, 66(3), 247-259

Mulyana. 2004. Buku Ajar Analisi Deret Waktu. Universitas Padjadjaran. Fakultas Matematika Dan Ilmu Pengetahuan Alam. Jurusan Statistika

Narashid, R. H dan Mohd, W. M. N (2010). Air Quality Monitoring Using Remote Sensing and GIS Technologies. 2010 International Conference on Science and Social Research (CSSR 2010). DOI : 10.1109/CSSR.2010.5773713

Natsagdorj, et all. 2021. Spatial Distribution of Soil Moisture in Mongolia Using SMAP and MODIS Satellite Data: A Time Series Model (2010–2025). Remote Sens. 2021, 13, 347. https://doi.org/10.3390/ rs13030347

Njoku, K. L., Rumide, T. J., Akinola, M. O., Adesuyi, A. A., & Jolaoso, A. O. (2016). Ambient air quality monitoring in Metropolitan city of Lagos, Nigeria. Journal of Applied Sciences and Environmental Management, 20, 178–185.

Nong, D. et all. 2014. Built-Up Area Change Analysis in Hanoi Using Support Vector Machine Classification of Landsat Multi-Temporal Image Stacks. East-West Center Working Papers. Environment, Population, and Health Series. No. 1. Oktober 2014.

Ofungwu, J. 2014. Statistical Applications for Environmental Analysis and Risk Assessment. Publisher : John Wiley & Sons, 2014. ISBN : 1118634519, 9781118634516

Oji S dan Adamu H. 2020. Correlation between air pollutants concentration and meteorological factors on seasonal air quality variation. Journal of Air Pollution and Health (Winter 2020); 5(1): 11-32.

UNIVERSITAS
GADJAH MADA
Pemanfaatan Sentinel 5P untuk Identifikasi Pengaruh Pertumbuhan Penduduk dan Lahan Terbangun Terhadap Kualitas Udara Selama 2019-2020 di Pulau Jawa
RISMA ANGGRAENI, Wirastuti Widyatmanti, S.Si., Ph.D
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Penner et all. 2002. A Comparison of Model and Satellite-Derived Optical Depth and Reflectivity. [Online] Available : http://data.engin.umich.edu/Penner/paper3.pdf

Pesaresi, M. et all. 2016. Operating Procedure for the Production of the Global Human Settlement Layer from Landsat Data of the Epochs 1975, 1990, 2000, and 2014; EUR 27741 EN; Publications Office of the European Union: Luxembourg

Pusat Teknologi dan Data Penginderaan Jauh. 2018. Katalog Inderaja : Landsat-8 Citra Satelit Resolusi Menengah [Online] Tersedia dari : https://inderaja-catalog.lapan.go.id/application_data/default/pages/about_Landsat-8.html [Diakses pada : 22 November 2020]

PUSTEKDATA LAPAN. 2018. Landsat 8 : Citra Satelit Resolusi Menengah [Online] Tersedia dari : https://inderaja-catalog.lapan.go.id/application_data/default/pages/about_Landsat-8.html [Diakses pada 8 Desember 2020]

Santoso, M et all. 2020. Assessment of Urban Air Quality in Indoenesia. Aerosol and Air Quality Research. Volume 20, Issue 10, Oktober 2020. https://doi.org/10.4209/aaqr.2019.09.0451

Shen, Z et all (2014). *Characteristics of surface O3 over Qinghai Lake area in Northeast Tibetan Plateau, China. Science of The Total Environment, 500-501, 295–301*. doi:10.1016/j.scitotenv.2014.08.104

Shikwambana, L., & Tsoeleng, L. T. (2019). Impacts of population growth and land use on air quality . A case study of Tshwane , Rustenburg and Emalahleni , South Africa Impacts of population growth and land use on air quality . A. *South African Geographical Journal*, *00*(00), 1–14. https://doi.org/10.1080/03736245.2019.1670234

Sitanggang, G. 2010. KAJIAN PEMANFAATAN SATELIT MASA DEPAN:SISTEM PENGINDERAAN JAUH SATELIT LDCM (LANDSAT-8). Jurnal Lapan.

Sunarsih, E et all. 2019. Risk Assesment of Air Pollution Exposure (NO2, SO2, Total Suspended Particulate, and Particulate Matter 10 micron) and Smoking Habits on the Lung Function of Bus Drivers in Palembang City. Kesmas: National Public Health

UNIVERSITAS
GADJAH MADA
Pemanfaatan Sentinel 5P untuk Identifikasi Pengaruh Pertumbuhan Penduduk dan Lahan Terbangun Terhadap Kualitas Udara Selama 2019-2020 di Pulau Jawa
RISMA ANGGRAENI, Wirastuti Widyatmanti, S.Si., Ph.D
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Journal. 2019; 13 (4): 202-206. DOI: http://dx.doi.org/10.21109/kesmas.v13i4.1923.g861

Sutanto. 1986. Penginderaan Jauh Jilid 1. Yogyakarta : Gadjah Mada University Press

UN-GGIM: Europe. 2019. Ratioof land consumption rate to population growth rate [Online] Tersedia dari : https://un-ggim-europe.org/wp-content/uploads/2019/03/Discussion_SDG_11-3-1_Ratio-of-land-consumption-rate-to-population-growth-rate_0.pdf [Diakses pada 8 Desember 2020]

USEPA 2013. Health Effects of Particulate Matter. [Online] Tersedia dari : https://www.epa.gov/pm/health [Diakses pada 24 November 2020]

USEPA 2016. Basic Information About NO_2. [Online] Tersedia dari : https://www.epa.gov/no2-pollution/basic-infromation-about-no2 [Diakses pada 24 November 2020]

Weng, Q. 2008. Remote Sensing of Impervious Surfaces: An Overview. In *Remote Sensing of Impervious Surfaces*; Weng, Q., Ed.; CRC Press, Taylor & Francis Group: Boca Raton, FL, USA,.

Wolfe, R. tanpa tahun. Terra & Aqua Moderate Resolution Imaging Spectroradiometer (MODIS) [Online] Tersedia dari : https://ladsweb.modaps.eosdis.nasa.gov/missions-and-measurements/modis/ [Diakses pada : 23 November 2020]

World Health Organization (WHO). (2005). *WHO Air Quality Guidelines Global Update 2005: Report on a Working Group Meeting, Bonn, Germany, 18-20 October 2005*. WHO Regional Office for Europe.

Yue, Sheng., Pilon, P., Phinney, B., dan Cavadias, G.2002. The Influence of Autocorrelation on the Ability to Detect Trend in Hydrological Series. Hydrological Processes. 16: 1807-1829.

Zulfa, A (2016). "Pengaruh Pertumbuhan Penduduk dan Pertumbuhan Ekonomi terhadap Tingkat Pengangguran di Kota Lhokseumawe". *Jurnal Visioner & Strategis. 5 (1): 15.* ISSN 2338-2864.