

DAFTAR PUSTAKA

- Almeida, O. J. G., de Souza, L. A. , Paoli, A. A. S., Davis, A. R., and Sanchez, J.H. C. 2018. Development in fruit epiphytic cacti: implications for fruit classification and macro-morphology in the Cactaceae. *Botany*. 96(9):621-635.
- Ansari, M., Anurag, A., Fatima, Z., Hameed, S. 2013. *Natural phenolic compounds: A potential antifungal agent. In Microbial Pathogens and Strategies for Combating Them: Science, Technology and Education; Méndez-Vilas, A., Ed. Badajoz: Formatex Research Center. Pp: 1189–1195.*
- Anthoni, C., Laukoetter, M.G., Rizken, E. 2006. Mechanism underlying the anti inflammation actions of boswellic acid derivatives in experimental colitis. *Am. J Physiol. Gastrointest. Liver Physiol.* 290: G1131–G1137.
- Bae, C.R., Park, Y.K., Cha, Y.S. 2014. Quercetin-rich onion peel extract suppresses adipogenesis by down-regulating adipogenic transcription factors and gene expression in 3T3-L1 adipocytes. *J. Sci. Food Agric.* 94: 2655–2660.
- Barthlott, W., and Hunt, D. 1993. Cactaceae. In The families and genera of vascular plants. Vol 2. Flowering plants Dicotyledons Magnoliid, Hamamelid and Caryophyllid families. Berlin: Springer. Hal: 161-196.
- Bednarz, H., Roloff, N., and Niehaus, K. 2019. Mass spectrometry imaging of the spatial and temporal localization of alkaloids in Nightshades. *J. Agric. Food Chem.* 67: 13470–13477
- Bourgaud, F., Gravot, A., Milesi, S., and Gontier, E. 2001. Production of plant secondary metabolites: A historical perspective. *Plant Sci.* 161: 839–851.
- Bravo, L. 1998. Polyphenols: Chemistry, Dietary Sources, Metabolism, and Nutritional Significance. *Nutr. Rev.* 56: 317–333.
- Bravo-Hollis, H. 1978. *Las cactáceas de México*. Mexico City: Universidad Nacional Autónoma de México.
- Britton, N.L., and Rose, J.N. 1937. *The Cactaceae. Descriptions and illustrations of plants of the cactus family. Vol III. 2nd edition*. New York: Dover Publications.
- CABI. 2020. *Hylocereus polyrhizus*. In: Invasive Species Compendium. Wellingford, UK: CAB International.
- Carocho, M., Ferreira, I. 2013. The role of phenolic compounds in the fight

- against cancer—A review. *Anticancer Agents Med. Chem.* 13: 1236–1258
- Cheok, Y.C., Adzahan, N.M., Rahman, R.A., Abedin, N.H.Z., Hussain, N., Sulaiman, R., and Chong, G.H. 2016. Current trends of tropical fruit waste utilization. *Critical Reviews in Food Science and Nutrition*: 1-27.
- Chiocchio, I., Mandrone, M., Sanna, C., Maxia, A., Tacchini, M., Poli, F. 2018. Screening of a hundred plant extracts as tyrosinase and elastase inhibitors, two enzymatic targets of cosmetic interest. *Ind. Crops Prod.* 122: 498–505.
- Chiocchio, I., Manuela, M., Paola T., Lorenzo M., and Ferruccio P. 2021. Secondary Metabolites: An Opportunity for Circular Economy. *Molecules*. 26 (495): 1-31.
- Coleman, R. 2000. The Impact of Histochemistry - A Historical perspective. *Acta Histochemica* 102 (1): 5-14.
- Correa-Betanzo, J., Jacob, J.K., Perez-Perez, C., and Paliyath, G. 2011. Effect of a sodium caseinate edible coating on berry cactus fruit (*Myrtillocactus geometrizans*) phytochemicals. *Food Res. Int.* 44(7): 1897-1904.
- Cortinovis, C., and Caloni, F. 2015. Alkaloid-containing plants poisonous to cattle and horses in Europe. *Toxins*. 7(12): 5301-5307.
- Del Carmen Acevedo-Ramírez, P.M., Hallal-Calleros, C., Flores-Pérez, I., Alba-Hurtado, F., Mendoza-Garfias, M.B., del Campo, N.C., dan Barajas, R. 2019. Anthelmintic effect and tissue alterations induced in vitro by hydrolysable tanins on the adult stage of the gastrointestinal nematode *Haemonchus contortus*. *Vet. Parasitol.* 266: 1–6.
- Demain, A.L.; Fang, A. 2000. *The natural functions of secondary metabolites. In History of Modern Biotechnology I, Advances in Biochemical Engineering/Biotechnology Vol. 69; Fiechter, A., Ed. Berlin/Heidelberg: Springer. Hal: 1–39*
- Demarco, D. 2017. *Histochemical Analysis of Plant Secretory Structures*. In: Pellicciari C., Biggiogera M. (eds) *Histochemistry of Single Molecules. Methods in Molecular Biology*. Vol. 1560. New York: Humana Press.
- Diaz, G.J. 2015. Toxicosis by plant alkaloids in humans and animals in Colombia. *Toxins*. 7(12): 5408-5416.
- Evans, W.C. and Trase. 2009. *Pharmaognosy* 15th Edition. Edinburgh, London, New York, Philadelphia, St. Louis, Sydney, Toronto: Saunders Elsevier.
- Friedman, M., Henika, P.R., and Mandrell, R.E. 2002. Bactericidal activities of plant essential oils and some of their isolated constituents against *Campylobacter jejuni*, *Escherichia coli*, *Listeria monocytogenes*, and

Salmonella enterica. *J. Food Prot.* 65: 1545–1560.

Franceschi, V.R. and H.T. Horner. 1980. Calcium Oxalate Crystal in Plants. *Botanical Review*. 46 (4): 361-427.

Gabe, M. 1968. *Techniques histologiques*. Paris:Masson & Cie. p.1113.

Gibson, A., and Nobel, P. 1986. *The cactus primer*. Cambridge: Harvard University Press.

Hamid, H.A., Ramli, A.N.M., and Yusoff, M.M. (2017). Indole alkaloids from plants as potential leads for antidepressant drugs: a mini review. *Frontiers in Pharmacology*. 8: 1-7.

Hammer, K.A., Carson, C.F., and Riley, T.V. 2003. Antifungal activity of the components of *Melaleuca alternifolia* (tea tree) oil. *J. Appl. Microbiol.* 95: 853–860.

Hertel, R.J.G. 1959. Contribuições para a fitologia teórica. II. *Algumas concepções na capologia*. *Humanitas*, 4(4): 1-43.

Hou, S.Z., Xu, S.J., Jiang, D.X., Chen, S.X., Wang, L.L., Huang, S., Lai, X.P. 2012. Effect of the flavonoid fraction of *Lithocarpus polystachyus* Rehd. on spontaneously hypertensive and normotensive rats. *J. Ethnopharmacol.* 143: 441–447.

Ilmiah, H.H., T.R. Nuringtyas, and L.H. Nugroho. 2018. Accumulation of Potential Photo-Protective Compound Groups In Mangrove (*Sonneratia cecelaris* (L.)Engler.)Leaves. *Pharmacogn J.* 10 (3): 576-580.

Jang, J.H., Lee, S.H., Jung, K., Yoo, H., and Park, G. 2020. Inhibitory effects of myricetin on lipopolysaccharide-induced neuroinflammation. *Brain Sci.* 10: 32.

Jawa La, E. O., R. T. Sawiji, dan A. N. Yuliawati. 2020. Skrining Fitokimia dan Analisis Kromatografi Lapis Tipis Ekstrak Etanol Kulit Buah Naga Merah (*Hylocereus polyrhizus*). *Indonesian Journal of Pharmacy and Natural Product* 03 (01): 2656-3215

Judd, W.S., Campbell, C.S., Kellogg, E.A., Stevens, P.F., and Donoghue, M.J. 2008. *Plant systematics, a phylogenetic approach*. Sunderland: Sinauer Associates.

Kadam, V. B. 1999. Histochemical investigations of different organs of three Endangered medical taxa of South Gujarat Forests. *Journal of Phytological Research* 12:109-112.

- Khalili, R.M.A., A.H. Norhayati, M.Y. Rokiah, R. Asmah, M.T. Mohd Nasir and M. Siti Muskinah, 2009. Proximate composition and selected mineral determination in organically grown red pitaya (*Hylocereus* sp.). *J. Trop. Agric. Food Sci.*, 34: 269-275.
- Kristanto, D. 2003. *Buah Naga Pembudidayaan di Pot dan di Kebun*. Jakarta. Penebar Swadaya. Hal: 9-84.
- Kurmukov, A.G. 2013. *Phytochemistry of Medicinal Plants. In Medicinal Plants of Central Asia: Uzbekistan and Kyrgyzstan*. New York: Springer. Pp. 13-14.
- Le Bellec, F., Vaillant, F., and Imbert, E. 2006. Pithaya (*Hylocereus* spp.): a new fruit crop, a market, with a future. *Fruits*. 61(4): 237-250.
- Lianza, M., Mandrone, M., Chiocchio, I., Tomasi, P., Marincich, L., and Poli, F. 2020. Screening of ninety herbal products of commercial interest as potential ingredients for phytocosmetics. *J. Enzyme Inhib. Med. Chem.* 35:1287–1291
- Lu, J.J., Bao, J.L., Chen, X.P., Huang, M., and Wang, Y.T. 2012. Alkaloids isolated from natural herbs as the anticancer agents. *Evidence-based Complementary and Alternative Medicine*. 2012: 1-12.
- Manihuruk, F. M., Suryati, T., and Arief, I. I. 2017. Effectiveness of the Red Dragon Fruit (*Hylocereus polyrhizus*) Peel Extract as the Colorant, Antioxidant, and Antimicrobial on Beef Sausage. *Media Perternakan* 40 (1): 47-54.
- Mastantuono, T., Di Maro, M., Chiurazzi, M., Battiloro, L., Muscariello, E., Nasti, G., Starita, N., Colantuoni, A., Lapi, D. 2018. Rat pial microvascular changes during cerebral blood flow decrease and recovery: Effects of cyanidin administration. *Front. Physiol.* 9: 540.
- Mauseth, J.D. 2018. Many cacti have clusters of terminal tracheids on their cortical bundles. *Haseltonia*. 24: 64-74.
- Mohd, M. H. 2010. *Diversity of Fusarium semitectum (berkeley and revenel) associated with red-fleshed dragon fruit (Hylocereus polyrhizus [weber] britton and rose) in Malaysia*. Penang: University Sains Malaysia.
- Mutiar, S., and Asben, A. 2018. *Quality of Leather Using Vegetable tanins Extract of Acacia Mangium Bark from Waste of Industrial Plantation. In IOP Conference Series: Earth and Environmental Science Vol. 327*. West Sumatera: IOP Publishing Ltd. Hal: 13–14.
- Nugroho, L. H. 2017. *Struktur dan Produk Jaringan Sekretori Tumbuhan*. Yogyakarta: UGM Press.

- Ng, Y.P., Or T.C.T. and Ip N.Y. 2015. Plant alkaloids as drug leads for Alzheimer's disease. *Neurochemistry International*. 89: 260-270.
- Pagare, S., Bhatia, M., Tripathi, N., Pagare, S., dan Bansai, Y. K. 2015. Secondary Metabolites of Plants and Their Role: Overview. *Current Trends in Biotechnology and Pharmacy* 9(3): 2230-7303
- Prum, B., Seidel, R., Bohn, H.F., and Speck, T. 2012. Impact of cell shape in hierarchically structured plant surfaces on the attachment of male Colorado potato beetles (*Leptinotarsa decemlineata*). *Beilstein Journal of Nanotechnology*. 3: 57-64.
- Rahayu, Y. C., Sabir, A., and Setyorini, D. 2019. Antibacterial activity of red dragon fruit extract (*Hylocereus polyrhizus*) on *Streptococcus mutans*. *International Journal of Applied Pharmaceutics*. 11(4): 60-63.
- Rao, T. A. and Bhupal, O.P. 1972. Typology of Sclereid. Botanical Survey of India: 41-55.
- Redondo, L.M., Chacana, P.A., Dominguez, J.E., Fernandez Miyakawa, M.E.D. 2014. Perspectives in the use of tanins as alternative to antimicrobial growth promoter factors in poultry. *Front. Microbiol.* 5: 118.
- Reis Giada, M.L. 2013. *Food phenolic compounds: Main classes, sources and their antioxidant power*. In *Oxidative Stress and Chronic Degenerative Diseases—A Role for Antioxidants*; Morales-Gonzalez, J.A., Ed. London: IntechOpen . Hal: 87–112.
- Roberts, M. F., and Wink, M. 1998. *Alkaloids: Biochemistry, Ecology, and Medicinal Application*. New York: Plenum Press.
- Rosa, L.D.S., Jordão, N.A., Da Costa Pereira Soares, N., DeMesquita, J.F., Monteiro, M., Teodoro, A.J. 2018. Pharmacokinetic, antiproliferative and apoptotic effects of phenolic acids in human colon adenocarcinoma cells using in vitro and in silico approaches. *Molecules*. 23: 2569
- Rose, P.M., Cantrill, V., Benohoud, M., Tidder, A.; Rayner, C.M., Blackburn, R.S. 2018. Application of anthocyanins from blackcurrant (*Ribes nigrum* L.) fruit waste as renewable hair dyes. *J. Agric. Food Chem.* 66: 6790–6798.
- Shin, S.W., Jung, E., Kim, S., Kim, J.H., Kim, E.G., Lee, J., and Park, D. 2013. Antagonizing effects and mechanisms of afzelin against UVB-induced cell damage. *PLoS ONE*. 8: e61971
- Simpson, M.G. 2010. *Plant systematics*. San Diego: Elsevier.



- Spujt, R.W. 1994. A systematic treatment of fruit types. *Mem. N.Y. Bot. Gard.* 70: 1-182.
- Tavsan, Z., and Kayali, H.A. 2019. Flavonoids showed anticancer effects on the ovarian cancer cells: Involvement of reactive oxygen species, apoptosis, cell cycle and invasion. *Biomed. Pharmacother.* 116: 109004
- Terrazas, T., and Mauseth, J.D. 2002. *Shoot anatomy and morphology. In Cacti: biology and uses. Edited by P.S. Nobel.* Berkeley: University of California Press. Hal. 23-40.
- United Nations. 2019. *World Population Prospects 2019.* United Nations: New York.
- Van Dam, N.M., Vuister, L.W., Bergshoeff, C., de Vos, H., Van der Meijden, E.D. 1995. The "Raison D'être" of pyrrolizidine alkaloids in *Cynoglossum officinale*: Deterrent effects against generalist herbivores. *J. Chem. Ecol.* 21: 507-523.
- Vapoorte, R. 2000. *Secondary Metabolism. In Metabolic Engineering of Plant Secondary Metabolism* (Vapoote, R. and A.W. Alfermann, Editors). The Netherlands: Kluwer Academic Publisher. Pp: 1-29.
- Wick, M. R. 2012. Histochemistry as a tool in morphological analysis: A historical Review. *Annals of Diagnostic Pathology* 16 (1):71-78